



TRUST THE CONSUMABLES ENGINEERED FOR YOUR INSTRUMENTS

INTERACTIVE PDF

 [CLICK HERE TO VIEW THE TABLE OF CONTENTS](#)

JCANO INGENIERIA DE MÉXICO:
Priv. Brunel Mz. 1 Lt. 5 Cs 4-B Fracc. Quinta Versalles C.P. 55767 Tecámac, Edo. De México
Correo: mcano@jcanoingenieria.com
Página Web: <https://jcanoingenieria.com>
Tel: 55 3996 2586

Facebook: <https://www.facebook.com/JCanoIngenieria>
WhatsApp: 55 7129 9832

Atomic Spectroscopy Consumables and Supplies

AA | ICP-OES | ICP-MS | General Supplies | Reference Materials | Sample Preparation


JCANO
INGENIERÍA DE MÉXICO
Equipo de Laboratorio, Mantenimiento, Capacitación y CRM personalizado


PerkinElmer
Science with Purpose

What is Atomic Spectroscopy?

Atomic spectroscopy is the technique for determining the elemental composition of an analyte by its electromagnetic or mass spectrum. Several analytical techniques are available (Atomic Absorption [AA], Inductively Coupled Plasma Optical Emission Spectroscopy [ICP-OES], Inductively Coupled Plasma Mass Spectrometry [ICP-MS]), and selecting the most appropriate one is the key to achieving accurate, reliable, real-world results. Proper selection requires a basic understanding of each technique since each has its individual strengths and limitations. It also requires a clear understanding of your laboratory's analytical requirements.

1 H Hydrogen																	2 He Helium
3 Li Lithium	4 Be Beryllium											5 B Boron	6 C Carbon	7 N Nitrogen	8 O Oxygen	9 F Fluorine	10 Ne Neon
11 Na Sodium	12 Mg Magnesium											13 Al Aluminium	14 Si Silicon	15 P Phosphorus	16 S Sulfur	17 Cl Chlorine	18 Ar Argon
19 K Potassium	20 Ca Calcium	21 Sc Scandium	22 Ti Titanium	23 V Vanadium	24 Cr Chromium	25 Mn Manganese	26 Fe Iron	27 Co Cobalt	28 Ni Nickel	29 Cu Copper	30 Zn Zinc	31 Ga Gallium	32 Ge Germanium	33 As Arsenic	34 Se Selenium	35 Br Bromine	36 Kr Krypton
37 Rb Rubidium	38 Sr Strontium	39 Y Yttrium	40 Zr Zirconium	41 Nb Niobium	42 Mo Molybdenum	43 Tc Technetium	44 Ru Ruthenium	45 Rh Rhodium	46 Pd Palladium	47 Ag Silver	48 Cd Cadmium	49 In Indium	50 Sn Tin	51 Sb Antimony	52 Te Tellurium	53 I Iodine	54 Xe Xenon
55 Cs Caesium	56 Ba Barium	57-71 +	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum	79 Au Gold	80 Hg Mercury	81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon
87 Fr Francium	88 Ra Radium	89-103 +	104 Rf Rutherfordium	105 Db Dubnium	106 Sg Seaborgium	107 Bh Bohrium	108 Hs Hassium	109 Mt Meitnerium	110 Ds Darmstadtium	111 Rg Roentgenium	112 Cn Copernicium	113 Nh Nihonium	114 Fl Flerovium	115 Mc Moscovium	116 Lv Livermorium	117 Ts Tennessine	118 Og Oganesson
119 Uue Ununennium	120 Ubn Unbinilium	121-126 +															

+	57 La Lanthanum	58 Ce Cerium	59 Pr Praseodymium	60 Nd Neodymium	61 Pm Promethium	62 Sm Samarium	63 Eu Europium	64 Gd Gadolinium	65 Tb Terbium	66 Dy Dysprosium	67 Ho Holmium	68 Er Erbium	69 Tm Thulium	70 Yb Ytterbium	71 Lu Lutetium
+	89 Ac Actinium	90 Th Thorium	91 Pa Protactinium	92 U Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkelium	98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium	103 Lr Lawrencium
+	121 Ubu Unbibium	122 Ubb Unbibilium	123 Ubt Unbitrium	124 Ubq Unbiquadium	125 Ubp Unbiquentium	126 Ubh Unbihexium									

Atomic Spectroscopy

PerkinElmer is the world leader in atomic spectroscopy solutions for atomic absorption (AA), inductively coupled plasma optical emission spectroscopy (ICP-OES) and inductively coupled plasma mass spectrometry (ICP-MS). With instruments that are the industry standard worldwide, PerkinElmer accessories, consumables, methods and application support meet the most demanding requirements and are the preferred choice in thousands of laboratories globally.

We invest heavily in testing and validating our complete portfolio of solutions to ensure that you receive accurate, repeatable results, on-time, every time throughout the lifetime of your instrument. From Lumina hollow cathode lamps that allow automatic setup and provide long lamp lifetime to our PerkinElmer Pure Standards that have been analyzed and certified to yield reliable, accurate results, you'll be able to relax knowing you have the best. We also offer a complete portfolio of specialized consumables that deliver reliable performance, control operating costs and maximize the uptime of your instrument.

When you order our precision-designed, genuine Atomic Spectroscopy PerkinElmer consumables and supplies, you'll get the results you need – accurately and on time.

Ordering Information

Place your order online at: www.perkinelmer.com

Online ordering is currently available in Australia, Austria, Belgium, Canada, China, Denmark, Finland, France, Germany, Ireland, Italy, Luxemburg, the Netherlands, Norway, Puerto Rico, Singapore, Spain, Sweden, Switzerland, the United Kingdom and the United States.

Please visit our website for specific Country/Region details relevant to each business portfolio. **Country Specific Fact Sheets.**

Return Goods Policy

Before returning any item to PerkinElmer, please obtain a Return Authorization Number from a customer service representative. Call your local PerkinElmer office and please have the following information ready:

- Our Order Number or your Purchase Order Number
- The PerkinElmer part numbers of the items that you wish to return
- Reason for return

Our customer service representative will provide you with a Return Authorization Number and the return address. We cannot accept any returns without a Return Authorization Number. Policy may vary. Please contact your local PerkinElmer representative for details.

Technical Support

For technical assistance, please contact your local PerkinElmer Customer Care Representative. See local office listings.

Check with your local PerkinElmer Customer Care center for current pricing.

PerkinElmer and the PerkinElmer logo are registered trademarks of PerkinElmer, Inc. All other product and company names mentioned herein may be the trademarks or registered trademarks of their respective owners.

PerkinElmer is not responsible for typographical or photographic errors that may appear in this catalog. We reserve the right to make adjustments or corrections due to changing market conditions, product discontinuations, or typographical or photographic errors in advertisements or product descriptions. Terms and conditions and item availability are subject to change without notice.

Terms and Conditions

For details on our terms and conditions, including warranties, please visit: **Terms and Conditions of Sale**

Table of Contents

>	ATOMIC ABSORPTION	7-33
>	INDUCTIVELY COUPLED PLASMA-OES	34-56
>	INDUCTIVELY COUPLED PLASMA-MS	57-67
>	ATOMIC SPECTROSCOPY GENERAL SUPPLIES	68-83
>	REFERENCE MATERIALS	84-100
>	SAMPLE PREPARATION	101-107
>	SERVICE CONTRACTS AND TRAINING	108-109

The Most Trusted Name in Elemental Analysis

From AA to ICP-OES and ICP-MS, we've been at the forefront of elemental analysis for more than 50 years.

Join forces with us and give your laboratory the benefits of cutting-edge instrumentation, consistently excellent consumables and the industry's largest, most trusted service and applications support network.



PinAAcle 500 Flame AA

The PinAAcle™ 500 offers superior durability, longer life, lower maintenance costs and the fastest return on investment of any flame atomic absorption (AA) spectrometer. Plus, it's the world's first completely corrosion-resistant flame AA, designed to withstand the harshest environments and most corrosive samples.

The PinAAcle 500 is designed for:

- Exceptional sensitivity and precision, allowing analysis of lower concentrations with the accuracy of higher-end AA systems
- Fast, simple, reproducible operation through the intuitive, icon-based interface of Syngistix Touch™ or Syngistix™ for AA software
- Harsh environments and challenging samples thanks to its corrosion-resistant design
- Minimum maintenance and maximum speed, reducing operating costs

For more information, visit www.perkinelmer.com/pinaacle500



PinAAcle 900 Series AA

The PinAAcle™ 900 series brings AA performance to new heights. Available in flame, furnace or combination models, PinAAcle 900 instruments offer exactly the level of performance you need with the smallest footprint of any combined flame/graphite furnace AA system on the market.

The PinAAcle 900 series includes:

- Flame, furnace, flow injection, FIAS-furnace and mercury/hydride capabilities on a single instrument
- Choice of Deuterium or longitudinal Zeeman furnace configurations
- Cutting-edge fiber optics to maximize light throughput for improved detection limits
- TubeView™ color furnace camera simplifies autosampler tip alignment and sample dispensing

For more information, visit www.perkinelmer.com/pinaacle900



FIMS 100/400 Flow Injection Mercury Systems

PerkinElmer's FIMS systems combine the advantages of flow injection and atomic absorption measurement into compact, easy-to-operate mercury analyzers. Based on flow injection techniques, FIMS are fully automated, fast, and cost-effective. They are available with either one (FIMS 100) or two (FIMS 400) peristaltic pumps, depending on your requirements, and use a high-performance, single-beam optical system with a low pressure mercury lamp and solar-blind detector for maximum performance.

Whether you have just a few or hundreds of mercury samples to analyze, FIMS can improve your laboratory productivity by providing up to two determinations per minute. And with an optional autosampler, up to 270 samples can be analyzed automatically in any desired sequence.

FIMS can also be used with PerkinElmer's AA, ICP and ICP-MS instruments for the determination of hydride-forming elements.

For more information, visit <https://www.perkinelmer.com/fims>



Avio 220 Max ICP-OES

The Avio® 220 Max is a compact, hybrid simultaneous ICP-OES, ideal for labs with low-to-medium throughput requirements. Its unique plug-and-play capabilities save you time and operating costs.

The Avio 220 Max offers:

- Fastest ICP startup – cold start to analysis in only 10 minutes
- Lowest argon consumption of any ICP – at least 50% lower than other systems
- Greater uptime and sample throughput with PlasmaShear's maintenance-free design
- Unsurpassed matrix tolerance with vertical torch design
- Superior sensitivity and resolution for all elements of interest
- Extended linear range with dual view technology

For more information, visit www.perkinelmer.com/avio220max



Avio 550/560 Max ICP-OES

The Avio® 550/560 Max are compact, fully simultaneous ICP-OES instruments, ideal for labs with high throughput requirements. They utilize a vertical plasma and are engineered to handle even the most difficult samples, delivering productivity, performance and faster return on investment.

The Avio 550/560 Max provide:

- Simultaneous background correction for faster sample-to-sample time and improved data accuracy
- High throughput enabled by dual view technology, simultaneous data acquisition and low routine maintenance
- Lowest argon consumption of any ICP – at least 50% lower than other systems
- Greater uptime and sample throughput with PlasmaShear's maintenance-free design
- Unsurpassed matrix tolerance with vertical torch design
- Simultaneous detection of all wavelengths at all times with Universal Data Acquisition
- From fast to faster, the the built-in High Throughput System (HTS) on the Avio 560 Max takes 1.5-minute runs down to 30 seconds, ideal for commercial testing and manufacturing QA/QC labs

For more information, visit www.perkinelmer.com/aviomax



LPC 500 Liquid Particle Counter

The LPC 500™ is a single particle optical sizing system designed to count and size particles individually with high resolution. It integrates seamlessly with the Avio® 550 Max ICP-OES for elemental analysis, provides sample-to-sample analysis time of ~45 seconds, uses less than 1 mL of lubricant sample per analysis, and boasts the smallest footprint of any standalone automated particle counter.

The LPC 500 consists of three components – an optical sensor, a multi-channel pulse analyzer (MPA), and a software controller – and is available in two configurations:

- A patent-pending option, coupling the LPC 500 counter with the Avio 550 Max ICP-OES Oils system, enabling the same diluted sample to be analyzed for both wear metals and particle counting/sizing, so two analyses in a single run. Plus, all features and data outputs for the LPC 500 system have been integrated into Syngistix™ for ICP software, leveraging one software platform for both analyses.
- A standalone LPC 500 for particle counting only which offers sample-to-sample analysis times of 95 seconds, with the same reduced sample size and sample preparation. This option is controlled by a separate software package that allows extensive customizability of the particle counting parameters.

For more information, visit www.perkinelmer.com/lpc500



NexION 1100 ICP-MS

The NexION® 1100, a single-analyzer with three-quad design ICP-MS, builds on a strong tradition of reliable, easy-to-use, low-maintenance instrumentation, now reinventing the user experience for routine trace-elemental applications.

The NexION 1100 features:

- Proprietary three-quad design with three stages of mass resolution
- Single gas channel leverages helium only for Collision mode or helium-hydrogen mix for Collision and Reaction modes, so you can easily switch between modes without changing gas
- Unique Extended Dynamic Range (EDR) increases linear dynamic range to 10^{14} , allowing both high- and low-concentration analytes in a single run, resulting in fewer re-runs
- Triple Cone Interface with Quadrupole Ion Deflector deliver no maintenance beyond the cones
- 34 MHz RF generator with LumiCoil™ RF load coil offers trouble-free user experience

For more information, visit www.perkinelmer.com/nexion1100



NexION 2200 ICP-MS

The award-winning NexION® 2200 is a single-analyzer with three-quad design ICP-MS system that offers outstanding sensitivity, superior interference removal, excellent stability, unmatched matrix tolerance, and more, ideal for challenging trace-elemental applications.

The NexION 2200 boasts:

- Proprietary three-quad design with three stages of mass resolution
- Second-generation Triple Cone Interface with OmniRing™ technology delivers unprecedented flexibility to handle a variety of applications without needing different inserts or lenses, allowing three modes of operation, as needed.
- Unique Extended Dynamic Range (EDR) increases linear dynamic range to 10^{14} , allowing both high- and low-concentration analytes in a single run, resulting in fewer re-runs
- Triple Cone Interface with Quadrupole Ion Deflector deliver no maintenance beyond the cones
- 34 MHz RF generator with LumiCoil™ RF load coil offers trouble-free user experience

For more information, visit www.perkinelmer.com/nexion2200



NexION 5000 ICP-MS

The multi-award-winning NexION® 5000 multi-quadrupole ICP-MS, the first in its category to boast four quads, is innovatively designed to meet and exceed the demanding requirements of ultra-trace elemental applications, surpassing traditional triple-quad capabilities.

The NexION 5000 offers:

- Unique dual-analyzer with four-quad design provides four stages of mass resolution
- Second-generation Triple Cone Interface with OmniRing™ technology delivers unprecedented flexibility to handle a variety of applications without needing different inserts or lenses, allowing three modes of operation, as needed.
- Unique Extended Dynamic Range (EDR) increases linear dynamic range to 10^{14} , allowing both high- and low-concentration analytes in a single run, resulting in fewer re-runs
- Triple Cone Interface with Quadrupole Ion Deflector deliver no maintenance beyond the cones
- 34 MHz RF generator with LumiCoil™ RF load coil offers trouble-free user experience

For more information, visit www.perkinelmer.com/nexion5000

Atomic Absorption

PerkinElmer offers a wide selection of superior quality products designed to work with your PerkinElmer instruments. Our precision designed products deliver the peace of mind that comes from knowing that you'll get the results you need.

Quick Reference Index Page

▶ Lumina Hollow Cathode Lamps	9
▶ System 2 Electrodeless Discharge Lamps	11
▶ Atomax Hollow Cathode Lamps	13
▶ Burner System Components	15
▶ Nebulizers	17
▶ Autosampler Cups and Supplies	23
▶ Air Compressors	24
▶ THGA Graphite Tubes	25
▶ HGA Graphite Tubes	27
▶ AA Graphite for Non-PerkinElmer Instruments	28
▶ Mercury Analyzer Supplies	29
▶ Flow Injection System Supplies	30
▶ Mercury/Hydride Systems and Supplies	33

Hollow Cathode and Electrodeless Discharge Lamps


PerkinElmer has over 40 years of expertise designing and manufacturing Hollow Cathode Lamps. PerkinElmer offers a full range of single-element and multi-element Hollow Cathode Lamps and high intensity Electrodeless Discharge Lamps for those elements for which they are more effective.



▶ [VIEW PAGE](#)

Nebulizers

Nebulizers are a critical part of the Flame AA sample introduction system and our nebulizers are designed to support a variety of samples.



▶ [VIEW PAGE](#)

Graphite Furnace Autosampler Supplies


To keep your Graphite Furnace Autosampler operating smoothly, PerkinElmer offers a complete selection of consumables and supplies.



▶ [VIEW PAGE](#)

HGA and THGA Graphite Components

The heart of the Furnace AA system is not only the furnace itself but the graphite components that go into it. Our exclusive PerkinElmer graphite products provide the performance and consistency that furnace applications require.



▶ [VIEW PAGE](#)

Flow Injection System Supplies

PerkinElmer offers a complete line of genuine replacement parts for the FIAS, FIMS and MHS systems.



▶ [VIEW PAGE](#)



IMPROVES BOTH
WORKFLOWS
& CASHFLOWS



PinAAcle 500 Flame AA

Reliability, sensitivity, affordability—together at last in a Flame AA.

With the PinAAcle™ 500, you can experience an uncompromising level of performance for an unbeatable price. The world's first Flame AA system engineered for complete corrosion resistance, the PinAAcle 500 offers superior durability, longer life, lower maintenance costs, and the fastest return on investment of any Flame AA.

Discover an instrument designed to outlast and outperform. And take your laboratory to a new PinAAcle of productivity and profitability.

www.perkinelmer.com/PinAAcle500



Lumina Hollow Cathode Lamps



PerkinElmer has over 40 years of expertise designing and manufacturing Hollow Cathode Lamps

Features and Benefits:

- **Long Life:** PerkinElmer's larger lamp volume results in longer lamp lifetime
- **Automation:** PerkinElmer coded lamps allow automatic setup
- **Electronic Lamp Timer:** When combined with a PinAAcle instrument and Syngistix Software the lamp life is automatically recorded for easy viewing
- **Easy Installation:** It's as simple as sliding the lamp into the instrument's lamp bracket or turret
- **Complete Compatibility:** Lumina hollow cathode lamps can be used with PerkinElmer's entire range of atomic absorption spectrometers
- **Testing:** Every lamp is thoroughly tested before leaving the factory
- **Quality:** Carefully selected materials used in the manufacturing of our lamps avoid spectral interference
- **Design:** Our design provides you with the low detection limits needed for your most difficult determinations
- **Selection:** PerkinElmer offers a wide selection of single-element and multi-element lamps
- **Easy To Order:** It's easy to find the right lamp for your analytical needs – simply use the selection charts on this page or visit our website for a complete listing
- **Warranty:** The performance of every PerkinElmer lamp is fully warranted* (see next page for details).

Lumina Single-Element Hollow Cathode Lamps

Element Name	Element Symbol	Lumina Lamp Part No.	Lumina Lamp with Intensitron® Adapter Part No.
Aluminum	Al	N3050103	
Antimony	Sb	N3050170	N3050370
Arsenic	As	N3050105	
Barium	Ba	N3050109	N3050309
Beryllium	Be	N3050110	
Bismuth	Bi	N3050111	
Boron	B	N3050108	
Cadmium	Cd	N3050115	N3050315
Calcium	Ca	N3050114	N3050314
Chromium	Cr	N3050119	N3050319
Cobalt	Co	N3050118	
Copper	Cu	N3050121	
Dysprosium	Dy	N3050122	
Erbium	Er	N3050123	
Europium	Eu	N3050124	
Gadolinium	Gd	N3050129	
Gallium	Ga	N3050128	
Germanium	Ge	N3050130	
Gold	Au	N3050107	
Hafnium	Hf	N3050133	
Holmium	Ho	N3050135	
Indium	In	N3050137	
Iridium	Ir	N3050138	
Iron	Fe	N3050126	N3050326
Lanthanum	La	N3050141	
Lead	Pb	N3050157	N3050357
Lithium	Li	N3050142	
Magnesium	Mg	N3050144	N3050344
Manganese	Mn	N3050145	N3050345
Mercury	Hg	N3050134	
Molybdenum	Mo	N3050146	
Neodymium	Nd	N3050150	
Nickel	Ni	N3050152	N3050352
Niobium	Nb	N3050149	
Palladium	Pd	N3050158	
Phosphorus	P	N3050155	
Platinum	Pt	N3050162	
Potassium	K	N3050139	N3050339
Praseodymium	Pr	N3050161	
Rhenium	Re	N3050165	N3050365
Rhodium	Rh	N3050166	
Ruthenium	Ru	N3050168	

Chart continues on next page

Element Name	Element Symbol	Lumina Lamp Part No.	Lumina Lamp with Intensitron® Adapter Part No.
Samarium	Sm	N3050174	
Scandium	Sc	N3050171	
Selenium	Se	N3050172	
Silicon	Si	N3050173	
Silver	Ag	N3050102	N3050302
Sodium	Na	N3050148	N3050348
Strontium	Sr	N3050176	
Tantalum	Ta	N3050177	
Tellurium	Te	N3050180	
Terbium	Tb	N3050178	
Thallium	Tl	N3050183	
Thulium	Tm	N3050184	
Tin	Sn	N3050175	
Titanium	Ti	N3050182	
Tungsten	W	N3050187	
Vanadium	V	N3050186	
Ytterbium	Yb	N3050190	
Yttrium	Y	N3050189	
Zinc	Zn	N3050191	N3050391
Zirconium	Zr	N3050192	

PERKINELMER EXCLUSIVE 6/24 WARRANTY*

Lumina™ Hollow Cathode Lamps

1. We warrant that during the first six months or after 5,000 milliampere-hours of operation, whichever comes first, from initial date of shipment, the lamps will meet or exceed the intensity and absorption specifications to which all new lamps are tested.
2. All our hollow cathode lamps are warranted to light and emit the spectra of the element indicated for two years or 5,000 milliampere-hours of operation from the date of the shipment, whichever comes first.
3. If any lamp fails before the expiration of the warranty period, it will be replaced free of charge.

*The lamp warranty is void for lamps which sustain physical damage or are operated at power levels substantially above or below the power level recommended on the lamp label. The lamp warranty may vary in different countries.

Lumina Multi-Element Hollow Cathode Lamps

Element Name	Element Symbol	Lumina Lamp Part No.
Two-element Lamps		
Silver, Gold	Ag, Au	N3050201
Calcium, Magnesium	Ca, Mg	N3050202
Calcium, Zinc	Ca, Zn	N3050203
Potassium, Sodium	K, Na	N3050204
Platinum, Ruthenium	Pt, Ru	N3050205
Tin, Tellurium	Sn, Te	N3050206
Three-element Lamps		
Calcium, Magnesium, Zinc	Ca, Mg, Zn	N3050208
Copper, Iron, Nickel	Cu, Fe, Ni	N3050209
Four-element Lamps		
Copper, Iron, Manganese, Zinc	Cu, Fe, Mn, Zn	N3050212
Five-element Lamps		
Silver, Chromium, Copper, Iron, Nickel	Ag, Cr, Cu, Fe, Ni	N3050213
Cobalt, Chromium, Copper, Manganese, Nickel	Co, Cr, Cu, Mn, Ni	N3050214
Six-element Lamps		
Cobalt, Chromium, Copper, Iron, Manganese, Nickel	Co, Cr, Cu, Fe, Mn, Ni	N3050217
Seven-element Lamps		
Aluminum, Calcium, Copper, Iron, Magnesium, Silicon, Zinc	Al, Ca, Cu, Fe, Mg, Si, Zn	N3050218

Electrodeless Discharge Lamps



Features and Benefits:

- **Brightness:** EDLs are much brighter and, in some cases, provide better sensitivity than comparable hollow cathode lamps
- **Precision:** EDLs offer lower detection limits and are preferred for analyses that are 'noisy' due to weak hollow cathode emission
- **Long Life:** System 2 EDLs are long-lived for exceptional cost-effectiveness
- **Automation:** PerkinElmer coded lamps allow automatic set-up on systems with automated turret
- **Quality:** Carefully selected materials used in the manufacturing of our lamps avoid spectral interference
- **Testing:** Every lamp is thoroughly tested
- **Design:** Our design provides you with the low detection limits needed for your most difficult determinations
- **Warranty:** The performance of every PerkinElmer lamp is fully warranted*

EDLs provide greater light output and longer life than corresponding HCLs

For certain elements such as Arsenic and Selenium, EDLs will also provide improved sensitivity and lower detection limits. System 2 electrodeless discharge lamps provide the optimized spectral output needed to get the maximum performance from PerkinElmer atomic absorption spectrometers.

EDLs are typically much brighter and, in some cases, provide better sensitivity than comparable HCLs. EDLs are preferred for certain volatile elements. They offer better precision and lower detection limits for analyses that are 'noisy' due to weak hollow cathode emission. PerkinElmer System 2 EDLs consist of the element or a salt of the element sealed in a quartz bulb containing an inert gas atmosphere. When an RF field of sufficient power is applied, the inert gas is ionized and the coupled energy vaporizes the element and excites the atoms inside the bulb, resulting in the emission of the characteristic spectrum.

PerkinElmer's System 2 EDLs consist of a driver and a lamp sleeve. Depending on the instrument, one or two EDL lamps can be on at the same time. The driver connects to the instrument's RF power supply (if applicable), or the external power supply if needed. The lamp sleeve contains the pre-aligned bulb for the element of interest. The sleeve has the same exterior dimensions as the PerkinElmer HCLs, allowing System 2 EDLs to be used in the same lamp mounts and turrets.

The locking pin on the lamp driver prevents operation without the lamp sleeve correctly installed on the driver.

Electrodeless Discharge Lamps are an ideal source for determining volatile elements.

PERKINELMER EXCLUSIVE WARRANTY*

System 2 Electrodeless Discharge Lamps

1. We warrant that during the first six months or after 500 hours of operation, whichever comes first, from initial date of shipment, the lamps will meet or exceed the intensity and absorption specifications to which all new lamps are tested.
2. All our Electrodeless Discharge Lamps are warranted to light and emit the spectra of the element indicated for two years or 1,000 hours of operation from the initial date of shipment, whichever comes first.
3. If any lamp fails before the expiration of the warranty period, it will be replaced free of charge.

* The lamp warranty is void for lamps that sustain physical damage or are operated at power levels substantially above or below the power level recommended on the lamp label. The lamp warranty may vary in different countries.



System 2 EDL with Coded Adapter



Coded Adapter

Electrodeless Discharge Lamps

Element Name	Element Symbol	System 2 EDL with Coded Adapter Part No.	AAAnalyst Coded Adapter Part No.
Antimony	Sb	N3050670	
Arsenic	As	N3050605	N3050860
Bismuth	Bi	N3050611	
Cadmium	Cd	N3050615	N3050862
Cesium	Cs	N3050620	N3050863
Germanium	Ge	N3050630	
Lead	Pb	N3050657	N3050867
Mercury	Hg	N3050634	N3050865
Phosphorus	P	N3050655	
Rubidium	Rb	N3050664	
Selenium	Se	N3050672	N3050870
Tellurium	Te	N3050680	N3050872
Thallium	Tl	N3050683	
Tin	Sn	N3050675	
Zinc	Zn	N3050691	N3050874

EDL Driver Assembly required



EDL Driver Assembly
Part No. **03030997**

EDL Driver Assemblies

Description	Part No.
For AAAnalyst™ 200/400	N3150131
EDL Lamp Adapter AAAnalyst 200/400 to PinAAcle Adapter cable to allow custom AAAnalyst 200/400 EDL lamp drivers to plug into PinAAcle instruments	
System 2 EDL driver with a short cable For use with PinAAcle and other instruments that have a built in EDL power supply. Adapter N3150303 is also needed if used on the AAAnalyst 200/400	03030997
Driver with a long cable For use with the external power supply, but has the same plug connector as 03030997 . Requires adapter N3150303 if used with the AAAnalyst 200/400	03030793

Background Corrector Sources

For Instrument Models	Source Type	Part No.
PinAAcle 500/900	Deuterium	N3160811
AAAnalyst 200/400	Deuterium	B3150169
AAAnalyst 700/800	Deuterium	B0148615

Lamp Adapters and Supplies

Non-Coded Intensitron Lamp Plug Adapter

Allows non-coded Intensitron lamps (03036XXX series, 9-pin) and other 9-pin lamps to be used with PinAAcle and AAAnalyst instruments (4-pin).



Non-Coded Intensitron
Lamp Plug Adapter
Part No. **N3050197**

Description	Part No.
Non-Coded Intensitron Lamp Plug Adapter	N3050197

Red Filter

Linearizes working curves for potassium, lithium, rubidium and cesium. Recommended for Rb and Cs determinations by flame emission. Passes only wavelengths longer than 650 nm.

Description	Part No.
Red Filter	02901518

For a full selection of Lamp Adapters and supplies please visit our website.

Atomax Hollow Cathode Lamps



Atomax™ 1.5 in. AA Lamps from PerkinElmer, the World Leader in Atomic Absorption

Atomax 1.5 in. hollow cathode lamps are crafted to the same high standards that have made PerkinElmer 2 in. Lumina™ hollow cathode lamps the best in the industry. Drawing on more than 40 years of HCL design and manufacturing expertise, Atomax lamps now offer laboratories around the world a dependable, top-quality lighting source, regardless of the brand of AA instruments used.

Value-Priced and Fully Compatible with 1.5 in. Format AA Instruments

PerkinElmer 2-pin non-coded Atomax lamps are designed to fit most commercially available atomic absorption instruments including Agilent®, Thermo®, Shimadzu®, GBC®, Analytic Jena®, Hitachi® and many more. Combining affordability and industry-wide compatibility allows users of other brands of AAs to benefit from PerkinElmer's proven lamp performance. Each lamp is thoroughly tested to ensure that it will stand up to the most demanding requirements. Atomax lamps represent an exceptional value and our money-back guarantee means you can order with complete confidence.


Tested and Validated for Highest Quality Performance

All 1.5 in. Atomax hollow cathode lamps are thoroughly tested to ensure maximum light output and spectral purity. Comparative results show that Atomax lamps provide equal or better performance than other AA lamps in the market. Precision engineered for high sensitivity, stable light output, low noise, and long life, you can rely on Atomax lamps for the accurate results you need.

Features and Benefits:

- **Experts:** Expertise designing and manufacturing quality lamps for over 40 years. A brand you can trust
- **Compatibility:** Compatible with other manufacturer's instruments – tested and approved
- **Lifetime:** Long lifetime and performance. As the world's leading AA supplier, we know how to build lamps that provide maximum light output and spectral purity for optimum performance
- **Quality:** Every lamp ships with Certificate of Quality
- **Testing:** Lamps are thoroughly tested before leaving the factory
- **Raw Materials:** Carefully selected materials used in the manufacturing of our lamps avoid spectral interference
- **Clean:** Lamps are built to stringent specifications in a state-of-the-art lamp manufacturing facility. Great quality every time
- **Design:** Our design provides you with the low detection limits needed for your most difficult determinations
- **Value:** Equivalent or better performance than your current lamp at a great price

Every Atomax lamp includes a certificate of quality, our promise of outstanding performance levels from the leader in AA.





PERKINELMER EXCLUSIVE 6/24 WARRANTY*

Atomax™ Hollow Cathode Lamps

1. We warrant that during the first six months for 5,000 milliampere-hours of operation, whichever comes first, from initial date of shipment, the lamps will meet or exceed the intensity and absorption specifications to which all new lamps are tested.
2. All of our hollow cathode lamps are warranted to light and emit the spectra of the element indicated for two years or 5,000 milliampere hours of operation from the date of the shipment, whichever comes first.
3. If any lamp fails before the expiration of the warranty period, it will be replaced free of charge.

* The lamp warranty is void for lamps which sustain physical damage or are operated at power levels substantially above or below the power level recommended on the lamp label. The lamp warranty may vary in different countries.

Element	Symbol	Part No.
Antimony	Sb	N2025347
Arsenic	As	N2025302
Bismuth	Bi	N2025307
Cadmium	Cd	N2025309
Iron	Fe	N2025317
Magnesium	Mg	N2025330
Mercury	Hg	N2025322
Phosphorus	P	N2025338

Graphite for Non-PerkinElmer Instruments can be found in the graphite section.



Burner System Components



An efficient burner system is essential for obtaining optimal performance from your AA instrument, and proper maintenance is required to obtain precise and accurate determinations.

Features and Benefits:

- 100% titanium burner heads, an exclusive PerkinElmer feature that provides maximum corrosion resistance when analyzing any type of sample
- Burner chambers constructed of inert, wettable plastic to allow for proper drainage of excess sample and minimize sample carryover of previous analyses
- Multivaned flow spoilers remove large sample droplets from the nebulized spray and reduce susceptibility to analytical interference
- Gaskets designed for use with aqueous and organic samples. Choose from synthetic rubber gaskets for aqueous solutions and Corkprene or KALREZ gaskets for organic solutions
- PinAAcle uses the same Burner Heads as AAnalyst series. The latest design has a hole on the rim for ease of rotation during operation. The handle is provided with the instrument

Burner Heads

Single-slot Nitrous Oxide-acetylene 5 cm

The 5 cm nitrous oxide burner head is required for nitrous oxide-acetylene operation. This burner head can also be used with air-acetylene or rotated to provide reduced sensitivity.

Description	Part No.
Single-slot Nitrous Oxide-acetylene 5 cm	N0400100

Single-slot Air-acetylene 10 cm

The 10 cm burner head is designed to be used with the air-acetylene flame. Because of its long burner path length, it provides the best sensitivity for air-acetylene elements. This is the standard burner head that is shipped with all PinAAcle flame instruments.

Description	Part No.
Single-slot Air-acetylene 10 cm	N0400102

Single-slot Air-acetylene 5 cm

A 5 cm air-acetylene burner head is available for applications in which reduced sensitivity is required. It can be rotated to provide further sensitivity reduction, and it has a wide slot to prevent clogging.

Description	Part No.
Single-slot Air-acetylene 5 cm	N0400101

Three-slot Air-acetylene 10 cm

The three-slot burner head is designed to be used when analyzing samples with high concentrations of dissolved solids. The three-slot burner head is not compatible with some older gas control systems.

Description	Part No.
Three-slot Air-acetylene 10 cm	N0400103

Burner Head Cleaning Tool

Description	Part No.
Burner Head Cleaning Tool	03031573

Burner Head Adjustment Tool

Description	Part No.
Burner Head Adjustment Tool	N3161240

Single-slot Nitrous Oxide-acetylene 5 cm



Single-slot Air-acetylene 5 cm



Single-slot Air-acetylene 10 cm



Three-slot Air-acetylene 10 cm




Burner Head Adjustment Tool



PinAAcle Burner System Components

- 1** Burner Head
- 2** Burner Head O-Ring
- 3** Mixing Chamber
- 4** Flow Spoiler
- 5** End Cap Assembly
- 6** Stainless Steel Nebulizer
- 7** Retaining Ring
- 8** Burner Head Adjustment Tool



PinAAcle Burner System Components


Burner System Components

Description	PinAAcle 500/900 Part No.	AAAnalyst 100/200/300/400/700/800 Part No.
Viton Burner Head O-Ring Kit, 0.984 in. x 0.139 in. 09200079 O-Ring (3), 09200078 Super O-Lube (1)	09902219	09902219
Burner Mixing Chamber Assembly (Note: PinAAcle assembly includes components 2, 3 and 7; AAAnalyst component 2 only.)	N3160506	00570948
Burner Chamber Holder	N3160809	
Clamping Ring		N0401171
Flow Spoiler	00572561	00572561
Viton O-Ring for End Cap Gas Lines (Neb., Aux., Fuel) 0.312 in. x 0.070 in. (Qty. 4 required)	09200253	
Viton O-Ring for End Cap 1.892 in. x 0.103 in.	09902147	09902147
Kalrez O-Ring for End Cap Gas Lines (Neb., Aux., Fuel) 0.312 in. x 0.070 in. (Qty. 4 required)	09200275	
Kalrez O-Ring for End Cap 1.892 in. x 0.103 in.	09200277	09200277
Organics (Corkprene) O-Ring for End Cap	00472014	00472014
End Cap Assembly with Viton O-Rings (for use with metal body nebulizers)	N3160505	00570984
End Cap Assembly with Kalrez O-Rings (for use with metal body nebulizers)	N3160188	
End Cap Assembly with Viton O-Rings (for use with plastic body nebulizers)	N3160511	N0370392
End Cap Assembly with Kalrez O-Rings (for use with plastic body nebulizers)	N3160189	
End Cap Assembly Impact Bead (for use with metal body nebulizers)	N3160545	
Burner Gasket Kit for End Cap Assembly 00570984 ; 00472014 (5), 09902147 (3), 09902219 (1), 09902236 (3), 09902240 (3)		00470988
Drain Tubing – Tygon Tubing with FEP lining	02507987	02507987
Pyrex Impact Bead Used with End Caps for Metal Body Nebulizers	00572615	00572615
Seal Plug for the 00572615 Pyrex Impact Bead used with end caps for metal body nebulizers	N3161224	00572624
O-Ring for seal plug in end caps with Impact Bead (Qty. 2 required)	09902236	09902240
Burner Drain Assembly for Organic Solutions	N3160683***	N3160683* and adapter N2011200
Burner Drain Assembly (includes tubing and drain interlock, drain bottle 09200486 not included)		N0400058* and adapter N2011200
Burner Drain Assembly (includes tubing and drain interlock, drain bottle 09200486 not included)	N0400058***	N0400058**
Wide Mouth 15 L Drain Bottle	09200486	09200486

*For AAAnalyst 700/800, **For AAAnalyst 200/400, ***Also compatible with AAAnalyst 100/200/300/400

AAAnalyst Burner System Components

- 1** Burner Head
- 2** Burner Mixing Chamber
- 3** Clamping Ring
- 4** Flow Spoiler
- 5** End Cap O-Ring
- 6** End Cap Assembly




AAAnalyst Burner System Components


Nebulizers



PinAAcle Removable Burner Assembly allows switching between analytical techniques in a matter of seconds on flame/furnace combination instruments



PinAAcle High-Sensitivity Nebulizer
Part No. N3160144



High-Sensitivity Nebulizer
with Pt/Ir Capillary

High-Sensitivity Nebulizer with Pt/Ir Capillary

Our high-precision nebulizer maximizes stability and sensitivity, even for the toughest matrices. The nebulizer is adjustable so a wide variety of sample matrices – aqueous or organic, acidic or basic, diluted or concentrated – can be analyzed under optimum conditions. This high-sensitivity nebulizer is fabricated with inert plastic materials for maximum performance and corrosion resistance.



High-Sensitivity Nebulizer

- Provides maximum sensitivity, precision and freedom from analytical interferences
- The high-sensitivity nebulizer with platinum/iridium capillary is for most solutions, but not for precious metal samples containing aqua regia
- High-sensitivity nebulizer with tantalum capillary used for solutions containing aqua regia

The nebulizer is one of the most important components in a flame AA spectrometer

Sample solutions, with differing physical properties, must be converted into an aerosol of small, similarly-sized droplets. This places great demands on the design of the nebulizer.

All PerkinElmer nebulizer assemblies are adjustable for optimized performance and include easily-interchanged capillary assemblies for simple, reduced-cost maintenance. PerkinElmer nebulizers are manufactured to exacting tolerances to provide maximum sensitivity. Universal, or, 'standard' nebulizers are less expensive than the corresponding high-sensitivity nebulizers and provide a lower level of sensitivity. The universal, or, 'standard' nebulizers typically provide better precision and reduced 'carryover' interference when used with solutions that contain high dissolved solids content of higher analyte concentrations.



Metal Body Corrosion-Resistant Nebulizers

- For all solutions containing hydrofluoric acid or aqua regia
- For all solutions containing high concentrations of dissolved solids
- All internal components in contact with solutions are constructed of plastic to resist corrosion from concentrated acids
- Reduced performance compared with stainless steel or platinum/rhodium nebulizers



Metal Body Platinum Alloy Nebulizers

- Recommended for most concentrated acids containing >5% acid
- Includes a platinum alloy needle assembly and a tantalum venturi
- Provides maximum chemical resistance
- Not suitable for use with aqua regia or hydrofluoric acid



Plastic Body GemTip™ Nebulizers

- Corrosion-resistant and can be used to aspirate almost all solutions, even those solutions containing a high percentage of acids
- Designed to obtain optimum sensitivity, detection limits and precision with flame atomic absorption for both air-acetylene and nitrous oxide-acetylene flames



Metal Body Stainless Steel Nebulizers

- For most solutions containing <5% acid, providing exceptional performance and durability
- Excellent performance (precision and signal-to-noise ratio)




Nebulizer Assemblies and Spares

Metal Body Nebulizer Parts for PinAAcle AA Instruments

For Nebulizers with Part Nos. **N3160143** and **N3160158**

Description	Part No.
1 O-Ring sealing Nebulizer to End Cap Solvent Resistant O-Ring Sealing Nebulizer to End Cap	09926068 09200274
2 Cap	N3161057
3 Venturi	03031810
4 O-Ring for Venturi Solvent Resistant O-Ring for Venturi	09902047 09200273
5 O-Rings for Nebulizer Body (Each nebulizer requires a quantity of 2) Solvent Resistant O-Rings for Nebulizer Body (Each nebulizer requires a quantity of 2)	09902015 09200276
6 Nebulizer Body	N3160133
7 Nebulizer Insert	03031812
8 O-Ring for Nebulizer Insert Solvent Resistant O-Ring for Nebulizer Insert	09902047 09200273
9 Locking Ring	
10 Spring	03031806
11 O-Ring for Capillary Needle Assembly Solvent Resistant O-Ring for Capillary Needle Assembly	09902102 09200271
12 Capillary Needle Assembly with O-Ring Solvent Resistant Capillary Needle Assembly with O-Ring	03030354
13 PTFE Washer	03031802
14 Fine Adjustment Nut	03031460
15 Sample Capillary	09908265




PinAAcle Stainless Steel Nebulizer
Part No. **N3160143**

Plastic Body Nebulizer Parts for PinAAcle AA Instrument

For Nebulizers with Part Nos. **N3160144**, **N3160152** and **N3160159**

Description	Part No.
1 Impact Bead	B0505086
2 Spacer	B3150531
3 O-Rings for Nebulizer Body (Each nebulizer requires a quantity of 2) Solvent Resistant O-Rings for Nebulizer Body (Each nebulizer requires a quantity of 2)	09902015 09200276
4 Plastic Nebulizer Body	
5 Spring	09920483
6 Locking Ring	
7 O-Ring for Capillary Needle Assembly Solvent Resistant O-Ring for Capillary Needle Assembly	09926127 09200272
8 Pt/Ir Capillary Needle Assembly with Spring and O-Ring Solvent Resistant Pt/Ir Capillary Needle Assembly with Spring and O-Ring	B3150525 N3160154
9 Fine Adjustment Nut	B3150462
10 Sample Tubing	B3150458



PinAAcle High-Sensitivity Nebulizer
Part No. **N3160144**


Plastic Body Nebulizer Parts for AAnalyst AA Instruments

AAnalyst 100/300/200/400/700/800* High-Sensitivity Nebulizer Parts

For Nebulizer with Part No. **B0505480**

Description	Part No.
1 Impact Bead	B0505086
2 Solvent Resistant O-Ring for Nebulizer Body	
3 Nebulizer Body	
4 Spring	
5 Solvent Resistant O-Ring for Capillary Assembly	
6 Pt/Ir Capillary Assembly	B0501022
7 Locking Ring	B0501025
8 Fine Adjustment Nut	B0501026

*This nebulizer requires the use of end cap assembly




AAnalyst 200/400/700*/800* High-Sensitivity Nebulizer Parts

For Nebulizers with Part Nos. **N3150188** and **N2010250**

Description	Part No.
1 Impact Bead	B0505086
Nebulizer Spacer (not pictured)	B3150531
2 O-Rings for Nebulizer Body (Each nebulizer requires a Qty. of 2)	09902015
Solvent Resistant O-Rings for Nebulizer Body (Each nebulizer requires a Qty. of 2)	09200276
3 Nebulized Body	
4 Spring	09920483
5 O-Ring for Capillary Assembly	
Solvent Resistant O-Ring for Capillary Assembly	09200272
6 Pt/Ir Capillary Assembly with O-Ring	B3150525
Tantalum Capillary Assembly with Solvent Resistant O-Ring and Spring	
7 Locking Ring	
8 Fine Adjustment Nut	B3150462
N/A O-Ring for Sample Tube (Each sample tube requires a Qty. 2)	B0507708
N/A Solvent Resistant O-Ring for Sample Tube (Each sample tube a Qty. 2)	09200369
N/A Solvent Resistant O-Ring Kit (Includes 1 x 09200272 , 2 x 09200276 and 2 x 09200369)	N2010246

*Requires End Cap Assembly **N0370392**




Metal Body Nebulizer Parts for AAnalyst 200/400*, 100/300/700/800**

For Nebulizers with Part Nos. **03030404**, **03030299** and **03030352**

Description	Part No.
1 O-Ring for Insert/Venturi (Each nebulizer requires a quantity of 2)	09902005
Solvent Resistant O-Rings for Insert/Venturi (Each nebulizer requires a quantity of 2)	09200273
2 Insert	03031812
3 Nebulizer Body	03030353
4 Venturi for Corrosion Resistant Nebulizer	03031920
Venturi for Platinum Alloy Nebulizer	03033124
Venturi for Stainless Steel Nebulizer	03031810
5 Front End Cap	
6 O-Ring for Front End Cap	
Solvent Resistant O-Ring for Front End Cap	09200274
7 Fine Adjustment Nut	
8 Locking Ring	03031456
9 Washer	
10 Capillary Assembly for Corrosion Resistant Nebulizer	03030402
Capillary Assembly for Platinum Alloy Nebulizer	03030433
Capillary Assembly for Stainless Steel Nebulizer	03030354
11 O-Ring for Capillary Assembly	
Solvent Resistant O-Ring for Capillary Assembly	09200271
12 Spring	
N/A O-Ring Kit (Includes 5 x 09902005 , 3 x 09902102 , 5 x 09902239 , 2 x 03031802)	N9300065
N/A Solvent Resistant O-Ring Kit (Includes 1 x 09200271 , 2 x 09200273 and 1 x 09200274)	N2010247

* AAnalyst 200/400 Require End Cap **00570984** ** For AAnalyst spectrometers shipped starting Fall 1999




GemTip Nebulizers for AAnalyst 100/300/200*/400*/700**/800**

For Nebulizers with Part Nos. **N0370394** and **N0370393**

Description	Part No.
1 Capillary Tubing	09908265
2 Fine Adjustment Nut	N0371492
3 Gland Nut	N0371505
4 PTFE Tubing	09985708
5 Capillary Assembly for Universal GemTip Nebulizers	
Capillary Assembly for High-Sensitivity GemTip Nebulizers	
6 O-Ring for Capillary Assembly	
7 Impact Bead for High-Sensitivity GemTip Nebulizer	B0505086
8 O-Ring for Nebulizer Body	09902015
Solvent Resistant O-Ring for Nebulizer Body	
9 Body Assembly for Universal GemTip Nebulizer	
Body Assembly for High-Sensitivity Nebulizer	N0370399
10 Locking Nut	N0371493
11 Spring	
12 Connector Nut	
13 Magnet Holder Assembly	

* AAnalyst 200/400 Require End Cap **N0370392** ** For AAnalyst 700/800 Instruments Shipped before Fall 1999



Kalrez O-Ring Kits for Sampling Accessories

Description	Part No.
Nebulizer, End Cap and Burner Head O-Ring Kit for Plastic Nebulizer for PinAAcle AA. Includes: 09200272 (1), 09200275 (4), 09200276 (2), 09200277 (1), 09200278 (1), 09200369 (2)	N3160157
Nebulizer, End Cap and Burner Head O-Ring Kit for Stainless Steel Nebulizer for PinAAcle AA. Includes: 09200271 (1), 09200273 (2), 09200274 (1), 09200275 (4), 09200276 (2), 09200277 (1), 09200278 (1)	N3160156
Nebulizer O-Ring Kit for Stainless Steel Nebulizer for PinAAcle AA. Includes: 09200271 (1), 09200273 (2), 09200274 (1), 09200276 (2)	N3160192
Nebulizer O-Ring Kit, fits Stainless Steel Nebulizers 03030358 and 03030352 . Includes: 09200271 (1), 09200273 (2), 09200274 (1)	N2010247
Nebulizer O-Ring Kit for AA200/400 Nebulizer N2010250 . Includes: 09200272 (1), 09200276 (2), 09200369 (2)	N2010246
End Cap O-Ring Kit for PinAAcle AA. Includes: 09200275 (4), 09200277 (1)	N3160194

PinAAcle Nebulizers and Assemblies Quick Reference

Description	Type	Needle	O-Ring Type	Complete Assembly	End Cap Assembly	Replacement Needle Assembly
Plastic High Sensitivity (standard)	Aqueous	Platinum/Iridium	Viton	N3160144	N3160511	B3150525
Plastic High Sensitivity	Aqueous or Organics	Platinum/Iridium	Kalrez	N3160159	N3160189	N3160154
Plastic High Sensitivity (suitable for aqua regia in addition to organics)	Aqueous or Organics	Tantalum	Kalrez	N3160152	N3160189	
Stainless Steel (standard)	Aqueous	Stainless	Viton	N3160143	N3160505	03030354
Stainless Steel	Aqueous or Organics	Stainless	Kalrez	N3160158	N3160188	
Stainless Steel	Aqueous	Plastic	Viton		N3160505	
Stainless Steel	Aqueous	Platinum Alloy	Viton		N3160505	
Description	Type	Burner Drain Assembly				
Drain Assembly	Organics	N3160683				

AA Analyst Nebulizers and Assemblies Quick Reference

Description	Type	Needle	O-Ring Type	Complete Assembly	End Cap Assembly	Replacement Needle Assembly
High-Sensitivity Plastic Body	Aqueous or Organics	Tantalum	Kalrez	N2010250		
Plastic Body	Aqueous	Platinum/Iridium	Viton	N3150188	N0370392	
High-Sensitivity Plastic Body	Aqueous or Organic	Platinum/Iridium	Kalrez	B0505480	N0370392	B0501022
High-Sensitivity Plastic Body	Aqueous or Organic	Tantalum	Kalrez		N0370392	
Stainless Steel Body	Aqueous	Stainless Steel	Viton	03030352	00570984	03030354
Corrosion Resistant Metal Body	Aqueous or Organic	Tantalum	Kalrez	03030404	00570984	03030402
Platinum Alloy Nebulizer	Aqueous	Platinum/Iridium	Kalrez	03030299	00570984	03030433
Universal GemTip	Aqueous	Plastic with Sapphire Tip	Viton	N0370394	N0370392	
High-Sensitivity GemTip	Aqueous or Organic	Plastic with Sapphire Tip	Kalrez	N0370393	N0370392	

Nebulizer Accessories

Description	Part No.
Capillary Tubing	09908265
Nebulizer Cleaning Wires Pkg. 5	03030135
Nebulizer Grease	03030405



Nebulizer Capillary Tubing




Nebulizer Cleaning Wires




Nebulizer Grease

Autosampler Cups and Supplies



88-Position Tray



148-Position Tray



Furnace Autosampler Trays


For a quick change to another series of samples, a second sample tray is recommended.

For Model AS-800/AS-900

Description	Part No.
88-Position Tray, Polypropylene 80 sample locations for 2.0, 2.5 or 3.5 mL sample cups. Each sample tray also has 8 positions for 7.0 mL reagent containers	B3001507
148-Position Tray, Polypropylene 132 sample locations for 1.2 mL sample cups and eight locations for 2.5 or 3.5 mL sample cups. Each sample tray also has 8 positions for 7.0 mL reagent containers. One is provided with the autosampler	B3001506
Cover	B3001505

Furnace Sampling Probe

Made of PTFE, these are capable of pipetting a variety of corrosive matrices and organic solutions.



Features and Benefits

- Works well with solvent and acid-resistant sampling components
- PTFE pipette tips and capillaries reduce contamination
- Easy replacement

Description	Part No.
For Models AS-60/AS-70/AS-71/AS-72/AS-800/AS-900	B0129258

Graphite Furnace Autosampler Cups


Sample cups are of heavy-duty construction to prevent cracking or tipping. Their conical design allows for use of nearly the entire sample.

Your Choice of Materials:

- **Polystyrene** – Clear, recommended for use with most aqueous solutions
- **Polyethylene** – Translucent, low-density, recommended for use with most aqueous solutions
- **PTFE** – Recommended for use with most concentrated acids including HF, and for analyses where the lowest detection levels are required
- **Polypropylene** – Translucent; preferred for most solvents

Volume	Composition	Qty.	Part No.
1.2 mL*	Polypropylene	2,000	B0510397
2.0 mL	Polyethylene	1,000	B0087056
2.0 mL	Polystyrene	1,000	B0119079
2.5 mL	Polypropylene	1,000	B3001566
7.0 mL**	Polypropylene	100	B3001567

* For use with AS-71/72/800/900 ** For use with AS-800/AS-900



Pliers and Accessories

Description	Part No.
For 1.2 mL sample cups.	B0510398
Drain Bottle without Cap 2 L	B0104344
Rinse Bottle	B0104281

Check Valves

Description	Aqueous Part No.	Organics Part No.
Check Valve Inlet	B3002007	B0105973
Check Valve Outlet	B3002006	B0105974
Inlet and Outlet Kit	B3001485	

Air Compressors

AA Ultra Quiet Oil-Less Air Compressor

PerkinElmer is expanding its compressor product portfolio to include an industrial grade, quiet, oil-less compressor for dependable and clean air supply. With the addition of a water separator with a 5 micron particle filter, no liquid transfers into the air supply, providing you with contaminant free air. Each quiet, vibration free compressor comes standard with an internally and externally coated air tank with automatic condensate drain system and collection bottle. The AA Ultra Quiet Oil-Less Air Compressor features a low operating sound level of 60 dB and comes completely outfitted to operate the PerkinElmer Atomic Absorption (AA) Spectrometers.

Features and Benefits

- Completely quiet oil-less operation
- Delivers clean and dry instrument grade air
- Water separator with 5 micron particle filter assures no liquid transfer
- Specialty coated cylinders and high temperature piston rings for long service life
- Durable air tank with automatic condensate drain, internal coating and 5 year warranty
- Low annual operating costs
- 2-year system warranty
- A complete compressed air station incorporating an outlet pressure regulator, tank and outlet pressure gauge, shut off ball valve, ASME safety valve, and pressure switch allowing for complete automatic operation



ISO 13485-2008
Certified




Specifications	
Horse Power	1 HP
Output CFM	4.2 CFM
Output L	120 L/min
Max Pressure PSI	120 PSI
Max Pressure Bar	8 bar
Max Current 110 V	7.8 Amps
Max Current 220 V	3.8 Amps
Noise Level	60 db/A
Tank Size Gallons	6
Tank Size L	24
Dimensions	16 in. x 16 in. x 21 in.
Weight	53.8 lbs.
Packed Dimensions	20 in. x 20 in. x 25 in.
Packed Weight	65.8 lbs.

Description	Part No.
Replacement Air Intake Filter	N077870
Micron Dryer Filter Element	N077871

THGA Graphite Tubes

THGA Graphite Tubes with Advanced Platform™

The exclusive and patented Advanced Platform design offers an alternative to our Standard Integrated Platform design. With the current Integrated Platform design, the platform attaches to the tube wall along a single side that runs the length of the platform. The new Advanced Platform design suspends the platform in the tube using three small pins in a triangular layout. This has the advantage of minimizing wall contact and reducing thermal conduction from the tube walls resulting in even and rapid heating almost exclusively from thermal radiation, an ideal platform.



Advanced Platform Features

- Even and rapid heating
- Improved sensitivity for some applications
- Improved batch to batch reliability
- Exclusive and patented design – only from PerkinElmer!

Description	Advanced Platform Part No.	Advanced Platform with End Caps Part No.
5-Pack	N9307830	N9307832
10-Pack NEW	N9304644	N9304645
20-Pack	N9307831	N9307833



Standard THGA Graphite Tubes

Today's analysts expect exceptional analytical performance from their graphite furnace atomic absorption spectrometers. That performance must be reproducible from day to day with respect to sensitivity (characteristic mass), accuracy and precision.




The graphite tube, the heart of the graphite furnace, plays a vital role in the overall stability of an analysis. In order to assure stable analytical conditions from one atomization cycle to the next and from graphite tube to graphite tube, all graphite parts – contacts, tubes and platforms – must be subject to strict quality control by both the instrument manufacturer and the graphite manufacturer.

PerkinElmer's unique, transversely-heated graphite tube includes an integrated platform. The exceptionally uniform temperature distribution obtained with transverse heating significantly reduces or eliminates condensation of the sample matrix components and 'memory' effects and improves the atomization efficiency for refractory elements.

Standard THGA Graphite Tubes with End Caps

For improved characteristic mass with volatile and medium refractory elements such as Ag, As, Cd, Co, Cr, Cu, Pb, Se and Tl, the THGA graphite tubes with end caps are recommended.

Note: THGA graphite tubes with end caps are not recommended for refractory elements such as V or Ba.




Features and Benefits

- Improved detection limits for volatile and medium refractory elements
- Faster drying for complex matrices due to enlarged dosing hole

Description	Standard THGA Part No.	Standard THGA with End Caps Part No.
5-Pack	B3000641	B3000653
10-Pack NEW	N9304642	N9304643
20-Pack	B0504033	B3000655
100-Pack	N3110147	

UltraClean THGA Graphite Tubes

For the lowest possible detection limits, residual contaminant levels may not be low enough to meet your requirements. For the most demanding analyses, PerkinElmer offers UltraClean THGA graphite tubes – delivering exceptionally low levels of contamination due to advanced high-temperature gas-phase cleaning procedures. UltraClean graphite tubes offer unmatched analytical advantages for special applications such as the determination of extremely low traces of Na, Ca, Fe, Cr and Ni in ultra-clean reagents used in the semiconductor industry, and ultra-trace analyses of environmental, clinical, or food samples.




Features and Benefits

- UltraClean THGA graphite tubes have the lowest possible contamination levels due to extensive high-temperature gas-phase cleaning procedures
- UltraClean THGA graphite tubes are tested and specified for blank levels of Cr, Ni, V, Mo, Ti (<0.003 integrated absorbance units) and Na, Fe, Al, Si, Ca (<0.0005 integrated absorbance units)

Description	Part No.
5-Pack	B3140361
20-Pack	B3140362

THGA Contact Cylinders

These graphite contact cylinders are engineered for a precise fit so that variations in electrical contact – which might affect the analytical performance – are reduced to a minimum. Contact cylinders with a modified injection port area help to minimize condensation and improve analytical performance with difficult matrices.



Standard THGA Graphite Contact Cylinders

Description	Part No.
1 Pair	B0504035
5 Pairs	B0504036

Modified THGA Contact Cylinders

Description	Part No.
1 Pair	B3002103
5 Pairs	B3002102

Accessories and Spare Parts



Description	Part No.
Spare Graphite Tip for Fume Extraction System	B0506722
THGA Quartz Window	B0198005
THGA Quartz Window O-Ring	B0501236



THGA Instrument Mirror

Used to optimize drying temperatures and times.

Description	Part No.
THGA Instrument Mirror	B0851900

HGA Graphite Tubes

The production of high-quality graphite components requires stringent quality control. To ensure high quality and consistency, a specific grade of high-density base graphite material has been developed for PerkinElmer's exclusive use. This base graphite material is used for the manufacturing of all PerkinElmer graphite tubes.

Selection and careful control of raw materials are extremely important. The composition and the microstructure of the base graphite material determine the specific resistivity of the tube and its heating characteristics.

When you purchase graphite supplies from PerkinElmer, you get the results of our many years of experience with quality graphite parts.

The proper performance, maintenance and serviceability of our graphite furnace systems can be assured only through the use of genuine PerkinElmer graphite components.

Pyrocoated Advanced Platform Graphite Tubes

The exclusive and patented Advanced Platform design offers an alternative to our Standard Integrated Platform design. With the current Integrated Platform design, the platform attaches to the tube wall along a single side that runs the length of the platform. The new Advanced Platform design suspends the platform in the tube using three small pins in a triangular layout. This has the advantage of minimizing wall contact and reducing thermal conduction from the tube walls resulting in even and rapid heating almost exclusively from thermal radiation, an ideal platform.



Advanced Platform Features

- Even and rapid heating
- Improved sensitivity for some applications
- Improved batch to batch reliability
- Exclusive and patented design – only from PerkinElmer!

Graphite Tubes with Advanced Platform

Description	Part No.
5-Pack	N9307834
20-Pack	N9307835



Pyrocoated Graphite Tubes with Integrated Platforms

Proven in labs throughout the world, graphite tubes with integrated platforms provide superior performance and are easy to use. Graphite tubes with integrated platforms are machined from one piece of graphite and are totally pyrocoated, providing exceptional tube-to-tube reproducibility. The spherically-shaped platform accommodates up to 50 µL of sample.

Features and Benefits

- Provide STPF conditions for volatile and nonvolatile refractory elements due to the significantly higher heating rates of tube and platform, which can be used for all elements
- Offer an extra measure of convenience versus manually inserting a separate platform
- Provide longer life with many aggressive sample matrices, such as concentrated acids

Pyrocoated Graphite Tubes with Integrated Platforms

Description	Part No.
5-Pack	B3001262
20-Pack	B3001264
40-Pack	N9300651

Pyrocoated Graphite Tubes*

Description	Part No.
10-Pack	B0135653
50-Pack	B0091504

*Not compatible with L'vov platforms.

Contact Cylinders

The graphite contact cylinders used in the HGA Graphite Furnace are engineered for a precise fit so that variations in electrical contact – which might affect the analytical performance – are reduced to a minimum. The graphite contacts are shaped so that they completely encase the graphite tube. Thus, the graphite tube is located in a defined inert environment, which ensures uniform heating conditions and long tube lifetime.



Contact Cylinders

For HGA-900/850/800/700/600/300/PinAAcle H Furnaces. Includes left-hand Contact, right-hand Contact, Shield Ring.

Description	Part No.
1 Set	B0128495
5 Sets	B3130086

HGA Instrument Mirror

Used to optimize drying temperatures and times.



Description	Part No.
HGA Instrument Mirror	B0080259

Matrix Modifiers for Graphite Furnace AA



PerkinElmer provides you with the maximum performance and the lowest possible detection limits with our high-quality matrix modifiers. PerkinElmer matrix

modifiers thermally stabilize the analyte, allowing higher pyrolysis temperatures to be used, reducing background absorption and eliminating potential interferences.

Features and Benefits

- High-purity compounds minimize the risk of contamination
- Optimum graphite furnace program can be used due to reduced analyte volatility

Matrix Modifiers

Modifiers	Concentration	Volume	Part No.
Mg(NO ₃) ₂	1% Mg (as nitrate)	100 mL	B0190634
Pd	1% Pd (as nitrate)	50 mL	B0190635
NH ₄ H ₂ PO ₄	10% NH ₄ H ₂ PO ₄	100 mL	N9303445

AA Graphite for Non-PerkinElmer Instruments



PerkinElmer supplies a wide range of graphite tubes for non-PerkinElmer instrumentation. Graphite tubes are made with the highest quality material guaranteed to work for your AA instrument.

Use the convenient tables below to identify the compatible graphite furnace tube for your AA instrument.

Shimadzu® Instruments

Description	Qty./Pack	Shimadzu Part No.	Part No.
Standard Tube, Pyrolytically Coated (90° contact cone)	10	206-50588	N9304612

Thermo® Instruments

Description	Qty./Pack	Thermo Part No.	Part No.
Partridge Tube, Coated	10	9423 393 95071	N9304618

Agilent® Instruments

Description	Qty./Pack	Agilent Part No.	Part No.
Partition Tube, Pyrolytically Coated	10	63-100012-00	N9304625
Omega-Platform Tube	10	63-100037-00	N9304628

See Atomax 1.5 in. Hollow Cathode Lamps for non-PerkinElmer instruments on page 13.



Mercury Analyzer Supplies




PerkinElmer SMS 100 Mercury Analyzer

The SMS 100 is a dedicated mercury analyzer for the determination of total mercury in solid and liquid samples using the principle of thermal decomposition, amalgamation and atomic absorption described in U.S. EPA Method 7473.

The SMS 100 uses a decomposition furnace to release mercury vapor instead of the chemical reduction step used in traditional liquid-based analyzers. Both solid and liquid matrices can be loaded onto the instrument's autosampler and analyzed without acid digestion or sample preparation prior to analysis. Some of the many sample matrices applicable to SMS 100 technology include sludges, sediments, soils, wastewaters, effluents, coal, fly ash, minerals, ores, fertilizers, various foodstuffs, blood, urine and hair.



Amalgamator Tube



Catalyst Tube



Nickel Boat

SMS 100 Consumables and Supplies

Description	Part No.
Catalyst Tube (Packed)	N9309036
Amalgamator Tube	N9309007
Nafion® Drying Tube	N9309021
O-Ring Kit for SMS 100	N9309029

Spares Kits

Description	Qty.	Part No.
Basic Spares Kit Kit Includes:		N9309109
Amalgamator Tube	1	N9309007
Nafion® Drying Tube	1	N9309021
O-Ring Kit	1	N9309029
Extended Spares Parts Kit Kit Includes:		N9309110
Injector Fork Assembly	1	N9309012
Nafion® Drying Tube	1	N9309021
O-Ring Kits	2	N9309029

Flow Injection System



FIMS



FIAS

The use of flow injection saves time, money and manpower – while at the same time, extending your analytical flexibility and capabilities.

PerkinElmer carries a wide selection of genuine supplies and accessories for your FIMS-100, FIMS-400, FIAS-100 or FIAS-400. Keeping your system in good working order by using only the best replacement parts is the first step in assuring quality analytical performance. Regular maintenance and/or replacement of consumables such as tubing, connectors and adapters will maximize the lifetime and productivity of your PerkinElmer flow injection system.

Adapters with Internal Thread

1/4 in. (6.4 mm) Internal Screw Thread

Type*	Description	Part No.
A B	A 1.8 mm OD Nipple	B0193342
	B 3.3 mm OD Nipple	B0506716
C	4 mm OD Nipple	B0196850
E	For the Quartz Cell	B0196857
F	0.7 mm OD Pt/Ir Capillary Nipple	B0193873

Connectors

Type*	Description	Part No.
IA	Connector with Nipples for 1.7 to 3.2 mm ID Tubes	B0199233
IB	Connector with Nipples for 2.4 to 3.2 mm ID Tubes	B0196882
II	Connector with 1/4 in. (6.4 mm) Internal Screw Thread	B0196704
IIIA	T-piece with Nipples for 1.5 to 2.5 mm ID Tubes	B0199035
IIIB	T-piece with Nipples for 3.5 to 4.5 mm ID Tubes	B0198201

Adapters with External Thread

1/4 in. (6.4 mm) External Screw Thread

Type*	Description	Part No.
K L	K 1.8 mm OD Nipple	B0507918
	L 2.8 mm OD Nipple	B0507920
M	4 mm OD Nipple	B0507919
N	0.7 mm OD Pt/Ir Capillary Nipple	B0507949
	Screw Plug	B0507921

*Type designation refers to diagrams in instrument manuals

FIAS/FIMS Cell Replacement Parts

Description	Part No.
Complete FIAS Cell and Windows	B0507486
FIAS Cell only (no windows)	B0507487
Quartz Window Assembly for FIAS and FIMS (one window)	B0066549
FIMS Complete Cell and Windows	B0510334
FIMS Cell Only (no windows)	B0510370
FIMS Hg Filter Replacement for Hg Scrubber	B3000274

Mixing/Separation Assembly

Complete modular unit, consisting of two mixing manifolds with tubing adapters, a gas liquid separator with a PTFE membrane, five spare PTFE membranes, one PTFE tube (110 mm long) and one PTFE tube (300 mm long).

Description	Part No.
Mixing/Separation Assembly	B0507957

Mixing Block

Modular 'building block' type mixing manifold with one mixing channel and three connections, two inlet and one outlet. Made from chemically-resistant plastic. Several of these blocks can be 'plugged' together easily to create a single unit with enhanced mixing capabilities.



Description	Part No.
Mixing Block	B0507962

Gas/Liquid Separator

Modular 'building block' type gas-liquid separator made from chemically-resistant plastic. An exchangeable PTFE membrane in the screw cap of the separator prevents liquid from being carried into the quartz cell when working with strong foaming samples.



Description	Part No.
Gas/Liquid Separator	B0507959
Glass Gas/Liquid Separator	B0193772
PTFE Membrane (Pkg. 50)	B0508306
Mixing Manifold for Glass Gas/Liquid Separator	B0187258

Tool, Screw Connectors

Description	Part No.
Tool, Screw Connectors	B0501315

Flow Injection Furnace Supplies

Description	Part No.
Silicone Tube	B0029796

Sample Loops

Description	Part No.
200 µL	B0194048
500 µL	B0194049
1,000 µL	B0501000

Tubing

Standard PVC clear peristaltic pump tubing has a wall thickness of 0.84 mm.

Three-Stop Peristaltic Pump Tubing, Pkg. 12

Tubing ID	Colour Code	Part No.
0.76 mm	Black/Black	B0506058
1.14 mm	Red/Red	B0193160
1.52 mm	Yellow/Blue	B0193161
2.06 mm	Violet/Violet	B0199034
3.18 mm	Black/White	B0508310

Solvent Resistant Yellow Peristaltic Pump Tubing, Pkg. 12

Tubing ID	Colour Code	Part No.
1.02 mm	White/White	B0507692

PTFE Tubing

Tubing ID	Length	Part No.
0.5 mm	1 m	B0507020
0.7 mm	1 m	B0507021
1.0 mm	1 m	B0029792
1.75 mm	1 m	B0017998

PTFE Tubing Assemblies

Tubing ID	Screw Fittings Color	Length	Part No.
1.0 mm	Blue	110 mm	B0191058
1.0 mm	Blue	300 mm	B0198097
1.0 mm	Blue	700 mm	B0191059
1.0 mm	Blue	1,000 mm	B0191060
1.75 mm	Black	250 mm	B0198099
1.75 mm	Black	450 mm	B0198100

Silicone Tubing

Description	Part No.
1 m x 5 mm ID, No Fittings	B0018283
1 m x 3 mm ID	B0070126

Flow Injection Sampling Supplies

Pump Magazines

Description	Part No.
Magazine for Peristaltic Pump One wide (>2 mm) tubing channel	B0507792
Magazine for Peristaltic Pump Two narrow (<2 mm) tubing channels	B0507791

Alternate Reductant Consumable Parts

Permits use of the FIAS-100, FIAS-400 and FIAS-400MS with an alternate reductant (e.g., SnCl₂ instead of NaBH₄).

Description	Part No.
Mixing/Separation Assembly	B0507957
700 mm Single Flanged PTFE Tubing	B0191059
PTFE Tubing (110 mm)	B0191058
Red/Red Pump Tubing (Pkg. 12)	B0193160
Adapter A	B0193342
PTFE Tubing (300 mm)	B0198097



Switching Valves

Description	Part No.
FI Switching Valve*, 8-Port For FIAS-MS	B0509095
Disassembly Tool Valve dismantling tool	B0509590
One-Way Valve	B0198111

* For FI valve repair or replacement parts, please contact your local PerkinElmer Service office.


Mercury/Hydride Systems and Supplies

MHS-15

Mercury/Hydride Systems are well proven accessories for high-sensitivity determinations of mercury and metallic hydride-forming elements, including As, Se, Sb, Te, Bi and Sn by atomic absorption spectroscopy.



- Complete separation of the element being studied from its sample matrix
- Simple, highly specific operating procedures
- Reliable pneumatic control of carrier gas and transport of metallic vapors to the quartz cell
- Conveniently stands adjacent to the sample compartment of the AA spectrometer



Quartz Cell for MHS-10/15
Part No. **B0094415**

Quartz Cells

Description	Part No.
Quartz Cell for MHS-10 and MHS-15 Complete with graphite cooling rings and silicone rubber sleeves	B0094415
Universal Quartz Cell Holder To mount MHS-10 or MHS-15 quartz cell on burner system	B3000350

Supplies

Description	Part No.
Flashback Arrestor	B0098640
Graphite Cooling Ring for Quartz Cells*	B0094413
Immersion Tube (Pipette Tip)	B0094138
Reductant Reservoir (with cap)	B0087354
Reductant Reservoir (without cap)	B0094032
Sample Flask**	B0094321
Silicone Sleeve for Quartz Cells	B0098453

* For MHS-10 and MHS-15 only. ** Specially formed polypropylene reaction vessel with cover.

MHS-15 Detection Limits

Element	Detection Limit* Absolute (ng) (in 10 mL volume)	Detection Limit* Relative (µg/L) (in 50 mL volume)
As	1.0	0.02
Se	1.0	0.02
Bi	2.0	0.10
Sb	5.0	0.10
Te	2.0	0.05
Hg	1.0	0.02

* EDL lamps were used for all elements

Inductively Coupled Plasma-OES

PerkinElmer offers a wide selection of superior quality products designed to work with your PerkinElmer instruments. Our precision designed products deliver the peace of mind that comes from knowing that you'll get the results you need.

Quick Reference Index Page

➤ Concentric Nebulizers	36
➤ MicroFlow Nebulizers	38
➤ Nebulizers with Integrated Probes	39
➤ GemCone Nebulizers	40
➤ GemTip Nebulizers	40
➤ Nebulizer Cleaners	41
➤ Humidifiers	41
➤ Cyclonic Spray Chambers	42
➤ HF Resistant Spray Chambers	44
➤ PFA Spray Chambers	44
➤ Scott Spray Chambers	44
➤ Temperature Controlled Spray Chambers	45
➤ Sample Introduction Quick Change Modules	46
➤ Hydride Accessory Kit	49
➤ Torches	50
➤ Load Coils and Purge Components	53
➤ Injectors	54
➤ Air Compressors	56

Concentric Nebulizers

PerkinElmer offers a complete selection of Nebulizers in a variety of materials for all of your application needs.

Choose from Concentric, MicroFlow, GemCone and GemTip Nebulizers.



➤ [VIEW PAGE](#)

Humidifiers

Argon Humidifiers are commonly used in ICP analyses involving samples with high concentrations of dissolved solids. It helps to alleviate salt deposits in the nebulizer and torch injector, allowing uninterrupted and maintenance-free operation.



➤ [VIEW PAGE](#)

Spray Chambers

The spray chamber is an integral part of the sample introduction System. Each type of spray chamber has been tested to provide the best performance and analytical results.

Choose from Cyclonic, Baffled Cyclonic, HF Resistant, PFA and Scott Spray Chambers.



➤ [VIEW PAGE](#)

Torches

PerkinElmer carefully selects the best materials which provide optimal performance. Torches are specifically designed for your instrument. Trust the consumables engineered for your instruments.

Choose from Demountable Quartz, D-Torch and Ceramic Hybrid Torches.



➤ [VIEW PAGE](#)

Injectors

PerkinElmer offers a complete selection of Injectors in various sizes and materials to meet all of your application needs.

Choose from Alumina, Sapphire and Quartz Injectors.



➤ [VIEW PAGE](#)



WORKFLOW, **MAXIMIZED**
DOWNTIME, **MINIMIZED**



Avio® Max Series ICP-OES

Avio® Max series ICP-OES – multitasking solutions for multielemental analysis

Like most industries, today's testing labs are finding novel ways to accomplish more with less – without sacrificing quality and accuracy. Enter the **Avio Max series**: reliable, dual view ICP-OES systems that are as comfortable with multitasking as you are.

With **Avio 550/560 Max** systems, you have high-throughput, fully simultaneous ICP-OES instruments that deliver exceptionally fast performance. Plus, the **Avio 560 Max** system features a built-in high-throughput sample-introduction module that yields multielemental results in as little as 30 seconds. And completing the portfolio, the hybrid simultaneous **Avio 220 Max** system provides plug-and-play performance, taking you from cold start to analysis in just 10 minutes.

JCANO INGENIERIA DE MÉXICO:
Priv. Brunel Mz. 1 Lt. 5 Cs 4-B Fracc. Quinta Versalles
C.P. 55767 Tecámac, Edo. De México
Correo: mcano@jcanoingenieria.com
Página Web: <https://jcanoingenieria.com>
Tel: 55 3996 2586
WhatsApp: 55 7129 9832
Facebook: <https://www.facebook.com/JCanoIngenieria>

**JCANO**
INGENIERÍA DE MÉXICO
Equipo de Laboratorio, Mantenimiento, Capacitación y CRM personalizado

**PerkinElmer**
Science with Purpose

Concentric Nebulizers



MEINHARD® Nebulizers

The MEINHARD® concentric nebulizers reflect exacting standards in design and manufacturing. They provide excellent sensitivity and precision for aqueous solutions and samples with few dissolved solids (less than 1%).

MEINHARD® Glass Nebulizers

Type A nebulizers are for high sensitivity. Type C and K are for high solids. Type K are for low argon flow.

Type	Ar Flow Rate	Uptake Rate	Material	Part No.
Optima 4x00/5x00/7x00/8x00 / Avio 200/500				
A3	1 L/min	3 mL/min	Glass	00472020
C1	1 L/min	1 mL/min	Glass	00472022
K3	0.7 L/min	3 mL/min	Glass	N0681574
K1 LDV	0.7 L/min	1 mL/min	Glass	N0811287

Includes: **N0777414**, **N0777460** *Standard with Avio instrument



MEINHARD® Nebulizer Replacement Parts

Description	Part No.
F5-50 Standard Nebulizer Solution Fitting, 0.5 mm PTFE. 0.5 mm x 70 cm Capillary	N0777414
F5-50-026-ZZ Liquid-End Connector Kit, 10 in. Length by 0.020 in. ID x 0.062 in. OD	N0811288
Nebulizer Clip for MEINHARD Nebulizers, Qty. 1	N0777460
MEINHARD Nebulizer Gas Line	N0791843
Quick Disconnect Tubing without Swagelock	N0770610
Nebulizer Spacer (Avio)	N0791438

FAST Valve Connecting Lines for MEINHARD® Plus Nebulizers

Description	Part No.
F2 FAST Valve Connecting Line, 0.25 mm ID (Green), 25 cm	N8145465

Direct Connection (DC) Nebulizers

The DC (Direct Connection) nebulizer is the latest design. It has a UniFit sample connector which slides easily over the sample arm and an argon connector configured to connect directly to your ICP. Includes Gas Fitting with ratchet connector (**N0811308**).



SeaSpray DC Nebulizers

Ar Flow Rate	Uptake Rate	Part No.
Optima 4x00/5x00/7x00/8x00 / Avio 200/500		
0.7 L/min	0.4 mL/min	N0811307
0.7 L/min	1 mL/min	N0811306
0.7 L/min	2 mL/min	N0811305

SeaSpray™ Nebulizers

The SeaSpray concentric nebulizer is ideal for samples with high dissolved solids and offers outstanding nebulization efficiency for trace level analyses. Includes UniFit Connector with 0.75 mm ID x 1.3 mm OD x 700 mm long tubing (**N0777512**) and EzyLok Connector Kit (**N0777413**).



Ar Flow Rate	Uptake Rate	Material	Part No.
Optima 4x00/5x00/7x00/8x00 / Avio 200/500			
0.7 L/min	2 mL/min	Glass	N0775345

MicroMist™ Nebulizers

The MicroMist micro-uptake glass concentric nebulizer offers high performance for limited sample volumes. MicroMists with sample uptakes 0.2–0.6 mL/min are fitted with a UniFit connector with 1.3 mm OD x 0.50 mm ID x 700 mm long sample tubing (**N0777513**). MicroMists with sample uptakes 0.05–0.1 mL/min are fitted a UniFit connector with 1.3 mm OD x 0.25 mm ID x 700 mm long sample tubing (**N0777514**). EzyLok Connector Kit (**N0777413**) included.



SeaSpray and MicroMist Nebulizer Replacement Parts

Description	Pkg.	Part No.
UniFit		
0.50 mm ID x 1.3 mm OD x 700 mm	10	N0777513
0.75 mm ID x 1.3 mm OD x 700 mm	10	N0777512
1.30 mm OD x 0.75 mm ID x 700 mm	3	N0774077
1/16 in. OD x 0.75 mm ID x 700 mm	3	N0774080
UniFit-EzyFit Sample Tube	6	N0777061
EzyFit		
0.25 mm ID x 1/16 in. OD x 700 mm	10	N0777464
0.50 mm ID x 1/16 in. OD x 700 mm	10	N0777463
0.50 mm ID x 1/16 in. OD x 700 mm Twin	6	N0777462
UniFit-EzyFit Sample Tube	6	N0777061
EzyLok Kit		
EzyLok Kit Includes: EzyLok Connector for 4 mm Tubing, EzyLok 6 mm Hose Adaptor, Nebulizer Hose Clip		N0777413
Nebulizer Pressure Hose Clips (standard)		N0773197
Direct Connection Nebulizer Gas Fitting		
DC Nebulizer Gas Fitting with Ratchet Nebulizer Connector for Avio		N0811308

Conikal™ Nebulizer

Ideal for samples containing only moderate concentrations of dissolved salts, no particulates and no hydrofluoric acid. Includes UniFit Connector with 0.75 mm ID x 1.3 mm OD x 700 mm long tubing (**N0777512**) and EzyLok Connector Kit (**N0777413**).

Ar Flow Rate	Uptake Rate	Material	Part No.
Optima 4x00/5x00/7x00/8x00 / Avio 200/500			
0.7 L/min	2 mL/min	Glass	N077487

DuraMist™ Nebulizer


The DuraMist is an economical nebulizer for high precision analyses involving samples digested in HF. Recommended for samples containing up to 5% HF.



Ar Flow Rate	Uptake Rate	Material	Part No.
Optima 4x00/5x00/7x00/8x00 / Avio 200/500			
0.7 L/min	0.4 mL/min	PEEK	N0777713
0.7 L/min	1.0 mL/min	PEEK	N0777714

Mira Mist® and Ari Mist Nebulizers

The PEEK Mira Mist handles most liquids, most flow ranges used in ICP and is one of the most rugged and longest life nebulizers due to its outer body being strong PEEK material. The Ari Mist has a very low sample flow, enhanced parallel path design. Standard pressure (40–50 psi). Black PEEK body, PTFE sample and gas capillaries. Can operate on 0.050 mL/min to 1.0 mL/min. Only for samples that are particulate free.



Description	Uptake Rate	Part No.
Optima 4x00/5x00/7x00/8x00 / Avio 200/500		
PEEK Mira Mist Excellent mist and can handle high level of particulates in sample	0.2 to 2.5 mL/min	N0775330
PTFE Mira Mist For samples with high HF, Sulfuric and some other solvents that attack PEEK	0.2 to 2.5 mL/min	N0777031

Mira Mist® and Ari Mist Nebulizer Replacement Parts

Description	Pkg.	Part No.
0.5 m, 0.44 in. OD x .018 in. ID	1	N0777111
0.5 m, 0.44 in. OD x .018 in. ID	10	N0777112
2 mm Gas Line with Upchurch Fittings	1	N0777113
Mira Mist Quick Release	1	N0777114
0.44 in. OD x .018 in. ID Polyethylene Tubing 3 m	1	N0777116

High Efficiency MicroFlow Nebulizers

MicroFlow nebulizers are resistant to clogging, reliably self-aspirated or pumped to produce a fine aerosol for high transport efficiency and high sensitivity.

PFA-ST Nebulizers

The PFA-ST MicroFlow nebulizer is made from high purity, HF resistant PFA. It has an exchangeable external sample uptake capillary. The sample uptake rate is controlled by the diameter of the external capillary or probe.



Features and Benefits

- Chemically resistant – ideal for strong acids, alkalis and organics
- Can be pumped from < 0.1 mL/min to 3.0 mL/min
- Direct analysis of volatile and non-volatile organic solvents
- Resistant to clogging – reliably self-aspirated or pumped
- Low, spike free background for important elements such as Fe and Ca

Description

PFA-ST Nebulizer

Part No.

N0777049

PolyPro-ST Nebulizer

The PolyPro-ST Nebulizer is an HF resistant alternative to the PFA nebulizers but has the same high efficiency aerosol generation.



It is a robust nebulizer that can self aspirate with an exchangeable external sample uptake capillary or be used with a peristaltic pump.

Features and Benefits

- Polypropylene construction
- Hydrofluoric acid resistant
- 0-3 mL/min sample flow rate with peristaltic pumping
- Resistant to clogging and accidental breakage

Description

PolyPro-ST Nebulizer

Part No.

N0777219

PFA-ST3 Nebulizer

The PFA-ST3 Nebulizer is designated for superior clog resistance and higher sensitivity compared to the standard PFA nebulizer. The PFA MicroFlow is a high solids large bore nebulizer with external 1/4-28 threaded connector. Ideal for strong acids, high solids, alkalis, organic solvents, soils and high salt solutions.



Features and Benefits

- Produces a fine aerosol for high transport efficiency and high sensitivity
- Low BECs even for concentrated high purity acids (e.g. 49% HF, 69% HNO₃)
- Direct analysis of volatile and non-volatile organic solvents
- Ideal for VPD samples, high purity peroxide and ammonia

Description

PFA-ST3 Nebulizer

Part No.

N0777676

Nebulizers with Integrated Probes

These nebulizers self-aspirate at low flow rates with any autosampler and provide the same benefits of the PFA MicroFlow nebulizer. The integrated sampling probe is constructed by encapsulating a rigid support material between layers of PFA to provide a chemically-resistant probe that is mechanically stable and resilient.

PFA MicroFlow Nebulizers with Integrated Autosampler Probes

For environmental/clinical applications. These nebulizers self-aspirate at low flow rates with any autosampler and provide the same benefits of the PFA MicroFlow nebulizer. The integrated sampling probe is constructed by encapsulating a rigid support material between layers of PFA to provide a chemically-resistant probe that is mechanically stable and resilient.



Carbon Fiber support for Environmental/Clinical Applications.

Description	Aspiration Rate @ 1 L/m Ar	Part No.
PFA-100 PFA (Carbon Fiber Support), Length 100 cm	100 µL/min	N077216

Carbon Fiber Probes for ST Nebulizers

ST nebulizer probes connect directly to any ST-type nebulizer. The 1/4-28 threaded fitting provides a secure, zero-dead-volume connection with no additional fittings required.



ID	Aspiration Rate @ 1 L/m Ar	Length	Part No.
0.25 mm	100 µL/min	80 cm	N077223
0.50 mm	400 µL/min	80 cm	N077225
0.25 mm	100 µL/min	150 cm	N077826

GemCone and GemTip Nebulizers

GemCone™ Low-Flow Nebulizer

Low-flow GemCones permit lower nebulizer gas flow rates, useful for spectral lines with high excitation energies and for providing a more robust plasma. GemCone Nebulizers require an end cap for use with Scott Spray Chambers.



Description	Part No.
GemCone Low-Flow Nebulizer	N0770358

GemCone High Dissolved Solids Nebulizer

High solids GemCones are for samples with high dissolved solids (up to 20%). This conespray nebulizer allows you to analyze samples with higher solids concentration than is possible with a Cross-Flow nebulizer. GemCone nebulizers require an end cap (Part No. **N0680343**) for use with Scott Spray Chambers.




Description	Part No.
GemCone High Dissolved Solids Nebulizer	N0690670
GemCone High Dissolved Solids Nebulizer with Quick Disconnect Tubing (N0770336)	N0770720

GemCone Nebulizer Replacement Parts



Description	Part No.
GemCone Sample Capillary Adapter	N0371505
Scott Spray Chamber End Cap for GemCone Nebulizers	N0680504
Quick Disconnect Tubing with Swagelock	N0770336
Quick Disconnect Tubing without Swagelock	N0770610
Capillary Tubing (10 ft.)	09908265
PTFE Capillary Tubing (1 ft.)	09985708



GemTip Cross-Flow II Nebulizers

Excellent general purpose nebulizer for the analysis of strong mineral acids (including HF) and samples with less than 5% dissolved solids. It can routinely handle 50% (v/v) solutions of HCl, HNO₃, H₂SO₄, H₂PO₄, 20% (v/v) HF and 30% (v/v) NaOH. Up to 20% NaCl can be aspirated by the nebulizer for 1 hour without clogging. Uses chemically resistant GemTips made of sapphire and ruby in a chemically resistant end cap.

ICP Model	Part No.
Optima 8x00 / Avio 200/500	N0780546
Optima 2x00/4x00/5x00/7x00	N0770546

GemTip Nebulizer O-Ring Kit

Description	Part No.
GemTip™ Cross-Flow Nebulizer O-Ring Kit Includes: 09902001 Qty. 2, 09902033 Qty. 2, 09902151 Qty. 3, 09921003 Qty. 1, 3 cm of PTFE Sample Tubing	N9300067

GemTip Cross-Flow II Nebulizer Tip Kits




The Tip Kit includes a clear sapphire sample tip and a red ruby argon tip. The tips are constructed of PEEK with the gem inserts noted for maximum corrosion resistance.

ICP Model	Part No.
Optima 8x00 / Avio 200/500	N0780676
Optima 2x00/4x00/5x00/7x00	N0690676

See next page for GemTip Cross-Flow II Nebulizer Replacement Parts

GemTip Cross-Flow II Nebulizer Replacement Parts

Description	Part No.
1 Screws (two) – Knurled	
2 Ring	
3 O-Ring, 18W, 1-3/8 ID, 1-5/8 OD	09902033
4 Fitting Reducer 1/8 TBG, 1/4 Port	
* These parts are included with item 4	
5 Ferrule – TBG 1/8 Tefzel	09920515
6 Nut – TBG Flanged 0.0625 PEEK	09920546
7 Nut – TBG Flanged 0.125 PEEK	09920545
8 Ferrule – TBG 1/16 Tefzel	09920518
9 Tubing, 0.032 ID x 0.016 Wall, PTFE (per foot)	09985708
10 Tubing, 0.06 ID x 1/8 OD, PTFE (per foot)	
11 Tip Kit for Cross-Flow Nebulizer Argon and Sample tip (one each)	N0690676
a Argon Tip (Red)	
b Sample Tip (Clear)	
12 End Cap Cross-Flow Nebulizer	
13 O-Rings (two) 0.126 ID, 0.040 WD, Viton	09921045
14 Tubing (10 ft.) – 0.023 ID, Clear	09908265
15 Nut – Hex – 0.250 TBG BRS	
16 Ferrule – Back 1/4 BRS	
17 Ferrule – Front 1/4 BRS	09903103
18 Insert – Tubing	
Barbed coupler – Not Shown	



Nebulizer Cleaners

The Eluo™ Nebulizer Cleaner



The Eluo is designed to efficiently deliver a cleanser through the nebulizer capillary to dislodge particle build-up and thoroughly clean the nebulizer. One simple action does it all. No more messy procedures, waiting overnight or shattered nebulizers in ultrasonic baths.

Description	Part No.
For Newer OpalMist, PolyCon, DuraMist, MEINHARD, Other Glass Nebulizers	N0777712
For OLD Style OpalMist or PolyCon Nebulizers	N0775358

Humidifiers

Elegra Argon Humidifier

The Elegra Argon Humidifier helps to alleviate salt deposits in the nebulizer and torch injector, allowing uninterrupted and maintenance-free operation.



ICP Model	Part No.
Optima 2x00/4x00/5x00/7x00/8x00 / Avio 200/500	N0781598

pergo Argon Humidifier

The *pergo* improves performance of all concentric nebulizers for the routine analysis of brines, fusion digests and other high-TDS samples. A high-pressure membrane positioned inside a temperature-controlled water reservoir perfuses water vapor into the ICP nebulizer gas stream. By increasing humidity in the argon nebulizer gas, the *pergo* prevents salt deposits at the nebulizer tip, improving short and long-term signal stability. *pergo 2* dual Argon humidifier is for analyses dealing with high concentrations of dissolved solids on instruments using auxiliary gas. Includes gas line connector kit.



ICP Model	Description	Part No.
Optima/Avio	<i>pergo 1</i> without Nebulizer	N8145315
Optima/Avio	<i>pergo 1</i> with MEINHARD Type C Nebulizer	N8145316
Optima/Avio	<i>pergo 1</i> with PFA-ST Nebulizer	N8150427

Cyclonic Spray Chambers



Standard Cyclonic Spray Chamber
Part No. **N0776052**



Cyclonic O-Ring Free Spray Chamber
Part No. **N0775351**

The spray chamber is an integral part of the sample introduction system responsible for filtering the sample mist to permit the appropriate droplet size distribution to reach the plasma.

Standard and O-Ring Free glass cyclonic spray chambers can be used with either GemCone or concentric glass nebulizers. HF resistant cyclonic spray chambers should be used with GemCone, SeaSpray or MicroMist nebulizers.

Glass Spray Chambers

ICP Model	Type	Part No.
2x00/4x00/5x00/7x00/8x00	Standard*	N0776052
2x00/4x00/5x00/7x00/8x00	O-Ring Free	N0775351

*Standard Cyclonic Spray Chamber (**N0776052**) with Adapter (**N0770614**):
Spray Chamber Kit with Mount Part No. **N0770605**



Quartz Spray Chamber
Part No. **N0777036**

Quartz Spray Chambers

ICP Model	Type	Part No.
2x00/4x00/5x00/7x00/8x00	Non-baffled Cyclonic Spray Chamber	N0777635
2x00/4x00/5x00/7x00/8x00	7 mm Baffled Cyclonic Spray Chamber	N0777036

Include drain line (**N8141425**)

Cinnabar Spray Chamber
Part No. **N0777494**



Cinnabar™ Cyclonic Spray Chamber

The Cinnabar glass spray chamber is a mini-cyclonic spray chamber which gives good sensitivity at very low uptakes. The Cinnabar's design and low volume is ideal for the reduction of memory and matrix effects and very fast washout. Volume 20 mL.

ICP Model	Type	Part No.
2x00/4x00/5x00/7x00/8x00	O-Ring Free	N0777494

Baffled Cyclonic Spray Chambers



Baffled Cyclonic Spray Chamber



Oxygen Port Spray Chamber
Part No. **N0777731**

The Baffled Cyclonic Spray Chamber features a central transfer tube which acts as a secondary particle separator, helping to separate larger aerosol particles from the sample. This reduces solvent load in the plasma without compromising detection limits.

ICP Model	Type	Part No.
Avio 200/500	O-Ring Free	N0791352
Avio 200/500 for Oil Analysis with Oxygen Port	O-Ring Free	N0770389
Avio 200 Quartz 8 mm PFA Adapter	O-Ring Free	N0791842
Avio 500 Quartz 12/5 Socket	O-Ring Free	N0811900
2x00/4x00/5x00/7x00 DV/8x00	Standard	N0776053
2x00/4x00/5x00/7x00 DV/8x00	O-Ring Free	N0775352
2x00/4x00/5x00/7x00 DV/8x00 for Oil Analysis (4 mm Baffle)	Standard	N0776090
2x00/4x00/5x00/7x00 DV/8x00 for Oil Analysis (4 mm Baffle)	O-Ring Free	N0775355
2x00/4x00/5x00/7x00 DV/8x00 for Oil Analysis (4 mm Baffle) with Oxygen Port	O-Ring Free	N0777731
4300V/5300V/7300V	Standard	N0771501
4300V/5300V/7300V	O-Ring Free	N0775356



Metal Ball Joint Clip

Used to connect spray chamber and torch.

Description	Part No.
Metal Ball Joint Clip	09200593

Spray Chamber Replacement Parts and Accessories



Part No. **N0770614**



Part No. **N0770600**



Part No. **N0777438**



Part No. **N0777439**



Part No. **N0791438**

Description	Part No.
Cyclonic Spray Chamber Adapter (Optima)	N0770614
Mounting Block Only (Optima)	N0770600
Drain Cap Assembly	N0690271
Helix Locking Screw, Pkg. 1	N0777438
Helix Seal, Pkg. 4	N0777439
Nebulizer Adaptor Plug 16/6 for N0776052 Spray Chamber	N0776006
O-Ring Set for Nebulizer Adaptor Plug 16/6	N0776007
Nebulizer Spacer (Avio)	N0791438
Quick-Change Torch Module Support Stand (Optima)	N0770609



See Quick Change Torch Modules and Sample Introduction Kits on the following pages

HF Spray Chamber
Part No.
N0777497



HF Spray Chamber
Part No.
N0777496



HF Resistant Spray Chambers

ICP Model	Part No.
Avio 200/500 (with grounding strap)	N0790373
4300/5300/7300V TFE PTFE, 50 mL	N0777497
2x00/4x00/5x00/7x00 DV/8x00 TFE PTFE, 50 mL	N0777496



PFA Spray Chambers

All-purpose spray chambers which offers resistance to hydrofluoric acid. Constructed entirely from chemically inert PFA, the PureChamber is available in low flow format for maximum aerosol transport and high flow format, ideal for ICP-AES applications. The PureCap accepts any 6 mm nebulizer but is ideally suited for the PFA MicroFlow nebulizer providing an O-Ring free PFA sample introduction system.

- Chemically inert PFA construction results in low contamination and long life time
- O-Ring free seal reduces contamination and provides an easy to clean low maintenance system

Description	ICP Model	Part No.
PFA 47 mm M-200	Avio 200/500	N0791847

Scott Spray Chamber
Part No. **N0770357**



Scott Spray Chamber
Part No. **N0790384**

Scott Spray Chambers

The Scott Spray Chamber is made from a corrosion-resistant material, which is inert to most mineral acids including HF, aqua regia and all organic solvents normally used in ICP analyses. The Scott-type design minimizes pulsations from the peristaltic pump.

ICP Model	Part No.
Avio 200/500	N0790384
2x00/4x00/5x00/7x00/8x00	N0770357


Scott Spray Chamber Replacement Parts

Description	Part No.
Scott Spray Chamber Clamp Adapter (Avio)	N0790296
O-Ring	09902033

Spray chamber, end cap and associated parts

Illustration shows cross-flow nebulizer end cap assembly Part No. **N0780546**.

Description	Part No.
1 Scott Spray Chamber	N0790384
2 O-Ring	09902033
3 End Cap Ring	
4 End Cap (not complete assembly)	
5 Knurled Screw (2)	



Temperature Controlled Spray Chambers

PC³ Peltier Temperature Controlled Spray Chambers

The PC^{3x} for Avio is a compact, Peltier-heated or cooled inlet system which incorporates the ESI cyclonic spray chamber. In cooling mode the PC^{3x} cools the outer walls of the cyclonic spray chamber that operates at -10°C to +80°C, reducing the water or solvent vapor loading on the plasma, resulting in enhanced stability and performance. In heating mode, sensitivity can be improved for low flow rate applications.

The PC³ is a compact Peltier cooled inlet system which incorporates the ESI cyclonic spray chamber. The peltier within the PC³ is air cooled, as such the system can be connected to any ICP. The PC³ cools the outer walls of the cyclonic spray chamber reducing the water or solvent vapor loading on the plasma resulting in enhanced stability and performance. The PC³-LT operates at -20°C to reduce the solvent load on the plasma for analysis of 100% volatile organic solvents.



PC^{3x} Spray Chamber



IsoMist Spray Chamber

IsoMist Temperature Controlled Spray Chambers

The IsoMist Programmable Temperature Controlled Spray Chamber provides the benefits of a temperature-controlled ICP sample introduction system in a compact, convenient package. The temperature is electronically controlled using a powerful inbuilt Peltier device. You can select any temperature between -10°C and +60°C in 1°C increments to provide the optimum conditions for any application. The rapid response of the Peltier device allows a spray chamber temperature of -5°C to be reached within 15 minutes.

The IsoMist XR programmable temperature controlled cyclonic spray chamber now features an improved thermodynamic design providing an extended temperature range and faster cool-down, so your ICP is ready to go sooner. IsoMist XR has a peltier unit with a range of -25°C to +80°C.

Features and Benefits

- Thermal stabilization of spray chamber improves long-term stability
- Default settings of spray chamber temperature (+2°C/ -5°C) for aqueous or organic solvents. Custom temperature settings are available upon request
- Interchangeable quartz, PFA and borosilicate cyclonic spray chambers available
- Fast rinse-out using PFA-ST nebulizer and O-Ring free quartz cyclonic spray chamber
- Reduced oxides

Features and Benefits

- Improve Analytical Stability
- Reduce Oxide Formation
- Perfect for Volatile Organics
- Constant Temperature Improves Analytical Stability
- Enhance Sensitivity with Elevated Sample Introduction Temperatures

Description	Part No.
PC³ Temperature Controlled Spray Chambers for Avio	
PC ^{3x} Peltier Cooled Cyclonic Spray Chamber for Avio 200	N0790959
PC ^{3x} Peltier Cooled Cyclonic Spray Chamber for Avio 500	N0810860
PC³ Temperature Controlled Spray Chambers for Optima	
PC ³ Organic Sample Introduction Kit, 1.5 mm Quartz injector	N0777354
PC ³ -LT Organic Sample Introduction Kit, 1.0 mm Quartz Injector	N0777356
PC ^{3x} Complete system	N0777836

ICP Model	Description	Part No.
Avio	IsoMist XR Quartz	N0810858
Optima 4x00/5x00/7x00 DV/8x00	IsoMist XR PFA	N0780760
Optima 4x00/5x00/7x00 DV/8x00	IsoMist XR Quartz	N0780761

*Injector and nebulizer are not included.

Sample Introduction Quick Change Torch Modules

Part No. **N0790607**



Quick Change Torch Module Cyclonic Spray Chamber/Concentric Nebulizer

ICP Model	Part No.
Avio 200 Includes:	N0790607
Type K1 Standard Nebulizer	N0777707
1 Slot Quartz Torch	N0790131
2.0 mm Alumina Injector	N0791183
Baffled Cyclonic Spray Chamber	N0791352
Torch Body Assembly for Avio 200	N0790138
Injector Adapter	N0790141
Avio 500 Includes:	N0810607
Type K1 Standard Nebulizer	N0777707
1 Slot Quartz Torch	N0790131
2.0 mm Alumina Injector	N0791183
Baffled Cyclonic Spray Chamber	N0791352
Torch Body Assembly for Avio 500	N0810128
Injector Adapter	N0790141

Part No. **N0810606**



Quick Change Torch Module Scott Spray Chamber/Cross-Flow Nebulizer

ICP Model	Part No.
Avio 200 Includes:	N0790606
GemTip Cross-Flow Nebulizer	N0780546
1 Slot Quartz Torch	N0790131
2.0 mm Alumina Injector	N0791183
Scott Spray Chamber	N0791499
Torch Body Assembly for Avio 200	N0790138
Injector Adapter	N0790156
Avio 500 Includes:	N0810606
GemTip Cross-Flow Nebulizer	N0780546
1 Slot Quartz Torch	N0790131
2.0 mm Alumina Injector	N0791183
Scott Spray Chamber	N0791499
Torch Body Assembly for Avio 500	N0810128
Injector Adapter	N0790156



Part No. **N0791352**



Part No. **N0770358**

Organics Sample Introduction System

ICP Model	Part No.
Avio 200 Includes:	N0790611
GemCone Low-Flow Nebulizer	N0770358
Injector Adapter Kit-Cyclonic with O-Rings	N0790141
Hybrid XLT 3 Slot Torch Avio	N0790249
Alumina Injector 1.2 mm Length Avio	N0791182
Baffled Cyclonic Spray Chamber Avio	N0791352
Torch Body Assembly for Avio 200	N0790138
Avio 500 Includes:	N0810609
GemCone Low-Flow Nebulizer	N0770358
Injector Adapter Kit-Cyclonic with O-Rings	N0790141
Hybrid XLT 3 Slot Torch Avio	N0790249
Alumina Injector 1.2 mm Length Avio	N0791182
Baffled Cyclonic Spray Chamber Avio	N0791352
Torch Body Assembly for Avio 500	N0810128



Quick-Change Torch Module with Cyclonic Spray Chamber and Concentric Nebulizer

ICP Model	Part No.
Optima 8x00 Includes:	N0780607
MEINHARD Type K1 Nebulizer 1 mL/Min	N0777707
1 Slot Quartz Torch	N0780130
Alumina Injector 2.0 mm ID	N0781014
Polyethylene Tubing, 10 ft.	09908265
Adjustable Torch Assembly	N0770600
Cyclonic Spray Chamber with Adjustable Mount	N0770605
Tubing Assembly	N0770610
Optima 2x00/4x00/5x00/7x00 Includes:	N0770607
MEINHARD Type C1 Nebulizer 1 mL/Min	00472022
Polyethylene Tubing, 10 ft.	09908265
1 Slot Quartz Torch	N0770338
Adjustable Torch Assembly	N0770600
Cyclonic Spray Chamber with Adjustable Mount	N0770605
Tubing Assembly	N0770610
Alumina Injector 2.0 mm	N0775177

Components of Quick-Change Torch Module for HF Analysis

ICP Model	Part No.
Optima 4300V/5300V/7300V	
GemCone High Dissolved Solids Nebulizer	N0690670
Alumina Sample Injector 2.0 mm ID	N0695362
Quick Disconnect Tubing	N0770336
3 Slot Quartz Torch	N0771500
Tracey TFE Spray Chamber Includes: Fittings, O-Rings and Spares	N0777497

Quick-Change Torch Module for Oil Analysis

ICP Model	Part No.
Optima 4300V/5300V/7300V Includes:	N0770910
GemCone Low-Flow Nebulizer	N0770358
Alumina Injector 1.2 mm	N0771531
Quick Disconnect Tubing	N0770336
3 Slot Quartz Torch	N0771500
Baffled Cyclonic Spray Chamber Includes: Fittings, O-Rings and Spares	N0771501



Quick-Change Torch Module with Scott Spray Chamber and GemTip Cross-Flow II Nebulizer

ICP Model	Part No.
Optima 8x00 Includes:	N0780606
1 Slot Quartz Torch	N0780130
GemTip Cross-Flow II Nebulizer	N0780546
Alumina Injector 2.0 mm ID	N0781014
Scott Spray Chamber	N0770357
Optima 2x00/4x00/5x00/7x00 DV Includes:	N0770606
1 Slot Quartz Torch	N0770338
GemTip Cross-Flow II Nebulizer	N0770546
Adjustable Torch Assembly	N0770600
Alumina Injector 2.0 mm	N0775177
Scott Spray Chamber	N0770357

Mounting Block

Mounting block only. Does not include torch, injector, spray chamber or nebulizer.



ICP Model	Part No.
Optima 2x00/4x00/5x00/7x00/8x00	N0770600

Quick-Change Torch Module Support Stand

A free-standing support stand to hold your spare Quick-Change Torch Module.



ICP Model	Part No.
Optima 2x00/4x00/5x00/7x00 DV/8x00	N0770609

End Cap for Concentric Glass, GemCone and Similar Nebulizers

End cap to fit any concentric nebulizer onto a Scott Spray Chamber.



ICP Model	Part No.
Optima 2x00/3x00/4x00/5x00/7x00/8x00 / Avio 200/500	N0680504

Sample Introduction Kits



Part No. **N077707**



Part No. **N0791352**



Part No. **N0780546**



Part No. **N0790384**

Cyclonic/Concentric Kits

ICP Model	Part No.
Avio 200/500 Includes:	N0790608
1 Slot Quartz Torch	N0790131
2.0 mm ID Alumina Injector	N0791183
Baffled Cyclonic Spray Chamber	N0791352
MEINHARD® Type K1 Nebulizer	N077707
Injector Adapter	N0790141
Optima 8x00 Includes:	N0780617
1 Slot Quartz Torch	N0780130
2.0 mm ID Alumina Injector	N0781014
Glass Cyclonic Spray Chamber	N0776052
MEINHARD® Type K1 Nebulizer	N077707
Quartz Torch Copper Ignitor Tape – Qty. 50 pcs.	N0781097
Optima 2x00/4x00/5x00/7x00 DV*	
1 Slot Quartz Torch	N0770338
Quartz Bonnet	N0775289
2.0 mm ID Alumina Injector	N0775177
Glass Cyclonic Spray Chamber	N0776052
MEINHARD® Type C High Dissolved Solids Nebulizer	00472022
Quartz Torch Copper Ignitor Tape – Qty. 120 pcs.	N0775297

Scott/Cross-Flow II Kits

ICP Model	Part No.
Avio 200/500 Includes:	N0790609
1 Slot Quartz Torch	N0790131
2.0 mm ID Alumina Injector	N0791183
Scott Spray Chamber	N0790384
GemTip™ Cross-Flow II Nebulizer	N0780546
Injector Adapter	N0790156
Scott Spray Chamber Clamp Adapter	N0790296
Optima 8x00*	
1 Slot Quartz Torch	N0780130
2.0 mm ID Alumina Injector	N0781014
Scott Spray Chamber	N0770357
GemTip™ Cross-Flow II Nebulizer	N0780546
Quartz Torch Copper Ignitor Tape – Qty. 50 pcs.	N0781097
Optima 2x00/4x00/5x00/7x00 DV Includes:	N0770731
1 Slot Quartz Torch	N0770338
Quartz Bonnet	N0775289
2.0 mm ID Alumina Injector	N0775177
Scott Spray Chamber	N0770357
GemTip™ Cross-Flow II Nebulizer	N0770546
Quartz Torch Copper Ignitor Tape – Qty. 120 pcs.	N0775297

*Kit components must be purchased individually



Part No. **N0771500**



Part No. **N0772006**

Oxygen Addition Kits

ICP Model	Qty.	Part No.
Oxygen Addition Kit Avio 200/500 Includes:		N0790412
Baffled Cyclonic Spray Chamber 4 mm for Oils with Oxygen Port	1	N0770389
Mass Flow Controller	1	N0772006

ICP Model	Qty.	Part No.
DV Oxygen Addition Kit Optima 2x00/4x00/5x00/7x00/8x00 DV Includes:		N0770689
Baffled Cyclonic Spray Chamber 4 mm for Oils with Oxygen Port	1	N0777731
Mass Flow Controller	1	N0772006
Adapter for Cyclonic Spray Chamber	1	N0770614

ICP Model	Qty.	Part No.
V Oxygen Addition Kit Optima 4300 V/5300 V/7300 V Includes:		N0770965
Torch Adapter with Auxiliary Oxygen Port	1	N0774070
Mass Flow Controller	1	N0772006

Hydride Accessory Kit

ICP Model	Qty.	Part No.
Hydride Accessory Kit Avio 200/500 Includes:		N0810433
Silicone Tubing ID 5mm Thickness x 2 mm	1	B0018283
PTFE Tubing, 110 mm	1	B0191058
PTFE Tubing, 700 mm	1	B0191059
1.52 mm ID Tubing, Blue/Yellow/Blue, Pkg. 12	1	B0193161
Adapter A/D with Intern Screw Thread 1.8mm	1	B0193342
Adapter C / D = 4,0	1	B0196850
Adapter E / D = 6,0	1	B0196857
Tubing Connector for FIAS-400MS	2	B0196882
PTFE Tubing, 300 mm	2	B0198097
Tubing Adapter K	1	B0507918
Mixing/Separation Assembly	1	B0507957
PTFE Membrane, Pkg. 50	1	B0508306
3.18 mm ID, Black/White/Black Pkg. 12	1	B0508310
PVC Tubing for 2 mL/mm, P40	1	N0680375
Ultrasonic Axial Adapter	1	N0695426
Quick Disconnect Tubing for 2000/4000	1	N0770336

*Kit components must be purchased individually

Organics Kits

ICP Model	Qty.	Part No.
Avio 200/500 Includes:		N0790610
3 Slot Quartz Torch	2	N0790249
1.2 mm ID Alumina Injector (1.2 mm entire length of tube)	2	N0791182
Baffled Cyclonic Spray Chamber	1	N0791352
GemCone™ Low-Flow Nebulizer	1	N0770358
Cyclonic Spray Chamber Adapter	1	N0790141
Nebulizer Spacer	1	N0791438
Optima 8x00 Includes:		N0780608
3 Slot Quartz Torch	2	N0780132
1.2 mm ID Alumina Injector	2	N0781007
Baffled Cyclonic Spray Chamber 4 mm	1	N0776090
GemCone™ Low-Flow Nebulizer	1	N0770358
Cyclonic Spray Chamber Adapter	1	N0770614
Injector Adapter Washer	1	N0776014
Injector Adapter	1	N0776091
Injector Adapter Nut	1	N0776025
Optima 2x00/4x00/5x00/7x00 DV Includes:		N0770420
3 Slot Quartz Torch	1	N0772005
1.2 mm ID Alumina Injector	1	N0776093
Baffled Cyclonic Spray Chamber 4 mm	1	N0776090
GemCone™ Low-Flow Nebulizer	1	N0770358
Cyclonic Spray Chamber Adapter	1	N0770614
Injector Adapter Washer	1	N0776014
Injector Adapter Nut	1	N0776025
Injector Adapter	1	N0776091
Optima 4300 V/5300 V/7300 V*		
3 Slot Quartz Torch	1	N0771500
Quartz Bonnet	1	N0775289
1.2 mm ID Alumina Injector	1	N0771531
Baffled Cyclonic Spray Chamber	1	N0771501
GemCone™ Low-Flow Nebulizer	1	N0770358
Quartz Torch Copper Ignitor Tape	120	N0775297

Demountable Quartz Torches

Avio Torch
Part No. **N0790131**



Demountable design using one-piece quartz tubing for plasma and auxiliary gas flow. Torches without slots are recommended for organic solvents. 1-slot torches are the standard torch for aqueous solutions. 3-slot torches are typically used for organic analysis.

ICP Model	No. of Slots	Part No.
Avio 200/500 (Standard Torch)	1	N0790131
Avio 200/500 Organics (not ceramic)	3	N0790249
8x00 HybridXLT (ceramic tip)	1	N0780128
8x00	0	N0780133
8x00 (Standard)	1	N0780130
8x00	3	N0780132
2x00/4x00/5x00/7x00 DV	0	N0770343
2x00/4x00/5x00/7x00 DV (short ver.)	0	N0770344
2x00/4x00/5x00/7x00 DV	1	N0770338
2x00/4x00/5x00/7x00 DV	3	N0772005
2x00/4x00/5x00/7x00 DV Organics	3	N0772008
4300V/5300V/7300V	3	N0771500
7300 V Organics	3	N0771561

Fixed Torches can be found on the next page.

Torch Bonnet

The torch bonnet is used as a spacer between the torch and RF load coil.



ICP Model	Part No.
2x00/4x00/5x00/7x00	N0775289

Copper Ignitor Tape




ICP Model	Qty.	Part No.
8x00	50	N0781097*
2x00/4x00/5x00/7x00	120	N0775297

*Ignitor tape for Optima and HybridXLT Torches

Torch Body Assemblies

ICP Model	Part No.
Avio 200	N0790138
Avio 500	N0810128



Avio 200 Torch Body Assembly
Part No. **N0790138**

Avio 500 Torch Body Assembly
Part No. **N0810128**

Torch Body Assembly Replacement Parts

Description	Part No.
1 Torch Glass	N0790131
2 Knurled Nut	N0776027
3 Washer	
4 Spacer	N0791125
5a Cassette for Avio 200 Torch Body Assembly	N0790214
5b Cassette for Avio 500 Torch Body Assembly	N0810214
6 O-Ring Color Coded Blue	N0791334
7 O-Ring	09902223



Torch O-Ring Kits

ICP Model	Part No.
Avio 200/500 O-Ring Kit for Adjustable Torch Includes: 0.799 ID 0.103 WD 09902223 (2) 0.101 ID 0.070 WD N0791334 (2)	N0790437
Avio 200/500 O-Ring Kit for Scott Injector Includes: 8.74 ID 1.78 WD 09200518 (2) 0.239 ID 0.70 WD 09902207 (2) 0.344 ID 0.070 WD N0791333 (2)	N0790440
Avio 200/500 O-Ring Kit for Cyclonic Injector Includes: 0.239 ID 0.70 WD 09902207 (2) 0.301 ID 0.70 WD 09926070 (2) 0.344 ID 0.070 WD N0791333 (2)	N0790441
8x00 Complete O-Ring Kit Includes: 1.171 ID, 0.139 WD 09902131 (1) 0.799 ID, 0.103 WD 09902223 (2) 1.109 ID, 0.139 WD 09921061 (1) 1.046 ID, 0.139 WD 09921062 (1)	N0780437
2x00/4x00/5x00/7x00 DV Complete O-Ring Kit Includes: 0.801 ID 0.070 WD 09902045 (1) 1.171 ID 0.139 WD 09902131 (1) 0.799 ID 0.103 WD 09902223 (2) 1.109 ID 0.139 WD 09921061 (1) 1.046 ID 0.139 WD 09921062 (1)	N0770437
4300V/5300V/7300V Complete O-Ring Kit Includes: 0.612 ID 0.103 WD 09902155 (1) 0.239 ID 0.070 WD 09902207 (2) 0.364 ID 0.070 WD 09902247 (2) 0.301 ID 0.070 WD 09926070 (1)	N0770916
Avio 200/500	0.101 ID, 0.070 WD N0791334
Avio 200/500	0.344 ID, 0.070 WD N0791333
Avio 200/500	8.74 ID, 1.78 WD 09200518
2x00/4x00/5x00/7x00 DV/8x00 (Viton)	0.799 ID, 0.103 WD 09902223
3x00 XL/3x00 DV/3000 SCX	0.364 ID, 0.070 WD 09902015
O-Ring Removal Tool	09220410

Ceramic Hybrid XLT Quartz Torch

PerkinElmer's HybridXLT™ torch is the latest addition to the family of PerkinElmer genuine sample introduction components. The ceramic/quartz hybrid design provides the highest performance for your Optima® ICP-OES 8x00 spectrometer. Available only from PerkinElmer, this torch has an extended lifetime of up to 10x your current quartz torch, increasing instrument uptime and decreasing maintenance costs.



Features and Benefits

- Extended Torch Lifetime – up to 10x improvement
- Viewable plasma compared to a full ceramic design
- Ideal for all sample types, except organic solvents
- Increased instrument uptime
- Lower cost per analysis
- Exclusive patented design
- Lower cost than full ceramic torches

Only From PerkinElmer!

ICP Model	No. of Slots	Part No.
8x00	1	N0780128

D-Torch Demountable Torch

D-Torch Demountable Torch
Part No. **N0790442**

The D-Torch™ provides a demountable torch design without sacrificing performance or usability. Featuring a torch body with fixed alumina intermediate tube for greater robustness, in addition to a demountable outer tube and injector, the D-Torch significantly reduces torch replacement costs for the analysis of challenging sample matrices.

The optional ceramic outer tube is of particular benefit for ICP applications where a quartz outer tube will suffer from a short lifetime. High TDS applications cause quartz to rapidly devitrify and organic solvents can cause quartz to fracture, whereas the ceramic outer tube will last years under the same conditions.



Ceramic Outer Tube
Part No. **N0777880**

D-Torch™ and Replacement Parts


ICP Model	Description	Part No.
Avio 200	D-Torch Complete Assembly with Quartz Outer Tube	N0790442
Avio 500	D-Torch Complete Assembly with Quartz Outer Tube	N0810861
Avio 200	D-Torch Ceramic Outer Tube (optional)	N0791303
Avio 500	D-Torch Ceramic Outer Tube (optional)	N0811912
Avio 500	D-Torch Body	N0811904
Avio 200/500	D-Torch Outer Tube	N0791301
8x00	D-Torch Assembly including Quartz Outer Tube	N0777840
8x00	Ceramic Outer Tube (optional)	N0777880
8x00	Base and Inner Tube	N0777841
8x00	Quartz Outer Tube	N0777842
2x00/4x00/5x00/7x00*	DV D-Torch Quartz including Outer Tube	N0777508
2x00/4x00/5x00/7x00	DV Base and Inner Tube	N0777509
2x00/4x00/5x00/7x00	DV Quartz Outer Tube	N0777510
	Retaining Ring for Outer Tube	N0777055
	Copper Tape for D-Torch Outer Tube	N0777843
	O-Ring Kit	N0777715
	Torch Adapter with Auxiliary Port	N0774070

*Ceramic outer tube is not available for this model

Features and Benefits

- Analysis of high-matrix solutions (i.e. fusion samples, samples with high-dissolved solids, samples with high-acid content) which can cause early devitrification or sample deposition when using quartz
- Demountable outer tube – With the D-Torch, you need only replace the outer tube
- Interchangeable quartz and ceramic outer tubes
- Interchangeable injectors – choose the optimum injector for your application. Select from quartz for aqueous solutions, narrow bore for organics, wide bore for high dissolved solids or ceramic for HF

Load Coils and Purge Components



RF Load Coils*

ICP Model	Part No.
3x00 XL/3x00 DV	N0690772

* Installation by PerkinElmer Service is required, but not included

Purge Component Replacement Parts

Description	Part No.
For 5x00/7100/7200/7300 DV/8300	
O-Ring (for Dual View Radial Purge Tube)	09200064
For Optima 2100/7000/8000	
O-Ring (for Dual View Radial Purge Tube)	09921036



Nitrogen Purge Gas Generator

Description	Part No.
Nitrogen Purge Gas Generator without Air Compressor, 115V, 60 Hz.	N0695468

Radial Window
Part No. **N0581497**

Axial Window
Part No. **09992731**



Purge Extension Windows

The Axial View Purge Extension Window is a replaceable quartz window that slides into the purge extension between the torch and the optics. The Radial View Purge Extension Window Tube is a replaceable quartz tube that slides into the mount between the torch and the optics for the radial view.

ICP Model	Description	View	Part No.
Avio 200/500	Purge Window	Axial	09992731
Avio 200	Purge Window	Radial	N0690672
Avio 500	Purge Window	Radial	N0810346
Avio 200	Optical Kit (includes Windows O-Rings)	Axial/Radial	N0790439
Avio 200 Axial	Flat Mirror Kit	Axial	N0790196
Avio 500	Optical Kit (includes Windows and O-Rings)	Axial/Radial	N0810439
Avio 500	Flat Mirror Kit	Axial	N0810194
2x00/7000/8000	Purge Window	DV Axial	09992731
2x00/7000/8000	Purge Window	DV Radial	N0690672
2X00 (long tube)	Purge Window	Radial	B0810377
3x00/4x00/5x00/7100 /7200/7300 DV /8300	Purge Window	DV Axial	N0771116
5x00/7100/7200/7300 DV/8300	Purge Window	DV Radial	N0770944
3x00 DV (long tube) (38 mm/1.5 in.)	Purge Window	DV Radial	N0691689
3000 SCX/3x00 XL	Purge Window	Axial	09992731
3000/3000 SCR/3x00 RL /4300V/5300V/7300V	Purge Window	Radial	N0581497
4x00 DV/5x00 DV**	Purge Window	DV Radial	N0770322

** Pre November 2004

Injectors



Alumina Injectors

Alumina injectors are corrosion-resistant to all mineral acids including HF and aqua regia. They are also used with less volatile organic solvents, e.g., xylene.

ICP Model	Dimensions	Part No.
Avio 200/500	0.80 mm ID	N0791180
Avio 200/500	1.2 mm ID	N0791181
Avio 200/500 (1.2 mm entire length of tube)	1.2 mm ID	N0791182
Avio 200/500 (standard with Avio instrument)	2.0 mm ID	N0791183
8x00	0.80 mm ID	N0781009
8x00	1.2 mm ID	N0781015
8x00 (1.2 mm entire length of tube)	1.2 mm ID	N0781007
8x00	2.0 mm ID	N0781014
2x00/4x00/5x00/7x00 DV	0.80 mm ID	N0775227
2x00/4x00/5x00/7x00 DV	1.2 mm ID	N0775228
2x00/4x00/5x00/7x00 DV (1.2 mm entire length of tube)	1.2 mm ID	N0776093
2x00/4x00/5x00/7x00 DV	2.0 mm ID	N0775177
4300V/5300V/7300V	1.2 mm ID	N0771531
3x00 XL/3x00 DV/3000 SCX /4300V/5300V/7300V	2.0 mm ID	N0695362



Sapphire Injectors

Sapphire injectors are ideal for silicon applications

ICP Model	Dimensions	Part No.
Avio 200/500	2.0 mm ID	N0791184
8x00	2.0 mm ID	N0781008
2x00/4x00/5x00/7x00 DV Sapphire in PFA base, (connects directly to ESI spray chambers)	1.8 mm ID	N0777044
2x00/4x00/5x00/7x00 DV	2.0 mm ID	N0775247
3000/3000 SCR/3x00 RL	2.0 mm ID	N0695495

Quartz Injectors


Quartz injectors are designed for organic solvents and non-HF matrices.

ICP Model	Dimensions	Part No.
Avio 200/500	0.80 mm ID	N0791185
Avio 200/500	1.2 mm ID	N0791186
Avio 200/500	1.6 mm ID	N0791188
Avio 200/500	2.0 mm ID	N0791189
8x00	0.80 mm ID	N0781018
8x00	1.2 mm ID	N0781019
8x00	2.0 mm ID	N0781050
2x00/4x00/5x00/7x00 DV	1.2 mm ID	N0775226
4300V/5300V/7300V	1.2 mm ID	N0695460
4300V/5300V/7300V	1.6 mm ID	N0695449
4300V/5300V/7300V	2.0 mm ID	N0695442

ESI Demountable Injectors

Dimensions	Type	Part No.
For Optima 8x00		
1.5 mm	Sapphire	N0782004
1.8 mm	Sapphire	N0782005
1.8 mm with adapter for 7x00	Sapphire	N0782006
2.5 mm	Sapphire	N0786022
2 mm	Quartz	N0782009
For Optima 4x00, 5x00, 7x00		
1.8mm	Sapphire	N0777044

Avio Injector Assembly



Description	Part No.
1 Knurled Nut	
2 O-Ring – Color Coded Blue	N0791333
3 Lock Collar	N0791163
4 Washer	
5 O-Ring	
6 Cyclonic Injector Adapter	N0790143
7 O-Ring	
8 Scott Injector Adapter	
9 O-Ring	09200518
10 Injector 2 mm Alumina	N0791183



Avio Injector Assembly Replacement Parts

Description	Part No.
Cyclonic Injector Assembly	N0790141
Scott Injector Assembly	N0790156
O-Ring Kit for Avio Scott Injector	N0790440
O-Ring Kit for Avio Cyclonic Injector	N0790441
O-Ring Kit for Avio Torch	N0790437
O-Ring Removal Tool	09220410

Injector Support Adapters and Replacement Parts

Injector Support Adapters

ICP Model	Spray Chamber	Part No.
Avio 200/500 Includes one of each: 09902207 , 09926070 , N0791333 , N0776014 , N0790143 , N0791163	Cyclonic	N0790141
Avio 200/500 Includes one of each: 09902207 , 09200518 , N0791333 , N0776014 , N0790154 , N0791163	Scott	N0790156
2x00/4x00/5x00/7x00 DV 8x00	All	N0770603
2x00/4x00/5x00/7x00 DV 8x00*	All	N0776091
4300V/5300V/7300V (top)	Cyclonic	N0771527

*For 1.2 mm entire length injectors **N0776093** and **N0781007**

Injector Support Adapter O-Ring Kits

ICP Model	Part No.
Avio 200/500 Cyclonic	N0790441
Avio 200/500 Scott	N0790440
2x00/4x00/5x00/7x00 DV/8x00	N0770438
3000/3000 SCR/3X00 RL	N0690269
3x00 XL/3x00 DV/3000 SCX	N0690769

Oil-Less Air Compressors

PerkinElmer is expanding its product portfolio to include an industrial grade quiet oil-less compressor with a 2 year manufacturer's warranty for a dependable, clean and dry air supply. Each compressor comes assembled on an internally and externally coated air tank carrying a 5 year manufacturer's warranty. Also included are an optional self-purging regenerative air dryer, aftercooler and 5 micron line filters assuring that the compressed air delivered to the instrument is of highest quality moisture and particle free. One version includes a silencing cabinet resulting in a compressor operating at a very quiet noise level of 55 dB/A. All models are equipped with ASME rated pressure tanks and safety valves, line pressure regulator, gauges and line ball valve for a complete turnkey compressor station.



Air Compressor with Dryer
Part No. **N077602**



Specifications		
Horse Power		1.5 HP
Output CFM/Output L		6.0 CFM/170 L/min
Max Pressure PSI/Max Pressure Bar		120 PSI/8 bar
Noise Level		72 dB/A, with Enclosure 55 dB/A
Tank Size Gal./Tank Size L		13 Gal./50 L
Dimensions	without Enclosure with Enclosure	25 in. x 18 in. x 29 in. 29 in. x 23 in. x 32 in.
Weight	without Enclosure with Enclosure	97 lbs. 207 lbs.
Packed Dimensions	without Enclosure with Enclosure	28 in. x 21 in. x 29 in. 33 in. x 28 in. x 39 in.

Compressors

Description	115 V/60 Hz Part No.	220 V/50 Hz Part No.	220 V/60 Hz Part No.
Air Compressor	N077881	N077882	N077883
Air Compressor with Dryer	N077602	N077603	N077604
Air Compressor with Dryer in Silencing Cabinet	N077605	N077606	N077607

Product meets both U.S. and Canadian CSA standards. ASME® certified tank
Please note: Silencing cabinet cannot be sold separately

Replacement parts

Description	Part No.
Replacement Air Intake Filter	N077608
Micron Dryer Filter Element	N077609

Inductively Coupled Plasma-MS

PerkinElmer offers a wide selection of superior quality products designed to work with your PerkinElmer instruments. Our precision designed products deliver the peace of mind that comes from knowing that you'll get the results you need.

Quick Reference Index Page

➤ Concentric Nebulizers	59
➤ MicroFlow Nebulizers	60
➤ Nebulizers with Integrated Probes	60
➤ GemClean Nebulizers	61
➤ Nebulizer Cleaners	61
➤ Baffled Cyclonic Spray Chambers	62
➤ Temperature Controlled Spray Chambers	64
➤ Injectors	64
➤ Load Coils	64
➤ Torches	65
➤ Cones	66

Nebulizers

PerkinElmer offers a complete selection of Nebulizers in a variety of materials for all of your application needs.

Choose from Concentric, MicroFlow and GemClean Nebulizers.



➤ [VIEW PAGE](#)

Spray Chambers

The spray chamber is an integral part of the sample introduction System. Each type of spray chamber has been tested to provide the best performance and analytical results.

Choose from Baffled Cyclonic, Scott Spray and PFA Spray Chambers.



➤ [VIEW PAGE](#)

Injectors

PerkinElmer offers a complete selection of Injectors in various sizes and materials to meet all of your application needs.

Choose from Quartz and Sapphire Injectors.



➤ [VIEW PAGE](#)

Torches

PerkinElmer carefully selects the best materials which provide optimal performance. Torches are specifically designed for your instrument. Trust the consumables engineered for your instruments.

Choose from Demountable Quartz, D-Torch, and Integrated Torch/Injectors.



➤ [VIEW PAGE](#)

Cones

PerkinElmer Cones are precision-designed and manufactured providing the best analytical results. Large-orifice sampler and skimmer cones provide superior long-term stability and resist clogging, allowing analysis under both high and low sample-uptake conditions.

Choose from Nickel and Platinum Cones.



➤ [VIEW PAGE](#)

NOTHING INTERFERES WITH PERFORMANCE

Today's fast-paced labs need to deliver accurate, repeatable results from a wide range of complex sample types, cost effectively – and with an eye to sustainability. That's a tall order for any system.

But this isn't just *any* system.

The NexION® 2200 ICP-MS builds on our reputation for reliable, easy-to-use, low-maintenance instrumentation, providing outstanding sensitivity, interference removal, and matrix tolerance – perfect for environmentally conscious analytical labs.

And *uptime*? What will you do with *all that uptime*?

The NexION 2200 from PerkinElmer. Your trusted partner in ICP-MS for four decades.



JCANO INGENIERIA DE MÉXICO:
Priv. Brunel Mz. 1 Lt. 5 Cs 4-B Fracc. Quinta Versalles
C.P. 55767 Tecámac, Edo. De México
Correo: mcano@jcanoingenieria.com
Página Web: <https://jcanoingenieria.com>
Tel: 55 3996 2586
WhatsApp: 55 7129 9832
Facebook: <https://www.facebook.com/JCanoIngenieria>

JCANO
INGENIERÍA DE MÉXICO
Equipo de Laboratorio, Mantenimiento, Capacitación y CRM personalizado

PerkinElmer
Science with Purpose

Concentric Nebulizers


MEINHARD® Nebulizers

The MEINHARD Concentric Nebulizer reflects exacting standards in design and manufacturing. Its advantages include simplicity of design and operation, reproducible and self-aligning aerosol and close fabrication control. They provide excellent sensitivity and precision for aqueous solutions and samples with few dissolved solids (less than 1%). MEINHARD Nebulizers are self-aspirating and not to be used with solutions containing hydrofluoric acid. Nebulizers require an end cap (N0680504) for use with Scott Spray Chambers.



Type	ICP-MS Model	Material	Uptake Rate	Part No.
Type K3	ELAN/NexION 300/350	Glass	3.0 mL/min	N0681574

Nebulizer Replacement Parts

Description	Part No.
 Nebulizer Clip for MEINHARD Nebulizers	N0777460

FAST Valve Connecting Lines

Description	Part No.
FAST Valve Connecting Line for ST-Nebulizer, 0.25 mm ID (Green) Attaches to port #3 of the FAST valve, 14 cm	N0777287
FAST Valve Connecting Line for ST-Nebulizer, 0.5 mm ID (Orange) Attaches to port #3 of the FAST valve, 14 cm	N0777288
FAST Valve Connecting Line for PerkinElmer Gem Cone Nebulizer, 0.50 mm ID (Orange)	N0777659
FAST Valve Connecting Line for MIRA MIST Nebulizer, 0.50 mm ID (Orange)	N0777658

MicroMist Nebulizers

The MicroMist micro-uptake glass concentric nebulizer offers high performance for limited sample volumes. MicroMists for ELAN/NexION 300/350 are fitted with a UniFit connector with 1.3 OD X 0.50 mm ID x 700 mm long sample tubing. MicroMists for NexION 1000/2000 Direct Connection (DC) Nebulizers are fitted with a UniFit connector and an Argon connector. All NexION 1000/2000 MicroMist Nebulizers include a Gas Fitting with ratchet connector (N8151079).



NexION 1000/2000 DC Nebulizer

ICP-MS Model	Uptake Rate	Part No.
ELAN/NexION 300/350	0.2 mL/min	N0775342
ELAN/NexION 300/350	0.4 mL/min	N0775341

SeaSpray Nebulizers

The SeaSpray Concentric Nebulizer is ideal for samples with high dissolved solids and offers outstanding nebulization efficiency for trace level analysis. It offers freedom from clogging while nebulizing solutions near the limit of solubility of most mineral salts and conferring significant sensitivity gains. All SeaSpray Nebulizers are supplied with the EzyLok Argon connector. All NexION 1000/2000 SeaSpray Nebulizers are Direct Connection (DC) and include a Gas Fitting with ratchet connector (N8151079).

ICP-MS Model	Uptake Rate	Part No.
ELAN/NexION 300/350	1 mL/min Quartz	N0774069
ELAN/NexION 300/350	2 mL/min	N0775340



Connectors for MicroMist and SeaSpray Nebulizers

Description	Pkg.	Part No.
UniFit		
0.50 mm ID x 1.27 mm OD x 700 mm Long	10	N0777513
0.75 mm ID x 1.27 mm OD x 700 mm Long	10	N0777512
1.30 mm OD x 0.75 mm ID x 700 mm Long	3	N0774077
1/16 in. OD x 0.75 mm ID x 700 mm Long	3	N0774080
UniFit-EzyFit Sample Tube	6	N0777061
EzyFit		
0.25 mm ID x 1/16 in. OD x 700 mm Long	10	N0777464
0.50 mm ID x 1/16 in. OD x 700 mm Long	10	N0777463
0.50 mm ID x 1/16 in. OD x 700 mm Long Twin	6	N0777462
UniFit-EzyFit Sample Tube	6	N0777061
Direct Connection Nebulizer Gas Fitting		
1/8 Gas Fitting with Ratchet Nebulizer Connector (DC)	1	N8151079

End Cap for Concentric Nebulizers

End cap to fit any concentric nebulizer onto a Scott Spray Chamber.



Description	Part No.
End Cap for Concentric Nebulizers	N0680504

High Efficiency MicroFlow Nebulizers

MicroFlow nebulizers are constructed entirely from chemically resistant fluoropolymers, ideal for strong acids, alkalis, organics, high salt solutions and high solid concentrations. They are resistant to clogging, are reliably self-aspirated or pumped and produce a fine aerosol for high transport efficiency and high sensitivity.

PolyPro-ST Nebulizer

The PolyPro-ST Nebulizer is an HF resistant alternative to the PFA nebulizer. The PolyPro has lower chemical resistance than the PFA nebulizer but has the same high efficiency aerosol generation. A robust nebulizer that can self aspirate with an exchangeable external sample uptake capillary or used with a peristaltic pump.



Description	Part No.
PolyPro-ST Nebulizer	N0777220



PFA Nebulizer Replacement Parts

Description	Part No.
Internal Standard Addition Tee for ST-Nebulizer, 0.25 mm ID (Green). Attaches to port #3, 14 cm	N0777294
Internal Standard Addition Tee for ST-Nebulizer, 0.5 mm ID (Orange). Attaches to port #3, 14 cm	N0777295



Carbon Fiber Supported Autosampler Probes for ST Nebulizers

Self-aspiration rate @ 1 L/m Ar

Description	Part No.
0.25 mm ID, Capillary Length 80 cm, Self-Aspiration Rate (@ 1 L/m Ar) 100 µL/min	N0777223
0.50 mm ID, Capillary Length 80 cm, Self-Aspiration Rate (@ 1 L/m Ar) 400 µL/min	N0777225
0.25 mm ID, Capillary Length 150 cm, Self-Aspiration Rate (@ 1 L/m Ar) 100 µL/min	N0777826
0.50 mm ID, Capillary Length 150 cm, Self-Aspiration Rate (@ 1 L/m Ar) 100 µL/min	N0777827
Reset Probe Weight Kit. PTFE coated Stainless Steel Weight with Black PEEK Retainer Assembly	N0786043

PTFE Autosampler Probes for ST Nebulizers

Description	Part No.
PTFE Sampling Probe Assembly with Carbon Fiber Support and Male Screw Fitting, 0.55 mm ID for AA/ICP/ICPMS. For ICP/ICPMS requires but does not include N8145018* . For AA with a stainless steel nebulizer, the male connect should be removed so that tubing can be directly connected to the nebulizer, no additional tubing is required	N2024132

*Keep spare ferrules on hand, **N8145237** Qty. 10



PFA MicroFlow Nebulizers with Integrated Autosampler Probes for NexION 300/350

Measured self-aspiration rate @ 1 L/m Ar

Description	Uptake Rate	Part No.
PFA-100 PFA (Carbon Fiber Support)	100 µL/min, length 100 cm	N0777216

GemClean Nebulizer

Cross-Flow Replacement GemTips and Spares

Includes a clear sapphire sample tip and a red ruby argon tip optimized for ICP-MS. Tips are constructed of PEEK for maximum corrosion resistance.




Description	Part No.
Cross-Flow II Nebulizer Argon Ferrule	09920515
Cross-Flow II Nebulizer Sample Ferrule	09920518
GemTip II O-Ring	09921045
End Cap O-Ring	09902033
Sample Tubing	09985708

*Includes 09920515 and 09920518

GemClean Cross-Flow II Nebulizer Replacement Parts

Description	Part No.
1 Sample Ferrule – TBG 1/16 Tefzel	09920518
2 Nut – TBG PEEK	09920516
3 Nut	09920517
4 Argon Ferrule – TBG 1/8 Tefzel	09920515
5 O-Ring, 18W, 1 3/8 ID, 1 5/8 OD	09902033
6 Ring	
7 O-Rings (2) 0.126 ID, 0.040 WD, Viton	09921045
8 End Cap Cross-Flow II Nebulizer	
9 GemTip Kit for Cross-Flow II Nebulizer (Contains one each: Argon and Sample tip)	
9a Red Ruby Nebulizer, Argon Tip	
9b Clear Nebulizer Sample Tip	
10 Screws (2) – Knurled	



Nebulizer Cleaners

The Eluo™ Nebulizer Cleaner



The Eluo is designed to efficiently deliver a cleanser through the nebulizer capillary to dislodge particle build-up and thoroughly clean the nebulizer.

Description	Part No.
For Newer OpalMist, PolyCon, DuraMist, MEINHARD, Other Glass Nebulizers	N077712
For OLD Style OpalMist or PolyCon Nebulizers	N0775358

pergo Argon Humidifier

The *pergo* improves performance of all concentric nebulizers for the routine analysis of brines, fusion digests and other high-TDS samples. *pergo 2* for ICP-MS humidifies both the nebulizer gas flow and the AMS gas flow for optimum performance.



ICP-MS Model	Description	Part No.
ELAN/NexION	<i>pergo 1</i> without Nebulizer	N8145315
ELAN/NexION	<i>pergo 1</i> with MEINHARD Type C Nebulizer	N8145316
ELAN/NexION	<i>pergo 1</i> with PFA-ST Nebulizer	N8150427
ELAN/NexION	<i>pergo 2</i> with MEINHARD Type C Plus Nebulizer	N8150428

Spray Chamber Replacement Parts



Part No.
N0777438



Part No.
N0777439

Description	Part No.
Helix Locking Screw	N0777438
Helix Seal Pkg. 4	N0777439

Scott Spray Chambers

Complete HF-resistant Scott Spray Chamber
Includes (1) Large O-Ring (**WE013060**) and
(1) Right-Angled Drain Connector (**WE013119**).

Description	Part No.
For ELAN 9000/6x00/5000/DRC-e/NexION 300/350	
Scott Spray Chamber	N8120124
Scott Spray Chamber Large O-Ring	WE013060
End-Cap for Concentric Nebulizer. Ryton Endcap to Fit Nebulizer onto Scott Spray Chamber	N0680504

PC³ Replacement Spray Chambers



Part No. **N0777034**

ELAN Baffled Quartz Cyclonic PC³ Spray Chambers

Description	Part No.
With Auxiliary Gas Port	N0777034
Without Auxiliary Gas Port	N0777035

Temperature Controlled Spray Chambers



Part No. **N8145314**



Part No. **N8142003**



Part No. **N8145099**



Part No. **N8145340**



Part No. **N8152382**

PC³ Peltier Coolers

The PC³ is a small and robust Peltier cooler for ICP-MS cyclonic spray chambers. The cyclonic spray chamber offers the advantages of low memory effects, fast rinseout and high sample transport efficiency. The PC³ cools the outer walls of the cyclonic spray chamber to a constant temperature, enhancing long-term signal stability, reducing polyatomic interferences such as oxides and reducing solvent loading when volatile organic solvents are analyzed. The PC³ has 2 preset temperatures +2 °C / -5 °C and is ideal for analysis of aqueous or aqueous/organic mixtures. The PC³-LT operates at -20 °C to reduce the solvent load on the plasma for analysis of 100% volatile organic solvents.

Description	Injector Size	Temperature	Additional Gas Port	Part No.
NexION 300/350				
PC ³ Sample Introduction Kit*	1.5 mm	+2 °C / -5 °C	Yes	N8142003
PC ³ Sample Introduction Kit with Quartz SSI Cyclonic/Scott Dual Spray Chamber	1.5 mm	+2 °C / -5 °C	No	N8145314
PC ³ -LT Organic Sample Introduction Kit*	1.0 mm	+2 °C / -20 °C	Yes	N8145099

* All PC³ kits include a PFA-ST nebulizer (**N8122192**)

PC^{3x} Peltier Controlled Heated or Cooled Thermally Stabilized Inlet Systems


The PC^{3x} is a compact Peltier heated or cooled inlet system that controls the spray chamber temperature and improves long-term stability. In cooling mode, water or solvent is removed from the aerosol, reducing water or solvent loading on the plasma. In heating mode, sensitivity is increased and volatility-related sample transport effects can be reduced or eliminated.

- Variable temperature control from -10 °C to +80 °C
- Thermal stabilization of spray chamber improves long-term stability
- USB or Bluetooth connectivity
- Remote monitoring and control

ICP-MS Model	Spray Chamber	Part No.
NexION 1000/2000	Not included	N8152382
NexION 300/350	Quartz	N8145340
NexION 300/350	Quartz	N8145446

PC^{3x} Thermally Stabilized Inlet System

The PC^{3x} for the High Performance PFA spray chamber is a compact, Peltier-heated or cooled inlet system that offers the advantages of low memory effects, constant temperature, rapid wash-out and high sample transport efficiency. In cooling mode the PC^{3x} cools the outer walls of the chamber, reducing the water or solvent vapor loading on the plasma, achieving enhanced stability and performance. In heating mode, sensitivity can be improved for low-flow applications. Includes spray chamber and nebulizer.



ICP-MS Model	Description	Part No.
NexION 1000/2000	Includes PFA Nebulizer and Spray Chamber	N8150446
NexION 1000/2000	Includes PFA Spray Chamber	N8150445

See next page for more
Temperature Controlled Spray Chambers

Temperature Controlled Spray Chambers

PC³ Peltier Coolers


The PC³ is a small and robust Peltier cooler for ICP-MS cyclonic spray chambers. The cyclonic spray chamber offers the advantages of low memory effects, fast rinse-out and high sample transport efficiency. The PC³ cools the outer walls of the cyclonic spray chamber to a constant temperature, enhancing long-term signal stability, reducing polyatomic interferences such as oxides and reducing solvent loading when volatile organic solvents are analyzed. The PC³ has two present temperatures +2 °C / -5 °C and is ideal for analysis of aqueous or aqueous/organic mixtures. The PC³-LT operates at +2 °C / -20 °C to reduce the solvent load on the plasma for analysis of 100% volatile organic solvents.



ICP-MS Model	Description	Part No.
ELAN	Cassette Torch Mount	N8122410

IsoMist Temperature Controlled Spray Chambers

The IsoMist Programmable Temperature Controlled Spray Chamber provides the benefits of a temperature-controlled ICP sample introduction system in a compact, convenient package. The temperature is electronically controlled using a powerful inbuilt Peltier device. The rapid response of the Peltier device allows a spray chamber temperature of -5°C to be reached within 15 minutes.



The IsoMist XR programmable temperature controlled cyclonic spray chamber now features an improved thermodynamic design providing an extended temperature range and faster cool-down, so your ICP is ready to go sooner. IsoMist XR has a peltier unit with a range of -25°C to +80°C.

ICP-MS Model	Description	Part No.
NexION 300/350	IsoMist XR Glass	N8140747
NexION 300/350	IsoMist XR PFA	N8140748
NexION 300/350	IsoMist XR Quartz	N8140749

Injectors



Part No. **N0695495**

Sapphire Injector

Demountable injector for use with the HF-resistant sample introduction system. Not for use with PFA sample introduction system.


ICP-MS Model	Dimensions	Part No.
ELAN/NexION 300/350	2.0 mm	N0695495

Injector Assemblies and Support Adapters

Injector Support Adapter O-Rings

Position	Torch Type	Part No.
Internal	Cassette (Non-Ball Joint Only)	N8122010

Load Coils



RF Load Coil Assemblies

ICP-MS Model	Part No.
ELAN 5000	WE012411

D-Torch

Demountable Torch

The D-Torch™ provides a demountable torch design without sacrificing performance or usability. Featuring a torch body with fixed alumina intermediate tube for greater robustness, in addition to a demountable outer tube and injector, the D-Torch significantly reduces torch replacement costs for the analysis of challenging sample matrices.


Description	Part No.
For ELAN/NexION 300/350	
Retaining Ring	N0777055

Torch Alignment Tool

Used to align the torch in the load coil.



ICP-MS Model	Part No.
ELAN 9000/6x00/DRCs/NexION 300/350	WE015554



Cassette Torch Mount

ICP-MS Model	Part No.
ELAN DRC II	W1020672
ELAN 9000/DRC-e	W1020668

Does not include Demountable Quartz Torch or Injector.

Mass Spectrometer Hardware

Detector Electronics Upgrade Kit

Boosts detector life at least 20%.

ICP-MS Model	Part No.
ELAN 9000/6x00/DRCs* Manufactured Prior to April, 2005	W1013195

* Service installation is required, but not included.

Ion Optics

PerkinElmer offers the industry's only single-ion lens with the exclusive SwiftMount™ II cassette lens mount. No tools are required as the design incorporates a clean capture-and-release concept.

Ion Lens

Description	ICP-MS Model	Part No.
Cassette Ion Lens Upgrade Kit	ELANs Manufactured Before April, 2005	W1017871
Series II Lens Removal Tool	ELAN 9000/6x00/DRCs Manufactured Between January, 1998 and April, 2005	W1010620

Cones and Accessories



Cone Removal Tool

ICP-MS Model	Part No.
ELAN 9000/6x00/DRC	WE017142

NexION Consumables



NexION 300/350Q/350S/X/D Consumables

Description	Qty.	Part No.
Santoprene® 1.30 mm Gray/Gray Pump Tubing	4	N077444
Flared PVC 0.38 mm Green/Orange Pump Tubing	4	N077042

ELAN Consumables



Glass Cyclonic Sample Introduction Consumables for ELAN

Description	Part No.
Baffled Glass Cyclonic Spray Chamber O-Ring Free	N0775352
MicroMist Micro-uptake Glass Concentric Nebulizer 0.2 mL/min	N0775342
Tube Fitting	09903465
Red/Red Standard PVC Tubing 1.14 mm ID (Pkg. 12)	09908585
Green/Yellow Flared End PVC Tubing 0.44 mm ID (Pkg. 12)	N0773113

Quartz Cyclonic Sample Introduction Consumables for ELAN

Description	Part No.
MicroMist Micro-Uptake Glass Concentric Nebulizer 0.2 mL/min	N0775342
Tube Fitting	09903465
Red/Red Standard PVC Tubing 1.14 mm ID (Pkg. 12)	09908585
Green/Yellow Flared End PVC Tubing 0.44 mm ID (Pkg. 12)	N0773113
UV Safety Shield	W1020996
Connector 1A	B0199233

Atomic Spectroscopy General Supplies

PerkinElmer offers a wide selection of superior quality products designed to work with your PerkinElmer instruments. Our precision designed products deliver the peace of mind that comes from knowing that you'll get the results you need.

Quick Reference Index Page

➤ Chillers	70
➤ Noise Enclosures	70
➤ Power Conditioners and UPS Systems	71
➤ Peristaltic Pump Tubing	75
➤ Internal Standard Kits	76
➤ Autosampler Racks and Probes	78
➤ Autosampler Tubes	81
➤ Benches and Accessory Carts	82

Chillers

PerkinElmer offers a PolyScience® WhisperCool™ Recirculating Chiller for your ICP-OES and ICP-MS instruments. The WhisperCool Chiller is designed to deliver quiet and reliable performance over a broad range of operating temperatures and conditions.



➤ [VIEW PAGE](#)

Power Conditioners and UPS Systems

Powervar power quality solutions combine specific technologies that ensure sensitive analytical equipment will operate optimally on a day to day basis and for the long run. Power disturbances can result in quality issues undermining instrument performance and user confidence.



➤ [VIEW PAGE](#)

Peristaltic Pump Tubing

PerkinElmer offers a wide range of high-quality peristaltic pump tubing for all of your AA, ICP-OES and ICP-MS applications.



Remember to replace your tubing frequently and always keep spares on hand.

➤ [VIEW PAGE](#)

Autosampler Supplies

PerkinElmer offers a wide variety of Autosampler Racks, Probes and Tubes for your PerkinElmer, Cetac and ESI Autosamplers.



➤ [VIEW PAGE](#)

Benches and Accessory Carts

PerkinElmer offers custom Benches and Accessory carts for your instrumentation and accessories.



➤ [VIEW PAGE](#)

Cooling Systems

PolyScience® WhisperCool™ Refrigerated Chiller

The PolyScience® WhisperCool® Refrigerated Chiller is designed to deliver quiet and reliable performance over a broad range of operating temperatures and conditions. Extremely dependable and energy efficient, it features a -10 to 40 °C operating temperature range, built-in process and equipment protection and highly intuitive user interface. This chiller is designed for use on both ICP-OES and ICP-MS instruments.


Features and Benefits

- 50% quieter operation than comparable models (62 dB*)
- 2900 watts (9889 BTU/hour) cooling capacity
- Built-in temperature, pressure and flow rate alarms

* WhisperCool® environmental control reduces operational noise (62 dB)

Part No.	N0772046	N0772045
Electrical Requirements	208-230 V, 60 Hz, 12.2 A	240 V, 50 Hz, 12.2 A
Operating Temperature Range	-10 to 40 °C	-10 to 40 °C
Temperature Stability	±0.1 °C (±1.8 °F)	±0.1 °C (±1.8 °F)
Cooling Capacity	at 20 °C 2900 Watts (9889 BTU/hr) at 10 °C 1925 Watts (6574 BTU/hr) at 0 °C 1000 Watts (3410 BTU/hr)	2650 Watts (9889 BTU/hr) 1900 Watts (6574 BTU/hr) 1200 Watts (3410 BTU/hr)
Compressor	1.0 HP	1.0 HP
Reservoir Capacity	4.2 L	4.2 L
Pump Type	Turbine	Turbine
Maximum Pump Pressure	90 PSI	83 PSI
Maximum Pump Flow	13.2 L/min	13.2 L/min
Dimensions	22 5/8 x 14 1/2 x 27 5/8 in. / 57.6 x 36.8 x 70.2 cm	
Shipping Weight	189 lbs. / 85.7 kg	
Replacement Air Filter	N0777095 (Air Filter with Frame, 13 x 14 in.)	
ICP Chiller Coolant Mix	N0776200 (Five Half-gallon bottles)	


ICP Chiller Coolant Mix
Part No: **N0776200**



Noise Enclosures for Vacuum Pumps and Chillers

Laboratories can be loud and noise in labs is distracting, stressful and potentially harmful to your hearing. While noise in labs may not be frequently talked about, it is something you should be concerned with.

Our noise reduction enclosures are designed specifically for your instrument. They provide noise reduction performance from -12 db(A) up to -20 db(A), equivalent to a 75% reduction in noise perception! Thick 50 mm Polyurethane acoustic open cell foam covers the interior part of the enclosure, delivering good noise absorption. The wave shape of the foam multiplies the absorption capacity, providing you with a quieter, safer lab.



Chiller Noise Enclosure

Chiller noise in the lab can be distracting, tiring, irritating and stressful. But many people are unaware of the presence of environmental sound at damaging levels, or at the level on which sound becomes harmful.

Chiller Noise Enclosure Features and Benefits

- Performance: average sound level decrease is – 15 dB(A) (equivalent to a 75% reduction in noise perception)
- Environment friendly noise adsorbing material, oil and water resistant
- Heat exchange controlled by six internal silent fans
- Worldwide electrical compatibility-enclosures are delivered with European, US, Japan and UK plugs
- Easy access to front monitor and switch (the transparent window can be opened)
- Easy water level check (window on the back panel)
- Includes overheating temperature alarm
- The noise reduction is in conformity with the European directive related to low voltage equipment (2006/95/EC) and electromagnetic compatibility (2004/108/EC)

Chiller Noise Enclosure For Polyscience 6000 Series

External Dimensions	Centimeters (cm)	Inches (in.)
Depth	88	34.7
Width	57	23.7
Height	71	30.7

Description	Part No.
Chiller Enclosure	N077920

Power Conditioners and UPS Systems

PerkinElmer/Powervar power quality solutions combine specific technologies that ensure sensitive analytical equipment will operate optimally on a day to day basis and for the long run. Power disturbances can result in quality issues undermining instrument performance and user confidence. Damaged or compromised components, disrupted processes, lack of reliability – they all add up to frustration, broken schedules and costly downtime. The problem is caused by a host of power disturbances – some visible and many invisible – that threaten your equipment’s operation every year. Power ‘disturbances’ are simply those large and small variations in the quality of the electric power you use day in and day out. Some come from your local utility company, but most are created within your own facility as a result of the distribution and use of electrical power. These variations include high-energy voltage transients, sags and swells, electrical noise and common mode voltage, as well as the power outages everyone witnesses when the lights go out.

Power Conditioners

Features and Benefits

- Conditioners provide clean power at 120, 208, or 240 VAC for loads up to 62 amps
- Dual-output models can protect both high-voltage system loads and low-voltage peripherals at less expense and effort than installing two conditioners
- Protects against: high-voltage surges, common-mode voltage, electrical noise, voltage swells and sags, power outages, unstable AC frequency, ground loops



Instrument Model	Description	Input Voltage	Frequency (Hz)	Part No.
Atomic Absorption				
AAnalyst 100/200/300/400	520 VA	120 V	60	N9307504
PinAAcle 500/900 F	840 VA	120 V	60	N9307517
AAnalyst 100/200/300/400, PinAAcle 500/900 F	750 VA	220/230 V	50	N9307521
AAnalyst 600/800	5.8 kVA	208/240 V	60	N9307511
AAnalyst 600/800	6.0 kVA	220/230 V	50	N9307523
AAnalyst 700	3.8 kVA	208/240 V	60	N9307509
AAnalyst 700	3.6 kVA	220/230 V	50	N9307522
PinAAcle 900 H/T/Z	5.8 kVA	208/240 V	60	N9307760
PinAAcle 900 H/T/Z	6.0 kVA	220/230 V	50	N9307523
PinAAcle 500/900 F	1440 VA	120 V	60	N9307503
PinAAcle 500/900 F	1500 VA	220/230 V	50	N9306752
Inductively Coupled Plasma-OES				
Optima™ 2x00/4x00/5x00/7x00/8x00, Avio 200/500	3.8 kVA	208/240 V	60	N9307512
Optima 2x00/4x00/5x00/7x00/8x00, Avio 200/500	3.6 kVA	220/230 V	50	N9307522
Inductively Coupled Plasma-MS				
ELAN® 6x00/9000 Controller Side	3.8 kVA	208/240 V	60	N9307519
ELAN 6x00/9000 Controller Side	3.6 kVA	220/230 V	50	N9307522
ELAN 6x00/9000 RF Generator Side	5.8 kVA	208/240 V	60	N9307511
ELAN 6x00/9000, NexION® RF Generator Side	6.0 kVA	220/230 V	50	N9307523
NexION 300/350/1000/2000	5.0 kVA	208/240 V	60	N0777690

Power Conditioners include a POWERVAR five-year warranty on parts and labor.

UPS Systems

On-Line Conditioned Uninterruptible Power Supply Systems

With the Security Plus Series, you get much more protection and a higher comfort level than you get with most other UPS systems. The Security Plus Series also provides complete power conditioning and, because the Security Plus Series features on-line inverter design, added peace of mind. And regardless of input fluctuations, the Security Plus Series insures that the output remains continuous and regulated.



Instrument Model	Description	Input Voltage	Frequency (Hz)	Part No.
Atomic Absorption				
PinAAcle 500	1440 VA	120 V	60	N9306750
PinAAcle 900F, AAnalyst 100/200/300/400	800 VA	120 V	60	N0777681
PinAAcle 900F, AAnalyst 100/200/300/400	800 VA	220/230 V	50	N0777689

UPS Systems include a POWERVAR three-year warranty (two-year on batteries) on parts and labor.

Laboratory Products

Acetylene Regulator

For AA labs, this regulator includes an adapter so that the pressure regulator can be connected to cylinders requiring either CGA 300 or CGA 510 fittings and a connector for attaching the fuel hose assembly supplied with the instrument. Includes hose assembly.



Description	Part No.
Max Inlet Pressure: 400 psig	03030106

Air Regulator

For AA labs. Regulator to cylinder CGA no. 590. Includes hose assembly.



Description	Part No.
Max Inlet Pressure: 3,000 psig	03030264

Nitrous Oxide Regulator

For use in AA labs with gas cylinders with a CGA 326 connection. Provides pressure control from 350-520 kPa (50-75 psig) and contains an integral thermostatted heater to prevent freezing of the regulator diaphragm.



Description	Part No.
115 V	03030204
220 V	03030349

Argon/Nitrogen Regulator

For AA and ICP, this regulator can be used with argon or nitrogen and has a CGA 580 fitting. A color-coded hose with 1/4 in. SWAGELOK® fittings is also included.



Description	Part No.
Max Inlet Pressure: 3,000 psig	03030284

Hose Assemblies

Hose assemblies for connecting fuel, air and nitrous oxide from supply to instrument.



Description	Part No.
Acetylene, Red Neoprene, 3.7 m (12 ft.)	00570559
Air/Argon, Black, 3.7 m (12 ft.)	00570567
Nitrous Oxide, Blue, 3.7 m (12 ft.)	00470258

Blower and Vent Assembly for AA and ICP

A venting system is required to remove fumes and vapors from the torch of ICP emission spectrometers. A vent is recommended for use over the power supply unit of most ICP spectrometers for removal of dissipated heat.

Use exhaust venting to:

- Protect lab personnel from toxic vapors
- Protect your instrument from corrosive vapors
- Improve stability of the ICP torch



Blower and vent assemblies do not include ducting.

Description	Part No.
110 V PinAAcle/Optima Includes Exhaust Hood, Blower and Adapter	03030447
230 V PinAAcle/Optima Includes Exhaust Hood, Blower and Adapter	03030448
110 V Avio 200/500 Includes Blower and Adapter	N0790188
230 V Avio 200/500 Includes Blower and Adapter	N0790189
Flexible Gas Hosing 100 mm ID x 3 m hosing for RF Generator Exhaust Vent	N0691578

PerkinElmer service engineers are not permitted to install this unit

Parker Balston® Replacement Filters

Description	Cartridges Part No.	Seal Sets Part No.
1st Air Filter	N9301710	N9301712
2nd Air Filter	N9301711	N9301712
Acetylene Filter	N9301714	N9301715

Balston® 95A Acetylene Filter

For your AA lab, this filter includes a Balston Grade BQ filter cartridge to remove trace amounts of liquid and solid contaminants from the acetylene supply to 99.99% at 0.01 micron. Max working pressure: 15 psig.



Warning, this filter will not protect an instrument from acetylene tanks that have been overfilled with acetone, or from standard sized tanks that are below 85 psi.

Description	Part No.
Replacement Acetylene Filter Cartridge	N9301714

Balston® Air Filter Assembly Type A-82

For AA and ICP labs, this filter is specifically designed to remove water, oil and dirt particles down to 0.6 microns in diameter from compressed air lines. It is recommended for use with oil-type compressors and for removing moisture and dirt particles from air supplied by oil-less compressors. Also recommended to filter argon for the PinAAcle furnace.



Description	Part No.
Air Filter Assembly	N0580531
Replacement Filter Cartridge Element	N0582251

Air Dryer Filter Assembly with R250 Regulator

To filter compressed air for AA and ICP instrumentation.



Description	Part No.
Replacement Filter Element	N9306067
Float Assembly	N0777710
Bowl O-Ring	N0777328

Wilkerson® Air Dryer Filter Accessories*

Description	Pre-Filter Part No.	Final Filter Part No.
Filter Elements	09923464	09907120
Bowl O-Ring Kit, Final Filter	N9302197	N9301715

* For Wilkerson Filter PerkinElmer (00470652)

ICP Filter Replacement Parts

ICP Model	Filter Element	Final Filter Part No.
2x00/3x00/4x00/5x00/7x00/8x00	Air Filter in Front of Spectrometer Fan	09995098
2x00/3x00/4x00	Water Filter	09904845
2x00/3x00/4x00	Cartridge for Water Filter	09904846
2x00/4x00/5x00/7x00/8x00	Air Filter for the RF Generator Inlet	N0775220
3x00	Washable Air Filter for the RF Generator Inlet	02509115
3x00	Disposable Air Filter for the RF Generator Inlet	09923517

Instrument Filters

Description	Part No.
For AAAnalyst 600/700/800 (80x80)	B0502706
For Optima 2x00/3x00/4x00/5x00/7x00/8x00 Avio 200/500	09995098































Polyscience Replacement Air Filters

Description	Part No.
Polyscience Air Filter with Frame	N0777095



















Peristaltic Pump Tubing

PerkinElmer offers a wide range of high-quality peristaltic pump tubing for all of your AA, ICP-OES and ICP-MS applications. Remember to replace your tubing frequently and always keep spares on hand.


Two-Stop Peristaltic Pump Tubing for Optima, Avio and NexION 300/350

ID (mm)	Stop Colors	Standard PVC (Pkg. 12)	Flared PVC (Pkg. 12)	Solvent Flex (Pkg. 12)	Viton® (Pkg. 12)	Santoprene® (Pkg. 12)	Silicone (Pkg. 6)
0.19	 	N0695476	N0773111				
0.25	 	N0773117	N0773112				
0.38	 	N0777110	N0777042	N0777874			
0.44	 		N0773113				
0.51	 		N0777476				
0.64	 		N0777711				
0.76	 	09908587	N0777043	00473550	N0773118		00473552
1.14	 	09908585		09923037	N0773115	N0773119	N0691595
1.3	 					N0777444	N0777443
1.42	 	N0777521					
1.52	 	09923536					
1.65	 				N0777447		
1.85	 	N0777518					
2.06	 	N0777561					
3.18	 	N8122012					





Three-Stop Peristaltic Pump Tubing for FIAS, FIMS and S10

ID (mm)	Stop Colors	Standard PVC Clear (Pkg. 12)	Pharmed Tan (Pkg. 12)	Solvent Resistant Yellow (Pkg. 12)
1.65	  	B0506058	N0773111	
1.75	  			B0507692
1.85	  	B0193160	*B3140730 (Pkg. 6)	
2.06	  	B0193161		
2.2	  	B0199034		
2.79	  	B0508310		

* Used for S10 and AS9X autosamplers



MP² Two-Stop Peristaltic Pump Tubing


ID (mm)	Stop Colors	Slope (L/min per RPM)	Non-Flared	Flared
			Santoprene 2-Stop	PVC 2-Stop
1.09	 	33		N8145206
3.17	 	70	N8145175	

Internal Standard Kits

In-line Standard Additions kits, one which includes a glass mixing chamber/combiner for solutions which do not contain HF and another which includes an inert mixing chamber/combiner. Both kits are completely modular so that damaged or worn components can easily be replaced. The heart of the kit is the mixing chamber/combiner. It is designed for zero dead volume on the input ends which accommodate the sample and addition lines. The output end is designed with a small mixing chamber so that the sample and added reagent are intimately mixed prior to introduction to the nebulizer. All connections to the mixing chamber/combiner use EzyFit connectors. A sampling probe for the reagent addition bottle is included so that it remains well anchored in the bottle. In-line addition of internal standards and ionization buffers provides an efficient means of accurately and precisely dosing all of your samples without extra effort or the risk of error or contamination. Internal standardization is often used to compensate for physical and mass-space interferences in ICP spectrometry. In many cases, it also enhances short-term and long-term reproducibility.


HF-Resistant Internal Standard Kit

Description	Part No.
HF-Resistant Internal Standard Kit Includes:	N0774067
HF Mixing T-Piece	N077466
Internal Standard Sample Probe 0.25 mm ID	N077465
EzyFit Sample Tube 0.5 mm ID	N077463
UniFit-EzyFit Sample Tube	N077061
EzyFit Internal Standard Tube 0.25 mm ID	N077464
Orange/Blue Flared End PVC Tubing 0.25 mm ID – Qty. 12	N0773112



Non HF-Resistant Internal Standard Kit

Description	Part No.
Non HF-Resistant Internal Standard Kit Kit Includes:	N0774068
EzyFit Glass Mixing T-piece	N077461
Internal Standard Sample Probe 0.25 mm ID	N077465
EzyFit Sample Tube – Twin	N077462
EzyFit Sample Tube 0.5 mm ID	N077463
EzyFit Internal Standard Tube 0.25 mm ID	N077464
Orange/Blue Flared End PVC Tubing 0.25 mm ID – Qty. 12	N0773112
UniFit-EzyFit Sample Tube	N077061



Internal Standard Addition Tees

NexION 1000/2000 internal standard mixing tee is perfect for online addition of internal standard or online dilution. Achieves excellent mixing with minimal dead volume.

Fittings

Description	Qty.	Part No.
Black, High-Flow Nut (1/4-28) for FAST Valve and 1/16 in. (1.6 mm) Ferrule	10	N0777283
White, High-Flow Nut (1/4-28) for FAST Valve and 1/8 in. (3.2 mm) Ferrule	10	N0777297
Female Perilink Fitting	5	N0786030
Male Perilink Fitting	5	N0786036
Non-Barbed for Low Pressure Applications (Female)	1	N0777829
Non-Barbed for High Pressure Applications (Male)	1	N0777830

PerkinElmer Autosampler Supplies



PerkinElmer AS-9x/S10 Sampling Probe Assemblies

Stainless Steel

Description	Part No.
Flame Sampling Probe Assembly, 0.6 mm ID Includes Stainless Steel Sampling Probe and Screw Fitting (B3000152) and Flame Capillary (B3000157 – Replaces B0196963) Tubing Assembly	B3000159
FIAS™ Sampling Probe Assembly, 0.6 mm ID Includes Stainless Steel Sampling Probe and Screw Fitting (B3000152) and FIAS Capillary Tubing Assembly (B3000158 – Replaces B0196966)	B3000160
FIAS Standard Sampling Probe Assembly, 1.0 mm ID Includes Stainless Steel Sampling Probe and Screw Fitting (B3000152) and FIAS Capillary Tubing Assembly (B0191060 – Replaces B0501044)	B3000161

Corrosion-Resistant

Corrosion-resistant probes are suitable for inorganic acids and most organic solvents, except NMP.

Description	Part No.
Flame Sampling Probe Assembly, 0.6 mm ID* Includes Sampling Probe with FEP Tube and Screw Fitting (B3000055) and Capillary Tubing Assembly (B3000157). Standard with AS93plus/S10	B3001770
FIAS Sampling Probe Assembly, 0.6 mm ID* Includes Sampling Probe with FEP Tube and Screw Fitting (B3000055) and FIAS Capillary Tubing Assembly (B3000158)	B3001771
FIAS Standard Sampling Probe Assembly, 1.0 mm ID* Includes Sampling Probe with FEP Tube and Screw Fitting (B3001769) and Capillary Tubing Assembly (B0191060)	B3001772

*This probe cannot be used with AS-90s, with the older sampling probe holder

PTFE

PTFE probes provide laminar flow and are the most resistant to chemical degradation.

Description	Part No.
PTFE Sampling Probe Assembly with Carbon Fiber Support and Male Screw Fitting, 0.55 mm ID for AA/ICP/ICPMS. For ICP/ICPMS requires but does not include N8145018 *. For AA with a stainless steel nebulizer, the male connect should be removed so that tubing can be directly connected to the nebulizer, no additional tubing is required	N2024132
PTFE Flame Sampling Probe Assembly and Male Screw Fitting, 0.8 mm ID for AA. Requires but does not include B0172053 *	N0777434
PTFE Flame Sampling Probe Assembly with Carbon Fiber Support and Male Screw Fitting, 1.0 mm ID for FIAS*	N2024131

*Keep spare ferrules on hand, **N8145237** Qty. 10



Part No. **B3000152**

Sampling Probe Assembly Components

Description	Part No.
Stainless Steel Sampling Probe with Screw Fitting Requires, but does not include, one of the capillary tubing assemblies described below:	B3000152
Flame Capillary Tubing Assembly 1 m Length, 0.6 mm ID, One Fitting (Red)	B3000157
FIAS Capillary Tubing Assembly 1 m Length, 0.6 mm ID, Two Fittings (Red)	B3000158
FIAS Capillary Tubing Assembly 1 m Length, 1.0 mm ID, Two Fittings (Blue)	B0191060
Corrosion-Resistant Probe only 0.6 mm	B3000055
Corrosion-Resistant Probe only 1.0 mm	B3001769

PerkinElmer Autosampler Supplies



PerkinElmer AS-93plus/S10 Sample Racks

Description/Capacity	Sample Vessel Size	Part No.
Tray F – 9/29* ¹	50 mL/15 mL	B3001647
Tray E – 90 ²	4.5 mL, 6 mL, 8 mL	B3140617
Tray H and Tray F – 60 ³	15 mL, 16 mL	B3140618
Tray E, H and Tray G – 21 ⁴	50 mL	B3140621

* AS-93plus/S10 sample trays are polypropylene.

¹ Rack **B3001647** (rinsing-port rack) with rinsing port location (location 0), 8 locations for 50 mL solution containers (calibration and/or test sample solutions) and 29 locations for 15 mL solution containers (test sample solutions)

² Rack **B3140617** each with 90 locations for 6 mL and 8 mL solution containers (test sample solutions)

³ Rack **B3140618** with 60 locations for 15 mL solution containers (test sample solutions)

⁴ Rack **B3140621** with 21 locations each for 50 mL solution containers (calibration and/or test sample solutions). Location 0 in the first rack is for the rinsing port

PerkinElmer AS-90/90A/90plus Sample Racks


Description/Capacity	Sample Vessel Size	Part No.
Tray A – 144	4.5 mL, 6 mL, 8 mL	B3000133
Tray B – 98*	15 mL, 16 mL	B3000132

* Polypropylene sample tray

PerkinElmer AS-93plus/S10 Rinsing Kit

Description/Capacity	Part No.
AS-93plus/S10 Rinsing Kit	B3140236
Spare Parts	
Rinsing Port	B3140622
Adapter M	B0507919
Pump Tube – 1.14 mm ID (Pkg. 6)	B3140730
Tygon® Drain Tube – 2 m Red/Red/Red	B0018283

Cetac Autosampler Supplies



Cetac Carbon Fiber Autosampler Probes

Description	Part No.
0.5 mm Blue 0.5 mm ID x 108 in. – PTFE	N0777547
1.0 mm 2 Blue 1.0 mm ID x 75 in. – PTFE	N0777568



Cetac Ultem Autosampler Probes

Description	Part No.
1.0 mm 2 Blue 1.0 mm ID x 75 in. – PTFE	N0777565



Cetac Stainless Steel Autosampler Probe

Description	Part No.
Steel Probe with Screen Tip (100 mesh) Designed for Oil Analysis	N0771529

Cetac Autosampler Racks

Rack	Vial Size	Part No.
80-Position, Collection Metal for Oil	15 mL	N0774085
90-Position, 13.5 mm Square Opening	7 mL or 8 mL	N0777148
96-Position, 13 mm Collection Metal for Oil	15 mL	N0777368

ESI Autosampler Supplies



Part No. **N0777225**

ESI Autosampler Racks and Rack Covers



Part No. **N8145131**

ESI Autosampler Probes

Description	Part No.
Carbon Fiber Autosampler Probes for ST Nebulizers	
Autosampler Probe, 0.15 mm, Capillary Length 80 cm	N0777221
Autosampler Probe, 0.2 mm, Capillary Length 80 cm	N0777222
Autosampler Probe, 0.25 mm, Capillary Length 80 cm	N0777223
Autosampler Probe, 0.25 mm, Capillary Length 150 cm	N0777826
Autosampler Probe, 0.3 mm, Capillary Length 80 cm	N0777224
Autosampler Probe, 0.5 mm, Capillary Length 80 cm	N0777225
Autosampler Probe, 0.5 mm, Capillary Length 150 cm	N0777827
Autosampler Probe, 0.8 mm, Capillary Length 80 cm	N0777226
Sample Probes	
High Flow, Carbon Fiber Support, 0.8 mm ID (Blue)	N0777285
Sample Probe Line Holder	N0777227
Carrier Probes	
High Flow, Carbon Fiber Support, 0.5 mm ID (Orange)	N0777286

Additional ESI Autosampler Probes

Description	Part No.
PFA <i>FAST</i> Sample Probe for High-flow <i>FAST</i> Valve, 1.0 mm ID (Gray), 150 cm	N0777522
PFA <i>FAST</i> Sample Probe for High-flow <i>FAST</i> Valve, 0.8 mm ID (Blue), 150 cm	N0777523
PFA <i>FAST</i> Carrier / Probe <i>FAST</i> Valve, 0.5 mm ID (Orange), 150 cm	N0777286

PFA MicroFlow Nebulizers with Integrated Autosampler Probes (carbon fiber support)

ICP Model	Description	Part No.
Optima/Avio/NexION 350	PFA-100 PFA, Capillary Length 100 cm	N0777216

Description	Size	Diameter	Part No.
Standard Racks			
5-Position Priority Samples Rack for 8 mL, 15 mL, 50 mL, 125 mL and 250 mL Bottles. Fits over DX Rinse Station		60 mm	N8145317
7-Position for 250 mL Bottles. For 4DX Autosampler only		60 mm	N8122464
9-Position for 125 mL Bottles. Recommended for prep <i>FAST</i> . For 4DX Autosampler only		50 mm	N0777771
9-Position for 125 mL Bottles. Recommended for prep <i>FAST</i> . For 2DX Autosampler only		50 mm	N0777772
10-Position Standards Rack for 20 mL and 50 mL Tubes		28 mm	N0777228
10-Position for 30 mL and 60 mL Tubes		31 mm	N8145131
Micro Racks			
10-Position Micro Sample Rack for 15 mL and 30 mL Tubes		30 mm	N8122463
40-Position	4 x 10	14 mm	N0777230
Large Racks			
21-Position for 50 mL and 60 mL Tubes	3 x 7	30 mm	N0777242
40-Position	4 x 10	20 mm	N0777243
60-Position	5 x 12	16 mm	N0777244
90-Position	6 x 15	13 mm	N0777245

Microtiter Plates

Description	Qty.	Part No.
48 Well, 5 mL, Square Well, Pyramid Bottom	5	N0777237
48 Well, 7.5 mL, Square Well, Pyramid Bottom	3	N0777238
96 Well, 2 mL, Square Well, Pyramid Bottom	5	N0777239

Autosampler Tubes

PerkinElmer translucent polypropylene tubes are designed to provide excellent chemical resistance. PerformR™ 15 mL and 50 mL conical tubes are designed for your routine everyday applications and storage needs. SuperClear™ tubes are made from a unique medical grade resin.



Round Bottom Tubes



Description	Type	Size	Pack	Qty	Part No.
8 mL without Caps	Standard	13 mm x 100 mm	Bulk	1200	N0777156
8 mL without Caps	Standard	13 mm x 100 mm	250/Bag	1000	N0777159
8 mL without Caps	Standard	13 mm x 100 mm	Bulk	1000	B0508901
14 mL without Caps	Standard	17 mm x 100 mm	Bulk	1000	N0777940
14 mL with Dual-Position, Polyethylene Caps Included	Standard	17 mm x 100 mm	Bulk	1000	N0777941
14 mL without Caps	Standard	17 mm x 100 mm	250/Bag	1000	N0777168
15 mL without Plugs	Standard	17 mm x 100 mm	Bulk	1200	N0777167
Plugs for 15 mL N0777167 Tubes, (Blue) Plugs Only	Standard		Bulk	1200	N0777599
15 mL Graduated without Plugs	Standard	17 mm x 100 mm	Bulk	2000	N0777099
16 mL without Caps	Standard	17 mm x 100 mm	250/Bag	1000	N9301205

Conical Bottom Tubes with Graduation



Description	Type	Size	Pack	Qty	Part No.
15 mL with Red Flat Caps, (Standard PerkinElmer S10 Tubes)	Standard	17 mm x 120 mm	50/Bag	500	B0193233
15 mL Sterile Tubes, with Teal Flat Caps Attached	Sterile	17 mm x 118 mm	50/Bag	500	N0774095
15 mL Metal Free Sterile Tubes with White Flat Caps	Sterile	17 mm x 118 mm	50/Bag	500	N0776117
15 mL Metal Free Sterile Tubes Racked with White Flat Caps	Sterile	17 mm x 118 mm	25/Rack	500	N0776118
15 mL with Teal Flat Caps Attached	SuperClear	17 mm x 118 mm	50/bag	500	N0777701
15 mL with Teal Flat Caps Attached	SuperClear	17 mm x 118 mm	Racked 50/Bag	500	N0777702
15 mL with Teal Flat Caps Attached	SuperClear	17 mm x 118 mm	Bulk	500	N0777703
15 mL with Teal Plug Caps	SuperClear	17 mm x 118 mm	Bulk	500	N0777706
50 mL with Red Flat Caps Attached, (Standard PerkinElmer S10 Tubes), Freestanding	Standard	28 mm x 115 mm	25/Bag	500	B0193234
50 mL with Teal Flat Caps Attached, Freestanding	PerformR	30 mm x 116 mm	Bulk	500	N0777698
50 mL with Teal Plug Caps Included, Freestanding	PerformR	30 mm x 116 mm	Bulk	500	N0777700
50 mL Metal Free Sterile Tubes with White Flat Caps	Sterile	29 mm x 115 mm	50/Bag	500	N0776115
50 mL Metal Free Sterile Tubes Racked with White Flat Caps	Sterile	30 mm x 116 mm	25/Rack	500	N0776116
50 mL with Teal Flat Caps Included	SuperClear	29 mm x 115 mm	Bulk	500	N0777693

PFA Bottles, Vials and Caps



Description	Qty	Part No.
20 mL, 28 mm OD PFA Bottle and Cap	5	N0777406

Non-PFA Bottles and Vials



Description	Qty	Part No.
4 L, Polypropylene Rinse Container with Filtered Air Inlet	1	N0777258
125 mL, 50 mm OD Polyethylene Bottle with Screw Cap	12	N0777820

Instrument Benches and Accessory Carts



Avio 200/500 Bench
Part No. **N0782060**



NexION 350 Bench with
Optional Monitor Arm




NexION 1000/2000 Bench
Part No. **N8142011**


A Customized Approach

Lab space is precious and it can be a challenge to find room for a new instrument or accessory. To make the transition easier, we've customized every bench we offer for your instrument and accessory configuration, enabling you to use your lab space to its full potential. Whether you're making room for a new instrument or replacing an old system, we have a bench solution for you.


Dimensions (Depth x Width x Height – inches)	Model	Product Line	Part No.
30 x 60 x 34	PinAAcle 500/900	AA	N0777783
30 x 35 x 35	Avio 200/500	ICP-OES	N0782060
30 x 60 x 35	Optima Basic	ICP-OES	N0773106
33 x 21	Optional Large Shelf for Optima Basic Bench (Shelf Only)	ICP-OES	N0777930
30 x 60 x 35	Optima Advanced	ICP-OES	N0771725
30 x 35 x 29	NexION 1000/2000 Bench Not Including Vacuum Pump Dolly	ICP-MS	N8142011
	NexION 1000/2000 Vacuum Pump Dolly Only	ICP-MS	N8142012
30 x 60 x 29	NexION 350 Bench Including Vacuum Pump Dolly	ICP-MS	N8141230
26	Monitor Arm for Optima Advanced or NexION 350 Bench	ICP-OES/ICP-MS	N0771726
32 x 30 x 29	Titan/MPS 320	AA/ICP-OES/ICP-MS	N0777900
16 x 19 x 34	Accessory Cart	Various	N0777784
16 x 22 x 34	Accessory Cart	Various	N0777785



Avio 200/500 Bench Part No. **N0782060**
shown as depth/width/height



NexION 1000/2000 Bench Part No. **N8142011**
shown as depth/width/height



NexION 350 Bench Part No. **N8141230**
shown as depth/width/height

Reference Materials

PerkinElmer offers a complete selection of Atomic Spectroscopy reference materials. Each solution is supplied with a comprehensive Certificate of Analysis that documents the quality and reliability.

Quick Reference Index Page

▶ Aqueous Standards	85-91
▶ Single-Element Standards	85
▶ Custom Standards	88
▶ Matrix Modifiers	88
▶ Multi-Element Standards	89
▶ Environmental Analysis Standards	91
▶ Metallo-Organic Standards	96-100
▶ V-21, V-23, V-26 Wear Metal Standards	97
▶ Matrix Oils and Solvents	98
▶ Metal Additive Standards	98
▶ Acid Number Standards	98
▶ Fuel Dilution Standards	98
▶ Base Number Standards	98
▶ Karl Fischer Standards	99
▶ OilExpress Standards	99
▶ Viscosity Reference Standards	99
▶ Biodiesel Standards	99
▶ Sulfur Standards	99
▶ Proficiency Testing Standards	100

PerkinElmer is a leading provider of Atomic Spectroscopy solutions. We've used our expertise to bring you a portfolio of the highest quality standards to enhance your instrument performance. From our Pure and Pure Plus Inorganic Aqueous Standards to our Metallo-Organic Standards, inside this guide you will find a range of standards that are certified and tested to provide you the quality and reliability you expect, for all your application needs.

At PerkinElmer, we're committed to helping you achieve success for your laboratory – starting with the standards you use everyday.

Aqueous Standards

PerkinElmer offers a wide selection of PerkinElmer Pure and Pure Plus Aqueous Standards for all of your application needs.



▶ [VIEW PAGE](#)

Metallo-Organic Standards

PerkinElmer offers a wide selection of Metallo-Organic Standards for all of your application needs.



▶ [VIEW PAGE](#)

Single-Element Standards

We understand how important standards are to your laboratory. That's why we offer a complete selection of PerkinElmer Pure (AA and ICP-OES) and Pure Plus (ICP-MS) grade Standards supplied with a comprehensive Certificate of Analysis. Each solution is certified to provide you with the quality and reliability you expect, every time.

We offer 1 µg/mL, 10 µg/mL, 1,000 µg/mL and 10,000 µg/mL single-element standards in a variety of volumes and purity levels.



Single-Element Standards – 1,000 µg/mL

Element	Symbol	Matrix	Pure Grade 125 mL Part No.	Pure Grade 500 mL Part No.	Pure Plus Grade 125 mL Part No.
Aluminum	Al	2% HNO ₃	N9300184	N9300100	
Antimony	Sb	2% HNO ₃		N9300101	
Antimony	Sb	H ₂ O/0.6% Tart. Acid/Tr. HNO ₃	N9300207		
Arsenic	As	2% HNO ₃	N9300180	N9300102	
Barium	Ba	2% HNO ₃	N9300181		
Beryllium	Be	2% HNO ₃	N9300172		
Bismuth	Bi	10% HNO ₃	N9303761	N9300105	
Boron	B	H ₂ O	N9303760	N9300106	
Cadmium	Cd	2% HNO ₃	N9300176	N9300107	
Calcium	Ca	2% HNO ₃	N9303763	N9300108	
Carbon	C	H ₂ O	N9303762		
Cerium	Ce	2% HNO ₃	N9303765		
Cesium	Cs	2% HNO ₃	N9303767		
Chromium	Cr	2% HNO ₃	N9300173	N9300112	
Cobalt	Co	2% HNO ₃	N9303766	N9300113	
Copper	Cu	2% HNO ₃	N9300183	N9300114	
Dysprosium	Dy	2% HNO ₃	N9303768		
Erbium	Er	2% HNO ₃	N9303769		
Europium	Eu	2% HNO ₃	N9303770		
Gadolinium	Gd	2% HNO ₃	N9303773	N9300118	
Gallium	Ga	2% HNO ₃	N9303772		
Germanium	Ge	H ₂ O/0.16% F-	N9303774		
Gold	Au	10% HCl	N9303759	N9300121	
Hafnium	Hf	2% HCl	N9303775		
Holmium	Ho	2% HNO ₃	N9303776		
Indium	In	2% HNO ₃	N9303777	N9300124	
Iridium	Ir	10% HCl	N9303778		
Iron	Fe	2% HNO ₃	N9303771	N9300126	
Lanthanum	La	2% HNO ₃	N9303780	N9300127	
Lead	Pb	2% HNO ₃	N9300175	N9300128	
Lithium	Li	2% HNO ₃	N9303781	N9300129	
Lutetium	Lu	2% HNO ₃	N9303782	N9300130	
Magnesium	Mg	2% HNO ₃	N9300179	N9300131	
Manganese	Mn	2% HNO ₃	N9303783	N9300132	
Mercury	Hg	10% HNO ₃	N9300174	N9300133	
Molybdenum	Mo	H ₂ O	N9303784	N9300134	

Element	Symbol	Matrix	Pure Grade 125 mL Part No.	Pure Grade 500 mL Part No.	Pure Plus Grade 125 mL Part No.
Neodymium	Nd	2% HNO ₃	N9303787		
Nickel	Ni	2% HNO ₃	N9300177	N9300136	
Niobium	Nb	H ₂ O/0.4% HF	N9303786		
Palladium	Pd	10% HCl	N9303789	N9300138	
Phosphorus	P	H ₂ O	N9303788	N9300139	
Platinum	Pt	10% HCl	N9303791		
Potassium	K	2% HNO ₃	N9303779	N9300141	
Praseodymium	Pr	2% HNO ₃	N9303790		
Rhenium	Re	H ₂ O	N9303793	N9300143	
Rhodium	Rh	10% HCl	N9303794	N9300144	
Rubidium	Rb	2% HNO ₃	N9303792		
Ruthenium	Ru	10% HCl	N9303795		
Samarium	Sm	2% HNO ₃	N9303800		
Scandium	Sc	2% HNO ₃	N9303798	N9300148	
Selenium	Se	2% HNO ₃	N9300182	N9300149	
Silicon	Si	H ₂ O/0.4% F-	N9303799	N9300150	
Silver	Ag	2% HNO ₃	N9300171	N9300151	
Sodium	Na	2% HNO ₃	N9303785	N9300152	
Strontium	Sr	2% HNO ₃	N9303802	N9300153	
Sulfur	S	H ₂ O	N9303796	N9300154	
Tantalum	Ta	H ₂ O/0.8% HF	N9303803		
Tellurium	Te	10% HNO ₃	N9304385	N9304384	
Terbium	Tb	2% HNO ₃	N9303804		
Tin	Sn	20% HCl	N9303801	N9300161	
Tin	Sn	1% HNO ₃ /1% HF			N9303838
Thallium	Tl	2% HNO ₃	N9300170		
Thorium	Th	2% HNO ₃			N9303842
Thulium	Tm	2% HNO ₃	N9303807		
Titanium	Ti	H ₂ O/0.24% F-	N9303806	N9300162	N9303754
Tungsten	W	H ₂ O	N9303809	N9300163	
Uranium	U	2% HNO ₃			N9303844
Vanadium	V	2% HNO ₃	N9303808		
Ytterbium	Yb	2% HNO ₃	N9303811	N9300166	
Yttrium	Y	2% HNO ₃	N9303810	N9300167	
Zinc	Zn	2% HNO ₃	N9300178	N9300168	
Zirconium	Zr	2% HNO ₃	N9303812		

Single-Element Pure Plus ICP-MS Grade Standards – 1 µg/mL

Element	Symbol	Matrix	Pure Plus Grade 125 mL Part No.
Aluminum	Al	2% HCl	N9304200
Aluminum	Al	2% HNO ₃	N9304201
Antimony	Sb	H ₂ O/Tr. HNO ₃ /Tr. Tart	N9304203
Arsenic	As	2% HCl	N9304204
Arsenic	As	2% HNO ₃	N9304205
Barium	Ba	2% HNO ₃	N9304207
Beryllium	Be	2% HNO ₃	N9304208
Bismuth	Bi	2% HNO ₃	N9304209
Boron	B	H ₂ O	N9304210
Cadmium	Cd	2% HCl	N9304211
Cadmium	Cd	2% HNO ₃	N9304212
Calcium	Ca	2% HCl	N9304213
Calcium	Ca	2% HNO ₃	N9304214
Cerium	Ce	2% HNO ₃	N9304216
Cesium	Cs	2% HNO ₃	N9304217
Chromium	Cr	2% HCl	N9304218
Chromium	Cr	5% HNO ₃	N9304219
Chromium	Cr	H ₂ O	N9304220
Cobalt	Co	2% HCl	N9304221
Cobalt	Co	2% HNO ₃	N9304222
Copper	Cu	2% HCl	N9304223
Copper	Cu	2% HNO ₃	N9304224
Gadolinium	Gd	2% HNO ₃	N9304228
Gallium	Ga	2% HNO ₃	N9304229
Germanium	Ge	H ₂ O	N9304230
Gold	Au	1% HNO ₃ /3% HCL	N9304231
Iridium	Ir	2% HCl	N9304235
Iron	Fe	2% HCl	N9304236
Iron	Fe	2% HNO ₃	N9304237
Lanthanum	La	2% HNO ₃	N9304238
Lead	Pb	2% HNO ₃	N9304239
Lithium	Li	2% HNO ₃	N9304241
Magnesium	Mg	2% HNO ₃	N9304244

Element	Symbol	Matrix	Pure Plus Grade 125 mL Part No.
Manganese	Mn	2% HNO ₃	N9304245
Potassium	K	2% HNO ₃	N9304248
Molybdenum	Mo	H ₂ O	N9304249
Niobium	Nb	H ₂ O/tr HF	N9304250
Nickel	Ni	2% HNO ₃	N9304252
Palladium	Pd	2% HCl	N9304253
Phosphorus	P	H ₂ O	N9304254
Platinum	Pt	2% HCl	N9304255
Rubidium	Rb	2% HNO ₃	N9304257
Rhenium	Re	H ₂ O	N9304258
Ruthenium	Ru	2% HCl	N9304260
Scandium	Sc	2% HNO ₃	N9304262
Selenium	Se	2% HNO ₃	N9304263
Silicon	Si	H ₂ O/Tr. F-	N9304264
Silver	Ag	2% HNO ₃	N9304265
Sodium	Na	2% HCl	N9304266
Strontium	Sr	2% HNO ₃	N9304269
Sulfur	S	H ₂ O	N9304270
Tantalum	Ta	H ₂ O/tr HF	N9304271
Tellurium	Te	5% HCl	N9304272
Thallium	Tl	2% HNO ₃	N9304275
Thorium	Th	2% HNO ₃	N9304276
Thulium	Tm	2% HNO ₃	N9304277
Tin	Sn	2% HNO ₃ /tr HF	N9304279
Titanium	Ti	H ₂ O/tr HF	N9304280
Tungsten	W	2% HNO ₃ /tr HF	N9304281
Uranium	U	2% HNO ₃	N9304283
Vanadium	V	2% HNO ₃	N9304285
Ytterbium	Yb	2% HNO ₃	N9304286
Yttrium	Y	2% HNO ₃	N9304287
Zinc	Zn	2% HNO ₃	N9304289
Zirconium	Zr	2% HNO ₃	N9304291

Single-Element Pure Standards – 10,000 µg/mL

Element	Symbol	Matrix	Pure Plus Grade 125 mL Part No.	Pure Grade 500 mL Part No.
Aluminum	Al	5% HNO ₃	N9304111	N9304110
Antimony	Sb	H ₂ O/Tartaric Acid/Tr HNO ₃	N9304293	
Arsenic	As	5% HNO ₃	N9304295	
Barium	Ba	5% HNO ₃	N9304297	
Boron	B	H ₂ O	N9304301	
Cadmium	Cd	5% HNO ₃	N9304303	N9304304
Calcium	Ca	5% HNO ₃	N0691581	N9303764
Cesium	Cs	5% HNO ₃	N9304307	
Chromium	Cr	5% HNO ₃	N9304309	N9304311
Cobalt	Co	5% HNO ₃	N9304313	
Copper	Cu	5% HNO ₃	N9304112	N9300283
Iron	Fe	5% HNO ₃	N9304113	N9307117
Lead	Pb	5% HNO ₃	N9304321	
Lithium	Li	5% HCl		N9304322
Lithium	Li	5% HNO ₃	N9304323	N9304324
Magnesium	Mg	5% HNO ₃	N0691745	N9304114
Manganese	Mn	5% HNO ₃	N9304115	
Molybdenum	Mo	H ₂ O/0.4% HF	N9304327	
Nickel	Ni	5% HNO ₃	N9304117	N9304116
Phosphorus	P	H ₂ O	N9304119	
Potassium	K	5% HNO ₃	N9304121	N9304120
Scandium	Sc	5% HNO ₃	N9304333	N9304334
Silicon	Si	H ₂ O/4% F-	N9304122	
Silver	Ag	5% HNO ₃	N9304337	
Sodium	Na	5% HNO ₃	N9304124	
Strontium	Sr	5% HNO ₃		N9304341
Sulfur	S	H ₂ O	N9304126	N9304125
Tantalum	Ta	H ₂ O		N9304342
Tin	Sn	20% HCl	N9304345	N9304346
Titanium	Ti	40% HCl		N9304347
Titanium	Ti	H ₂ O/2.4% F-	N9304348	N9304349
Tungsten	W	2% HNO ₃ /5% HF		N9304350
Tungsten	W	H ₂ O	N9304351	N9304352
Vanadium	V	15% HNO ₃	N9304356	
Yttrium	Y	5% HNO ₃	N9304128	
Zinc	Zn	5% HNO ₃	N9304129	

Pure Grade Standards for AA and ICP-OES

- Analyzed by ICP-OES
- Analyzed by Classical Wet Assay
- 32 trace impurities analyzed by ICP-MS of the final solution and reported on the certificate
- Impurities reported at ppm level
- All Standards are prepared and certified under ISO Guide 34 and ISO 17025



Pure Plus Grade Standards for ICP-MS

- Analyzed by ICP-OES
- Analyzed by Classical Wet Assay
- 67 trace impurities analyzed by ICP-MS of the final solution and reported on the certificate
- Impurities reported at ppb level
- All Standards are prepared and certified under ISO Guide 34 and ISO 17025

Custom Single and Multi-element Standards for Inorganic Analysis

We understand how important Standards are to your laboratory. That's why we've expanded PerkinElmer Pure and Pure Plus Standards to include custom Standards. We offer a complete selection of stock, single and multi-element, atomic spectroscopy aqueous Standards, and now provide single-element and multi-element custom Standards, prepared to meet your exact specifications. Each solution is supplied with a comprehensive Certificate of Analysis to provide you with the quality and reliability you expect, every time.



Design your own custom standard to fit your laboratory needs.

Choose PerkinElmer as your Standards provider and request your quote today. For a complete selection of Pure Atomic Spectroscopy Standards, please visit www.perkinelmer.com/standards

Custom Standards are now available in North America and select countries in Europe.

Matrix Modifiers and AA Test Mixes

We offer standards specifically for your Atomic Absorption (AA) instrument. From mixed standards to reagents, we have what you need for your AA analysis.



Matrix Modifiers for Graphite Furnace AA

Matrix	Content	Volume	Part No.
Mg(NO ₃) ₂	1% Mg(NO ₃) ₂ (as nitrate)	100 mL	B0190634
Pd	1% Pd (as nitrate)	50 mL	B0190635
NH ₄ H ₂ PO ₄	10% NH ₄ H ₂ PO ₄	100 mL	N9303445

GFAAS Mixed Standard

Matrix	Content	Volume	Part No.
5% HNO ₃ with trace HF	100 µg/mL: Al, As, Pb, Sb, Se, Tl 50 µg/mL: Ba, Co, Cu, Ni 20 µg/mL: Cr, Fe, Mn 10 µg/mL: Ag 5 µg/mL: Be, Cd	125 mL	N9300244

AA Test Mix

Matrix	Content	Volume	Part No.
2% HCl	50 µg/mL: Ca, Cr, Cu, Fe, Ni 20 µg/mL: K 10 µg/mL: Na, Zn	125 mL	02900540

Reagents

Description	Volume	Part No.
Triton® X-100 Wetting Agent	100 mL	N9300260
Antifoaming Silicone Emulsion	500 mL	B0507226



You can order Custom Standards online by visiting www.perkinelmer.com/customstandards or over the phone by calling your local PerkinElmer sales office.

Multi-Element Standards

Our go-to multi-element standards are suitable for your daily laboratory needs. Spanning across a wide range of applications and methods, you'll find the right solution to help you achieve laboratory success.

Multi-Element Standards

Matrix	Content	Volume	Part No.
Multi-Element Solution			
5% HNO ₃	1,000 µg/mL: Al, Ca, Fe, Mg	500 mL	N9307113
Multi-Element Solution			
5% HNO ₃	1,000 µg/mL: K, Na, P	500 mL	N9307114
Multi-Element Solution			
2-5% HNO ₃	1,000 µg/mL: Mo, Sb, Sn, W, Zr	500 mL	N9307115
Multi-Element Solution			
5% HNO ₃	1,000 µg/mL: As, Ba, Be, Cd, Cr, Co, Cu, La, Pb, Li, Mn, Ni, Sc, Sr, V, Y, Zn	500 mL	N9307116
5% HNO ₃ /trace HF	100 µg/mL: Ge, Mo, S, Si, Ti	125 mL	N9308541
5% HNO ₃	100 µg/mL: Ag, As, B, Ba, Be, Bi, Ca, Cd, Co, Cu, Fe, K, Li, Mg, Mn, Na, Ni, P, Pb, Se, Sr, Ti, U, V, Zn	125 mL	N9308543
Multi-Element Solution 1			
2% HNO ₃	10 µg/mL: Be, Bi, Ce, Co, In, Mg, Ni, Pb, U	125 mL	N9300231
Multi-Element Solution 2			
5% HNO ₃	10 µg/mL: Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, Y, Yb	125 mL	N9300232
Multi-Element Solution 3			
5% HNO ₃	10 µg/mL: Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cs, Cu, Fe, Ga, Hg*, In, K, Li, Mg, Mn, Na, Ni, Pb, Rb, Se, Sr, Ti, U, V, Zn <small>*Supplied in separate bottle.</small>	125 mL	N9300233
Multi-Element Solution 3 without Mercury			
		125 mL	N9301720
Multi-Element Solution 4			
Multi-Element Solution 5			
H ₂ O/trace HF/ trace HNO ₃	10 µg/mL: B, Ge, Mo, Nb, P, Re, S, Si, Ta, Ti, W, Zr	125 mL	N9300235
Set of Multi-Element Solutions Includes: (1 bottle of each)			
	Multi-Element Solution 2	125 mL	N9300232
	Multi-Element Solution 3	125 mL	N9300233
	Multi-Element Solution 5	125 mL	N9300235
	Water Blank	125 mL	N9303814

Matrix	Content	Volume	Part No.
PerkinElmer Pure IV (Quality Control Standard 23)			
10% HNO ₃	1,000 µg/mL: Ag, Al, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mn, Na, Ni, Pb, Sr, Ti, Zn	125 mL	N9303941
PerkinElmer Pure VIII			
5% HNO ₃	100 µg/mL: Al, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, Li, Mg, Mn, Na, Ni, Pb, Se, Sr, Te, Ti, Zn	125 mL	N9303942
PerkinElmer Pure IX			
5% HNO ₃	100 µg/mL: As, Be, Pb, Cd, Cr, Ni, Se, Ti	125 mL	N9303943
PerkinElmer Pure X			
2% HNO ₃	35,000 µg/L: Ca 15,000 µg/L: Mg 8,000 µg/L: Na 3,000 µg/L: K 100 µg/L: B, Fe, Mo, Sr 50 µg/L: As, Ba, Ni, V, Zn 30 µg/L: Mn 25 µg/L: Co, Pb 20 µg/L: Be, Cd, Cr, Cu 10 µg/L: Bi, Se, Ti	125 mL	N9303944
5 µg/mL Mercury in 5% HNO₃			
5% HNO ₃	5 µg/mL: Hg	125 mL	N9303949
PerkinElmer Pure XIII			
5% HNO ₃	500 µg/mL: Al 250 µg/mL: V 100 µg/mL: As, Be, Co, Cr, Cu, Fe, Mn, Ni, Pb, Zn 25 µg/mL: Cd, Se	125 mL	N9303946

Multi-Element Standards Continued

Matrix	Content	Volume	Part No.
PerkinElmer Pure XVI (Quality Control Standard, 21 Elements)			
5% HNO ₃ /trace Tartaric Acid/trace HF	100 µg/mL: As, Be, Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Sb, Se, Sr, Ti, Tl, V, Zn	125 mL	N9300281
PerkinElmer Pure VI			
1 mol/L HNO ₃ /trace Tartaric Acid	10 µg/mL: Ag, Al, Ba, Bi, Cd, Co, Cr, Cu, Ga, K, Li, Mg, Mn, Mo, Na, Ni, Pb, Rb, Sr, Te, Tl, U, V, 100 µg/mL: As, B, Be, Fe, Se, Zn, 1000 µg/mL: Ca	125 mL	N9307741
Multi-Element Standard			
10% HNO ₃	100 µg/mL: As, Ba, Ca, Cd, Be, Bi, Ce, Cs, Cr, Co, Cu, Dy, Er, Eu, Gd, Ga, Ho, In, La, Pb, Li, Lu, Mn, Nd, Ni, Pr, Rb, Sm, Sc, Se, Sr, Tb, Tl, Th, Tm, U, V, Yb, Y, Zn	125 mL	N9308544
Multi-Element Standard A			
5% HNO ₃ /1% HF/trace Tartaric Acid	100 µg/mL: Ge, Hf, Mo, Nb, Sb, Sn, Ta, Te, Ti, W, Zr	125 mL	N9308545
Multi-Element Standard B			
10% HNO ₃	10,000 µg/mL: Ca, K, Mg, Na, P	125 mL	N9308546
Multi-Element Standard C			
5% HNO ₃	10,000 µg/mL: Al, Fe	125 mL	N9308547
Multi-Element Standard E			
5% HNO ₃	10 µg/mL: Ag, Hg	125 mL	N9308549

Quality Control Standards

Matrix	Content	Volume	Part No.
Quality Control Standard 1B			
10% HNO ₃	1,000 µg/mL: As, Be, Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Se, Sr, Ti, Tl, V, Zn	125 mL	N9304131
Quality Control Standard, 21 Elements Pure (Pure XVI)			
5% HNO ₃ /trace Tartaric Acid/trace HF	100 µg/mL: As, Be, Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Sb, Se, Sr, Ti, Tl, V, Zn	125 mL	N9300281
Quality Control Standard, 21 Elements Pure Plus			
5% HNO ₃ /trace Tartaric Acid/trace HF	100 µg/mL: As, Be, Ca, Cd, Co, Cr, Cu, Fe, Li, Mg, Mn, Mo, Ni, Pb, Sb, Se, Sr, Ti, Tl, V, Zn	125 mL	N9303837
Quality Control Standard, 7A Elements			
5% HNO ₃ /trace HF	1,000 µg/mL: K 500 µg/mL: Si 100 µg/mL: Al, B, Ba, Na 50 µg/mL: Ag	125 mL	N9300280

Mixed Calibration Standards

Matrix	Content	Volume	Part No.
Mixed Calibration Standard			
2% HNO ₃	50 µg/mL: As, K 10 µg/mL: La, Li, Mn, Ni, Sr, Zn 1 µg/mL: Ba, Mg	500 mL	N0691579
Mixed Calibration Standard 1			
2% HNO ₃	500 µg/mL: Pb 200 µg/mL: Se 150 µg/mL: Cd, Zn 100 µg/mL: Mn 50 µg/mL: Be	125 mL	N9300200
Mixed Calibration Standard 2			
5% HNO ₃	10,000 µg/mL: Fe 100 µg/mL: Ba, Co, Cu, V	125 mL	N9300201
Mixed Calibration Standard 3			
2% HNO ₃ /Tr. HF	500 µg/mL: As 100 µg/mL: Mo, Si	125 mL	N9300202
Mixed Calibration Standard 4			
5% HNO ₃	1,000 µg/mL: Ca 400 µg/mL: K 200 µg/mL: Al, Na 20 µg/mL: Cr, Ni	125 mL	N9300203
Mixed Calibration Standard 5			
5% HNO ₃ /trace Tartaric Acid/trace HF	1,000 µg/mL: Mg 200 µg/mL: Sb, Tl 100 µg/mL: B 50 µg/mL: Ag	125 mL	N9300204

Spike Standards

Matrix	Content	Volume	Part No.
Spike Sample Standard I			
5% HNO ₃ /trace Tartaric Acid/trace HF	200 µg/mL: Al, As, Ba, Se, Tl 100 µg/mL: Fe 50 µg/mL: Co, Mn, Ni, Pb, Sb, V, Zn 25 µg/mL: Cu 20 µg/mL: Cr 5 µg/mL: Ag, Be, Cd	125 mL	N9300230
Spike Sample Standard 2 (Soil)			
5% HNO ₃ /trace Tartaric Acid/trace HF	250 µg/mL: Ba, Cr, Cu, Zn 150 µg/mL: V 125 µg/mL: Ni 100 µg/mL: Co, Pb, Sb 50 µg/mL: As, Cd 25 µg/mL: Ag, Be, Se, Tl	125 mL	N9303840

Environmental Analysis Standards

We offer a variety of environmental analysis standards for all your environmental application needs.

Environmental Method Sets

Matrix	Content	Volume	Part No.
Environmental Standard Kit for NexION Standard Mode Includes 1 bottle of each:			
5% HNO ₃	1,000 µg/mL: Ca, K, Mg, Na	125 mL	N9307805
5% HNO ₃	1,000 µg/mL: Al, Fe	125 mL	N9307806
5% HNO ₃ /trace Tartaric Acid/trace HF	100 µg/mL: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, V, Zn	125 mL	N9301721
2% HNO ₃	100 µg/mL: B, Th, U	125 mL	N9307807
5% HNO ₃	10 µg/mL: Hg	125 mL	N9300253
2% HNO ₃	50 µg/mL: Sc, Ge 10 µg/mL: Rh, In, Tb	125 mL	N9308591
Environmental Standards for NexION KED/DRC Mode			
5% HNO ₃	1,000 µg/mL: Ca, K, Mg, Na	125 mL	N9307805
5% HNO ₃	1,000 µg/mL: Al, Fe	125 mL	N9307806
5% HNO ₃ /trace Tartaric Acid/trace HF	100 µg/mL: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, V, Zn	125 mL	N9301721
2% HNO ₃	100 µg/mL: B, Th, U	125 mL	N9307807
5% HNO ₃	10 µg/mL: Hg	125 mL	N9300253
2% HNO ₃	100 µg/mL: Sc 50 µg/mL: Ge 1 µg/mL: Rh, In, Tb	125 mL	N9308592
Environmental Standards for ELAN non-DRC/Standard ICP-MS Instruments			
5% HNO ₃	1,000 µg/mL: Ca, K, Mg, Na	125 mL	N9307805
5% HNO ₃	1,000 µg/mL: Al, Fe	125 mL	N9307806
	100 µg/mL: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, V, Zn	125 mL	N9301721
2% HNO ₃	100 µg/mL: B, Th, U	125 mL	N9307807
5% HNO ₃	10 µg/mL: Hg	125 mL	N9300253
Internal Standard Mix			
5% HNO ₃ /trace HCL	50 µg/mL: Sc 20 µg/mL: Ge 10 µg/mL: In, Ir, Li6, Rh, Tb, Y	125 mL	N9307808

Matrix	Content	Volume	Part No.
Environmental Standard Kit for ELAN DRC Instruments Includes 1 bottle of each:			
5% HNO ₃	1,000 µg/mL: Ca, K, Mg, Na	125 mL	N9307805
5% HNO ₃	1,000 µg/mL: Al, Fe	125 mL	N9307806
5% HNO ₃ /trace Tartaric acid/trace HF	100 µg/mL: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, V, Zn	125 mL	N9301721
2% HNO ₃	100 µg/mL: B, Th, U	125 mL	N9307807
5% HNO ₃	10 µg/mL: Hg	125 mL	N9300253
5% HNO ₃ /trace HCl	Internal Standard Mix 200 µg/mL: Sc 20 µg/mL: Ga 10 µg/mL: In, Ir, Rh, Tm	125 mL	N9307738
Contract Lab Program Modification			
2% HNO ₃ /5% HCl	10 µg/mL: Ba, Be, Ce, Co, In, Li, Mg, Pb, Rh, Tl, U, Y	125 mL	N9303843
2% HNO ₃ /trace Tartaric Acid	20 µg/mL: Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Sb, Se, Th, Tl, U, V, Zn	125 mL	N9303816
5% HNO ₃ /trace Tartaric Acid/trace HF	100 µg/mL: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, Tl, V, Zn	125 mL	N9301721
2% HNO ₃ /trace Tartaric Acid/trace HF	10 µg/mL: Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Mn, Ni, Pb, Sb, Se, Tl, V, Zn	125 mL	N9303821
5% HNO ₃	10 µg/mL: Hg	125 mL	N9300253
2% HNO ₃	200 µg/mL: Ca, Fe, K, Mg, Na	125 mL	N9303822
2% HNO ₃ /trace HF	10 µg/mL: Mo, Sn, Sr, Ti	125 mL	N9303824
5% HNO ₃ /trace HF	21,215 µg/mL: Cl 3,000 µg/mL: Ca 2,500 µg/mL: Fe, Na 2,000 µg/mL: C 1,000 µg/mL: Al, K, Mg, P, S 20 µg/mL: Mo, Ti	125 mL	N9303827
5% HNO ₃ /trace Tartaric Acid/trace HF	250 µg/mL: Ba, Cr, Cu, Zn 150 µg/mL: V 125 µg/mL: Ni 100 µg/mL: Co, Pb, Sb 50 µg/mL: As, Cd 5 µg/mL: Ag, Be, Se, Tl	125 mL	N9303840
5% HNO ₃	1,000 µg/mL: Al, Ca, Fe, K, Mg, Na 20 µg/mL: Ag, As, Ba, Be, Cd, Co, Cr, Cu, Mn, Ni, Pb, Se, Tl, V, Zn	125 mL	N9303835

Matrix	Content	Volume	Part No.
Calibration Standards for Method 6010			
5% HNO ₃	5,000 µg/mL: Ca, K, Mg, Na	125 mL	N9300218
5% HNO ₃	400 µg/mL: Ni 200 µg/mL: Zn 150 µg/mL: Mn 100 µg/mL: Ag, Cr	125 mL	N9300219
5% HNO ₃	2,000 µg/mL: Al, Ba 1,000 µg/mL: Fe 500 µg/mL: Co, V 250 µg/mL: Cu 50 µg/mL: Be	125 mL	N9300220
5% HNO ₃	100 µg/mL: As, Tl 50 µg/mL: Cd, Pb, Se	125 mL	N9300221
H ₂ O/trace HF	10 µg/mL: B, Ge, Mo, Nb, P, Re, S, Si, Ta, Ti, W, Zr	125 mL	N9300235
2% HNO ₃	1,000 µg/mL: Li	500 mL	N9300129
2% HNO ₃	1,000 µg/mL: Sb	500 mL	N9300101
2% HNO ₃	1,000 µg/mL: Sr	500 mL	N9300153
20% HCl	1,000 µg/mL: Sn	500 mL	N9300161
2% HNO ₃	1,000 µg/mL: Cr	500 mL	N9300112
2% HNO ₃	1,000 µg/mL: Cu	500 mL	N9300114
2% HNO ₃	1,000 µg/mL: Mn	500 mL	N9300132
2% HNO ₃	1,000 µg/mL: Ni	500 mL	N9300136
H ₂ O/tr HF	1,000 µg/mL: Ti	500 mL	N9300162
2% HNO ₃	1,000 µg/mL: Al	500 mL	N9300100
2% HNO ₃	1,000 µg/mL: Ca	500 mL	N9300108
2% HNO ₃	1,000 µg/mL: Mg	500 mL	N9300131
Internal Standards for Method 6010 and 200.7			
2% HNO ₃	1,000 µg/mL: Y	500 mL	N9300167
2% HNO ₃	1,000 µg/mL: Sc	500 mL	N9300148
Interference Solutions for Method 6010 Includes 1 bottle of each:			
2% HNO ₃	1,000 µg/mL: Al	125 mL	N9300184
2% HNO ₃	1,000 µg/mL: Mg	125 mL	N9300179
2% HNO ₃	1,000 µg/mL: K	500 mL	N9300141
2% HNO ₃	1,000 µg/mL: Na	500 mL	N9300152
2% HNO ₃	1,000 µg/mL: Cr	500 mL	N9300112
2% HNO ₃	1,000 µg/mL: Cu	500 mL	N9300114
2% HNO ₃	1,000 µg/mL: Mn	500 mL	N9300132
2% HNO ₃	1,000 µg/mL: Ni	500 mL	N9300136
H ₂ O/trace HF	1,000 µg/mL: Ti	500 mL	N9300162
5% HNO ₃	5,000 µg/mL: Al, Ca, Mg 2,000 µg/mL: Fe	500 mL	N9300226
5% HNO ₃ /trace Tartaric Acid/ trace HF	100 µg/mL: Cd, Ni, Zn 60 µg/mL: Sb 50 µg/mL: Ba, Be, Co, Cr, Cu, Mn, V 20 µg/mL: Ag 10 µg/mL: As, Tl 5 µg/mL: Pb, Se	125 mL	N9300227
5% HNO ₃	1,000 µg/mL: Cr, Cu, Mn, Ni, Ti, V	500 mL	N9300228
5% HNO ₃ /trace Tartaric Acid/ trace HF	100 µg/mL: Al, As, B, Mo, Na, Sb, Se, Tl 10 µg/mL: Ca, Fe, Mg, Si	125 mL	N9300229

Matrix	Content	Volume	Part No.
Calibration Standards for Method 200.7 Includes 1 bottle of each:			
5% HNO ₃	5,000 µg/mL: Ca, K, Mg, Na	125 mL	N9300218
5% HNO ₃	400 µg/mL: Ni 200 µg/mL: Zn 150 µg/mL: Mn 100 µg/mL: Ag, Cr	125 mL	N9300219
5% HNO ₃	2,000 µg/mL: Al, Ba 1,000 µg/mL: Fe 500 µg/mL: Co, V 250 µg/mL: Cu 50 µg/mL: Be	125 mL	N9300220
5% HNO ₃	100 µg/mL: As, Tl 50 µg/mL: Cd, Pb, Se	125 mL	N9300221
H ₂ O/trace HF	10 µg/mL: B, Ge, Mo, Nb, P, Re, S, Si, Ta, Ti, W, Zr	125 mL	N9300235
2% HNO ₃	1,000 µg/mL: Li	500 mL	N9300129
2% HNO ₃	1,000 µg/mL: Sb	500 mL	N9300101
2% HNO ₃	1,000 µg/mL: Sr	500 mL	N9300153
20% HCl	1,000 µg/mL: Sn	500 mL	N9300161
Interference Solutions for Method 200.7 Includes 1 bottle of each:			
2% HNO ₃	1,000 µg/mL: Al	125 mL	N9300184
2% HNO ₃	1,000 µg/mL: Mg	125 mL	N9300179
2% HNO ₃	1,000 µg/mL: K	500 mL	N9300141
2% HNO ₃	1,000 µg/mL: Na	500 mL	N9300152
5% HNO ₃	5,000 µg/mL: Al, Ca, Mg 2,000 µg/mL: Fe	500 mL	N9300226
Environmental EPA			
2% HNO ₃	500 µg/mL: Pb 200 µg/mL: Se 150 µg/mL: Cd, Zn 100 µg/mL: Mn 50 µg/mL: Be	125 mL	N9300200
5% HNO ₃	10,000 µg/mL: Fe 100 µg/mL: Ba, Co, Cu, V	125 mL	N9300201
2% HNO ₃ /trace HF	500 µg/mL: As 100 mg/mL: Mo, Si	125 mL	N9300202
5% HNO ₃	1,000 µg/mL: Ca 400 µg/mL: K 200 µg/mL: Al, Na 20 µg/mL: Cr, Ni	125 mL	N9300203
5% HNO ₃ /trace Tartaric Acid/ trace HF	1,000 µg/mL: Mg 200 µg/mL: Sb, Tl 100 µg/mL: B 50 µg/mL: Ag	125 mL	N9300204
5% HNO ₃	100 µg/mL: Hg	125 mL	N9300223
H ₂ O/trace HNO ₃ /0.6% Tartaric Acid	1,000 µg/mL: Sb	125 mL	N9300207

Water Pollutant Standards

Matrix	Content	Volume	Part No.
Primary Drinking Water Metals			
2% HNO ₃	100 µg/mL: Ba 10 µg/mL: Ag, As, Cr, Hg*, Pb 5 µg/mL: Cd, Se	125 mL	N9300216
Secondary Drinking Water Metals			
2% HNO ₃	500 µg/mL: Zn 100 µg/mL: Cu 30 µg/mL: Fe 5 µg/mL: Mn	125 mL	N9300217
Trace Metals I			
5% HNO ₃	500 µg/mL: Al 250 µg/mL: V 100 µg/mL: As, Be, Co, Cr, Cu, Fe Mn, Ni, Pb, Zn 25 µg/mL: Cd, Se 10 µg/mL: Hg*	125 mL	N9300211
Trace Metals III			
2% HNO ₃	500 µg/mL: Ba, Ca, Mo, Na 100 µg/mL: K, Mg	125 mL	N9300213
Alternate Metals I			
2% HNO ₃	20 µg/mL: Al, Fe, V 10 µg/mL: Co, Cu, Mn, Ni, Zn 5 µg/mL: Be, Sb, Tl	125 mL	N9300214
Alternate Metals II			
2% HNO ₃	500 µg/mL: Ca, Na 100 µg/mL: K, Mg	125 mL	N9300215

Instrument Set-Up and Calibration Standards

From instrument installation to instrument calibration, we provide quality set-up, check and calibration standards to ensure instrument performance.

Instrument Calibration Standards

Matrix	Content	Volume	Part No.
Instrument Calibration Standard 1			
5% HNO ₃ /trace Tartaric Acid/trace HF	20 µg/mL: Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Sb, Se, Th, Tl, U, V, Zn	125 mL	N9303816
Instrument Calibration Standard 2			
5% HNO ₃ /trace Tartaric Acid/trace HF	100 µg/mL: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, Pb, Sb, Se, Sn, Sr, Ti, V, Zn	125 mL	N9301721
Instrument Calibration Standard 3			
5% HNO ₃	1,000 µg/mL: Ca, Fe, K, Mg, Na	125 mL	N9303818
Initial Calibration Verification Standard 1			
5% HNO ₃ /trace Tartaric Acid	1,000 µg/mL: Ca, Fe, K, Mg, Na, Sr 10 µg/mL: Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Mn, Mo, Ni, Pb, Sb, Se, Tl, V, Zn, Th, U	125 mL	N9303825

ICP-OES Solutions

Matrix	Volume	Part No.
UV Wavecal Solution	500 mL	N0582152
Mixed Calibration Standard	500 mL	N0691579
Low UV Standard	250 mL	N0691580
Calcium Stray Light Standard	125 mL	N0691581
Magnesium Standard Pure	125 mL	N0691745
Optima Blank in 2% HNO ₃	500 mL	N0773120
Instrument Calibration Standard 4	125 mL	N9300221
Vis Wavecal Solution	250 mL	N9302946

Instrument Setup Solutions

Matrix	Content	Volume	Part No.
Vis Wavecal Solution			
2% HNO ₃	50 µg/mL: K 10 µg/mL: La, Li, Mn, Na, Sr 1 µg/mL: Ba, Ca	250 mL	N9302946
UV Wavecal Solution			
5% HCl	100 µg/mL: K, P, S 20 µg/mL: As, La, Li, Mn, Mo, Na, Mo, Na, Ni, Sc	250 mL	N0681470
5% HCl	100 µg/mL: K, P, S 20 µg/mL: As, La, Li, Mn, Mo, Na, Ni, Sc 1 µg/mL: Ca	500 mL	N0582152
Low UV Standard			
2% HNO ₃	10 µg/mL: Al, P, S	250 mL	N0691580
Calcium Stray Light Standard			
H ₂ O	10,000 µg/mL: Ca	125 mL	N0691581

Initial Calibration Verification Standards

Matrix	Contents	Volume	Part No.
5% HNO ₃ /trace Tartaric Acid	500 µg/mL: Ca, K, Mg, Na 200 µg/mL: Al, Ba 100 µg/mL: Fe 60 µg/mL: Sb 50 µg/mL: Co, V 40 µg/mL: Ni 25 µg/mL: Cu 20 µg/mL: Zn 15 µg/mL: Mn 10 µg/mL: Ag, As, Cr, Tl 5 µg/mL: Be, Cd, Se 3 µg/mL: Pb	500 mL	N9300224
5% HNO ₃ /trace Tartaric Acid	500 µg/mL: Ca, K, Mg, Na 200 µg/mL: Al, Ba 100 µg/mL: Fe 60 µg/mL: Sb 50 µg/mL: Co, V 40 µg/mL: Ni 25 µg/mL: Cu 20 µg/mL: Zn 15 µg/mL: Mn 10 µg/mL: Ag, As, Cr, Tl 5 µg/mL: Be, Cd, Se 3 µg/mL: Pb	125 mL	N9303953

Instrument Calibration Standards for CLP

Matrix	Content	Volume	Part No.
Instrument Calibration Standard 1			
5% HNO ₃	5,000 µg/mL: Ca, K, Mg, Na	125 mL	N9300218
Instrument Calibration Standard 2			
5% HNO ₃	400 µg/mL: Ni 200 µg/mL: Zn 150 µg/mL: Mn 100 µg/mL: Ag, Cr	125 mL	N9300219
Instrument Calibration Standard 3			
5% HNO ₃	2,000 µg/mL: Al, Ba 1,000 µg/mL: Fe 500 µg/mL: Co, V 250 µg/mL: Cu 50 µg/mL: Be	125 mL	N9300220
Instrument Calibration Standard 4			
5% HNO ₃	100 µg/mL: As, Tl 50 µg/mL: Cd, Se 30 µg/mL: Pb	125 mL	N9300221

Instrument Calibration Standards for CLP

Matrix	Content	Volume	Part No.
Instrument Check Standard 1			
2% HNO ₃ /trace Tartaric Acid/trace HF	10 µg/mL: Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Mn, Ni, Pb, Sb, Se, Tl, V, Zn	125 mL	N9303821
Instrument Check Standard 3			
2% HNO ₃	200 µg/mL: Ca, Fe, K, Mg, Na	125 mL	N9303822
Instrument Check Standard 5			
2% HNO ₃ /trace HF	10 µg/mL: Mo, Sn, Sr, Ti	125 mL	N9303824

Interference Check Standards

Matrix	Content	Volume	Part No.
Interference Check Standard 1			
H ₂ O/trace HNO ₃ / 0.6% Tartaric Acid	1,000 µg/mL: Sb	125 mL	N9300207
Interferents A			
5% HNO ₃	5,000 µg/mL: Al, Ca, Mg 2,000 µg/mL: Fe	500 mL	N9300226
Alternate Interferents A			
5% HNO ₃	1,000 µg/mL: Cr, Cu, Mn, Ni, Ti, V	500 mL	N9300228
Analytes B			
5% HNO ₃ / trace Tartaric Acid/ trace HF	100 µg/mL: Cd, Ni, Zn 60 µg/mL: Sb 50 µg/mL: Ba, Be, Co, Cr, Cu, Mn, V 20 µg/mL: Ag 10 µg/mL: As, Tl 5 µg/mL: Pb, Se	125 mL	N9300227
Alternate Analytes B			
5% HNO ₃ / trace Tartaric Acid/ trace HF	100 µg/mL: Al, As, B, Mo, Na, Sb, Se, Tl 10 µg/mL: Ca, Fe, Mg, Si	125 mL	N9300229
Interference Check Standards			
H ₂ O/trace HNO ₃ / 0.6% Tartaric Acid	1,000 µg/mL: Sb	500 mL	N9303797
Interference Check Solution 1 (for SW-846 and ILM 05.2)			
5% HNO ₃ /trace HF	10,000 µg/mL: Cl 2,000 µg/mL: C 1,000 µg/mL: Al, Ca, Fe, K, Mg, Na, P, S 20 µg/mL: Mo, Ti	125 mL	N9303828
Interference Check Solution 2 (for SW-846)			
2% HNO ₃	10 µg/mL: Ag, As, Cd, Co, Cr, Cu, Mn, Ni, Zn	125 mL	N9303830
Analytes C (for ILM 05.2)			
2% HNO ₃ / trace Tartaric Acid/ trace HF	2 µg/mL: Ag, As, Ba, Be, Cd, Co, Cr, Cu, Hg*, Mn, Ni, Pb, Sb, Se, Tl, V, Zn	125 mL	N9303831

*Supplied in separate bottle

Internal Standard Solutions

Matrix	Content	Volume	Part No.
Multi-Element Internal Standard			
2% HNO ₃	10 µg/mL: Bi, Ho, In, Li6, Sc, Tb, Y	125 mL	N9303834
Internal Standard Mix			
5-10% HNO ₃	10 µg/mL: Bi, Ge, In, Li6, Sc, Tb, Y	125 mL	N9303832
Internal Standard Mix			
5-10% HNO ₃	10 µg/mL: Bi, Ge, In, Li6, Sc, Tb, Y	500 mL	N9303833

Contract Required Detection Limits (CRDL)

Matrix	Content	Volume	Part No.
% HNO ₃ / trace Tartaric Acid/ trace HF	120 µg/mL: Sb 100 µg/mL: Co, V 80 µg/mL: Ni 50 µg/mL: Cu 40 µg/mL: Zn 30 µg/mL: Mn 20 µg/mL: Ag, As, Cr, Tl 10 µg/mL: Be, Cd, Se 6 µg/mL: Pb	125 mL	N9300225

Isotope Standard

Matrix	Content	Volume	Part No.
Lithium 6 Standard			
2% HNO ₃	100 mg/L: Li6	125 mL	N9303955



Universal Data Calibration Standards Kit

Matrix	Content	Volume	Part No.
Solution Kit			N9306225
Includes 1 bottle of each:			
5% HNO ₃	10 µg/mL: Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sm, Sc, Tb, Th, Tm, Y, Yb	125 mL	N9303816
5% HNO ₃	10 µg/mL: Al, Ag, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cs, Cu, Fe, Ga, Hg*, In, K, Li, Mg, Mn, Na, Ni, Pb, Rb, Se, Sr, Tl, U, V, Zn	125 mL	
10% HCl/ 1% HNO ₃	10 µg/mL: Au, Hf, Ir, Pd, Pt, Rh, Ru, Sb, Sn, Te	125 mL	
5% HNO ₃	10 µg/mL: Hg*	125 mL	
H ₂ O /trace HF/ trace HNO ₃	10 µg/mL: B, Ge, Mo, Nb, P, Re, S, Si, Ta, Ti, W, Zr	125 mL	

*Supplied in separate bottle

Metallo-Organic Standards

PerkinElmer Metallo-Organic Standards provide a comprehensive solution to your application needs.

Our product offering includes:

- Single and multi-element standards for the analysis of wear metals and metal additives in oil
- Reference materials for used oil analysis of fuel, soot, water, acid number, base number or viscosity
- Sulfur standards made from polysulfide oil
- High purity matrix oils and solvents
- Proficiency testing standards with instant feedback

Each product is shipped with a comprehensive Certificate of Analysis. Our Metallo-Organic Standards have been designed to give you the confidence you need when analyzing difficult samples.



Single-Element, Metallo-Organic Standards

Element	Symbol	Matrix	Size	Part No.
Aluminum 1000 µg/g	Al	Hydrocarbon Oil	50 g	N9308200
Arsenic 1000 µg/g	As	Hydrocarbon Oil	50 g	N9308202
Boron 1000 µg/g	B	Hydrocarbon Oil	50 g	N9308206
Cadmium 1000 µg/g	Cd	Hydrocarbon Oil	50 g	N9308207
Calcium 1000 µg/g	Ca	Hydrocarbon Oil	50 g	N9308208
Chromium 1000 µg/g	Cr	Hydrocarbon Oil	50 g	N9308209
Cobalt 1000 µg/g	Co	Hydrocarbon Oil	50 g	N9308210
Copper 1000 µg/g	Cu	Hydrocarbon Oil	50 g	N9308211
Iron 1000 µg/g	Fe	Hydrocarbon Oil	50 g	N9308212
Lead 1000 µg/g	Pb	Hydrocarbon Oil	50 g	N9308214
Lithium 1000 µg/g	Li	Hydrocarbon Oil	50 g	N9308215
Magnesium 1000 µg/g	Mg	Hydrocarbon Oil	50 g	N9308216
Manganese 1000 µg/g	Mn	Hydrocarbon Oil	50 g	N9308217
Mercury 1000 µg/g	Hg	Hydrocarbon Oil	50 g	N9308218
Molybdenum 1000 µg/g	Mo	Hydrocarbon Oil	50 g	N9308219

Element	Symbol	Matrix	Size	Part No.
Nickel 1000 µg/g	Ni	Hydrocarbon Oil	50 g	N9308220
Phosphorus 1000 µg/g	P	Hydrocarbon Oil	50 g	N9308221
Potassium 1000 µg/g	K	Hydrocarbon Oil	50 g	N9308222
Scandium 1000 µg/g	Sc	Hydrocarbon Oil	50 g	N9308223
Silicon 1000 µg/g	Si	Hydrocarbon Oil	50 g	N9308225
Sodium 1000 µg/g	Na	Hydrocarbon Oil	50 g	N9308227
Strontium 1000 µg/g	Sr	Hydrocarbon Oil	50 g	N9308228
Sulfur 10 µg/g	S	Hydrocarbon Oil	50 g	N9308229
Sulfur 100 µg/g	S	Hydrocarbon Oil	50 g	N9308230
Sulfur 1000 µg/g	S	Hydrocarbon Oil	50 g	N9308231
Tin 1000 µg/g	Sn	Hydrocarbon Oil	50 g	N9308233
Vanadium 1000 µg/g	V	Hydrocarbon Oil	50 g	N9308235
Yttrium 1000 µg/g	Y	Hydrocarbon Oil	50 g	N9308236
Yttrium 5000 µg/g	Y	Hydrocarbon Oil	50 g	N9308232
Zinc 1000 µg/g	Zn	Hydrocarbon Oil	50 g	N9308237

Lubricant Guide

For more information on our Lubricants consumables offering visit www.PerkinElmer.com/lubricants. You'll find everything from application notes to a comprehensive guide of consumables for all your Lubricants analysis needs.



V-21 Wear Metal Standards

Includes: Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn

Description	Matrix	Size	Part No.
V-21 Wear Metals Standard 10 µg/g	Hydrocarbon Oil	200 g	N9308301
V-21 Wear Metals Standard 100 µg/g	Hydrocarbon Oil	200 g	N9308307
V-21 Wear Metals Standard 500 µg/g	Hydrocarbon Oil	100 g	N9308310
V-21 Wear Metals Standard 900 µg/g	Hydrocarbon Oil	100 g	N9308312

V-21+K Wear Metal Standards

Includes: Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn

Description	Matrix	Size	Part No.
V-21+K Wear Metals Standard 10 µg/g	Hydrocarbon Oil	100 g	N9308355
V-21+K Wear Metals Standard 50 µg/g	Hydrocarbon Oil	100 g	N9308359
V-21+K Wear Metals Standard 50 µg/g	Hydrocarbon Oil	200 g	N9308360
V-21+K Wear Metals Standard 100 µg/g	Hydrocarbon Oil	100 g	N9308361
V-21+K Wear Metals Standard 100 µg/g	Hydrocarbon Oil	200 g	N9308362
V-21+K Wear Metals Standard 500 µg/g	Hydrocarbon Oil	100 g	N9308365
V-21+K Wear Metals Standard 500 µg/g	Hydrocarbon Oil	200 g	N9308366
V-21+K Wear Metals Standard 500 µg/g	Hydrocarbon Oil	400 g	N9308374
V-21+K Wear Metals Standard 900 µg/g	Hydrocarbon Oil	200 g	N9308368

Internal Standards

Description	Matrix	Size	Part No.
Cobalt (Co) Internal Standard, 6%	Mineral Spirits	200 g	N0776107
Cobalt (Co) Internal Standard, 6%	Mineral Spirits	400 g	N9308334
Cobalt (Co) Internal Standard, 5000 µg/g	Hydrocarbon Oil	50 g	N9308258
Cobalt Sulfur-Free Metallo-Organic Concentrate: Co @ approx 3%	Hydrocarbon Oil	400 g	N9304168

V-23 Wear Metal Standards

Includes: Ag, Al, B, Ba, Ca, Cd, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Si, Sn, Ti, V, Zn

Description	Matrix	Size	Part No.
V-23 Wear Metals Standard 10 µg/g	Hydrocarbon Oil	100 g	N9308239
V-23 Wear Metals Standard 10 µg/g	Hydrocarbon Oil	200 g	N0776109
V-23 Wear Metals Standard 10 µg/g	Hydrocarbon Oil	400 g	N9308315
V-23 Wear Metals Standard 30 µg/g	Hydrocarbon Oil	100 g	N9308241
V-23 Wear Metals Standard 30 µg/g	Hydrocarbon Oil	400 g	N9308316
V-23 Wear Metals Standard 50 µg/g	Hydrocarbon Oil	100 g	N9308243
V-23 Wear Metals Standard 50 µg/g	Hydrocarbon Oil	200 g	N0776104
V-23 Wear Metals Standard 50 µg/g	Hydrocarbon Oil	400 g	N9308317
V-23 Wear Metals Standard 100 µg/g	Hydrocarbon Oil	100 g	N9308245
V-23 Wear Metals Standard 100 µg/g	Hydrocarbon Oil	200 g	N0776105
V-23 Wear Metals Standard 100 µg/g	Hydrocarbon Oil	400 g	N9308318
V-23 Wear Metals Standard 300 µg/g	Hydrocarbon Oil	100 g	N9308247
V-23 Wear Metals Standard 500 µg/g	Hydrocarbon Oil	100 g	N9308249
V-23 Wear Metals Standard 500 µg/g	Hydrocarbon Oil	200 g	N0776106
V-23 Wear Metals Standard 500 µg/g	Hydrocarbon Oil	400 g	N9308320
V-23 Wear Metals Standard 900 µg/g	Hydrocarbon Oil	100 g	N9308251
V-23 Wear Metals Standard 900 µg/g	Hydrocarbon Oil	200 g	N9308252
V-23 Wear Metals Standard 900 µg/g	Hydrocarbon Oil	400 g	N9308321

V-26 Wear Metal Standards

Includes: Ag, Al, B, Ba, Bi, Ca, Cd, Cr, Cu, Fe, In, Li, K, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Si, Sn, Ti, V, Zn

Description	Matrix	Size	Part No.
V-26 Wear Metals Standard 10 µg/g	Hydrocarbon Oil	100 g	N0776130
V-26 Wear Metals Standard 30 µg/g	Hydrocarbon Oil	100 g	N0776132
V-26 Wear Metals Standard 30 µg/g	Hydrocarbon Oil	200 g	N0776133
V-26 Wear Metals Standard 50 µg/g	Hydrocarbon Oil	100 g	N0776134
V-26 Wear Metals Standard 50 µg/g	Hydrocarbon Oil	200 g	N0776135
V-26 Wear Metals Standard 50 µg/g	Hydrocarbon Oil	400 g	N9308747
V-26 Wear Metals Standard 100 µg/g	Hydrocarbon Oil	100 g	N0776136
V-26 Wear Metals Standard 100 µg/g	Hydrocarbon Oil	100 g	N0776137
V-26 Wear Metals Standard 100 µg/g	Hydrocarbon Oil	400 g	N9308742
V-26 Wear Metals Standard 300 µg/g	Hydrocarbon Oil	100 g	N0776138
V-26 Wear Metals Standard 500 µg/g	Hydrocarbon Oil	100 g	N0776140
V-26 Wear Metals Standard 500 µg/g	Hydrocarbon Oil	200 g	N0776141
V-26 Wear Metals Standard 500 µg/g	Hydrocarbon Oil	400 g	N9308746
V-26 Wear Metals Standard 900 µg/g	Hydrocarbon Oil	100 g	N0776142

Metal Additive Standards

Description	Matrix	Size	Part No.
Metal Additive Standard 3: Ca @ 5000 µg/g; P, Zn @ 1600 µg/g	Hydrocarbon Oil	400 g	N9308552
Metal Additive Standard 4: Ca @ 5000 µg/g; Mg, P, Zn @ 1600 µg/g	Hydrocarbon Oil	100 g	N9308259
Metal Additive Standard 4: Ca @ 5000 µg/g; Mg, P, Zn @ 1600 µg/g	Hydrocarbon Oil	200 g	N0776108
Metal Additive Standard 4: Ca @ 5000 µg/g; Mg, P, Zn @ 1600 µg/g	Hydrocarbon Oil	400 g	N9308333



V-Solv™ ICP
Solvent 1 Gallon

Matrix Oils and Solvents

Description	Matrix	Size	Part No.
Hydrocarbon Oil	75 cSt Oil	500 mL	N0776103
Hydrocarbon Oil	75 cSt Oil	1 Gal.	N9308262
Mineral Oil (low sulfur)	20 cSt Mineral Oil	500 mL	N9308263
Mineral Oil (low sulfur)	20 cSt Mineral Oil	1/2 Gal.	N9308264
V-Solv™ ICP Solvent	V-Solv™	1 Gal.	N9308265
V-Solv™ ICP Solvent	V-Solv™	5 Gal.	N9308378
Citrajet Liquid Acid Cleaner		1 Gal.	N0777063
V-Solv™ + Cobalt ICP Solvent	V-Solv™	1 Gal.	N9308198
V-Solv™ + Cobalt ICP Solvent	V-Solv™	5 Gal.	N9308199

Acid Number Standards

Description	Matrix	Size	Part No.
Acid Number (AN) Reference Material, 0.1 mg KOH/g	Hydrocarbon Oil	100 g	N9308160
Acid Number (AN) Reference Material, 0.5 mg KOH/g	Hydrocarbon Oil	100 g	N9308166
Acid Number (AN) Reference Material, 1 mg KOH/g	Hydrocarbon Oil	100 g	N9308162
Acid Number (AN) Reference Material, 1.5 mg KOH/g	Hydrocarbon Oil	100 g	N9308164
Acid Number (AN) Reference Material, 3 mg KOH/g	Hydrocarbon Oil	50 g	N9308168
Acid Number (AN) Reference Material, 3 mg KOH/g	Hydrocarbon Oil	400 g	N9308169

Fuel Dilution Standards

Description	Matrix	Size	Part No.
100 µg/g Ethylene Glycol Standard	Multi-grade Diesel Engine Oil	80 mL	N9308388
500 µg/g Ethylene Glycol Standard	Multi-grade Diesel Engine Oil	80 mL	N9308389
600 µg/g Ethylene Glycol QC Standard	Multi-grade Diesel Engine Oil	80 mL	N9308398
1000 µg/g Ethylene Glycol Standard	Multi-grade Diesel Engine Oil	80 mL	N9308396
2000 µg/g Ethylene Glycol Standard	Multi-grade Diesel Engine Oil	80 mL	N9308397
Ethylene Glycol Standards Set	Multi-grade Diesel Engine Oil	6 x 80 mL	N9308399
Ethylene Glycol Standards Set	Multi-grade Diesel Engine Oil	80 mL	N9308379

Devolatilized Diesel Fuel Standards

Description	Matrix	Size	Part No.
2% w/w Devolatilized Diesel Fuel	75 cSt Hydrocarbon Oil	100 mL	N9308151
4% w/w Devolatilized Diesel Fuel	75 cSt Hydrocarbon Oil	100 mL	N9308152
5% w/w Devolatilized Diesel Fuel	75 cSt Hydrocarbon Oil	100 mL	N9308153
10% w/w Devolatilized Diesel Fuel	75 cSt Hydrocarbon Oil	100 mL	N9308154
Custom Fuel Dilution Std. 6% (w/w)	75 cSt Hydrocarbon Oil	100 mL	N9308155

Base Number Standards

Description	Matrix	Size	Part No.
Base Number (BN) Reference Material, 6 mg KOH/g	Hydrocarbon Oil	50 g	N9308554
Base Number (BN) Reference Material, 10 mg KOH/g	Hydrocarbon Oil	50 g	N9308555
Base Number (BN) Reference Material, 15 mg KOH/g	Hydrocarbon Oil	50 g	N9308174
Base Number (BN) Reference Material, 30 mg KOH/g	Hydrocarbon Oil	50 g	N9308176
Base Number (BN) Reference Material, 40 mg KOH/g	Hydrocarbon Oil	50 g	N9308178
Base Number Standard 30 mg KOH/g	Hydrocarbon Oil	50 g	N9308553



Dilution Oil



Karl Fischer Standards

Karl Fischer Standards

Nominal Water Concentration (%)	Matrix	Size	Part No.
Karl Fischer Water in Oil, 0.05%	10W30 Motor Oil	100 mL	N9308298
Karl Fischer Water in Oil, 0.1%	10W30 Motor Oil	100 mL	N9308279
Karl Fischer Water in Oil, 0.5%	10W30 Motor Oil	100 mL	N9308280
Karl Fischer Water in Oil, 1.0%	10W30 Motor Oil	100 mL	N9308281

Crackle Test Reference Standards

Description	Matrix	Size	Part No.
Crackle Test Reference Standard 0 wt% H ₂ O	10W30 Motor Oil	100 g	N9308337
Crackle Test Reference Standard 0.1 wt% H ₂ O	10W30 Motor Oil	100 g	N9308338
Crackle Test Reference Standard 0.5 wt% H ₂ O	10W30 Motor Oil	100 g	N9308339

OilExpress Standards

Description	Matrix	Size	Part No.
In-Service Lubricants FT-IR Control Standard	15W40 Diesel Oil	500 mL	N9308375
OilExpress 4 Test Oil 120 cSt	PAO Oils	500 mL	N9308351
OilExpress 4 Test Oil 360 cSt	PAO Oils	100 mL	N9308352
OilExpress 4 System Liquid Detergent Additive		100 mL	N9308354
OilExpress 4 System Liquid Detergent Additive		500 mL	N9308376
OilExpress 4 System Liquid Detergent Additive		1 Gal.	N9308380
Pathlength Calibration Fluid (Squalane)		50 mL	N9308377
OilExpress 4 Installation Kit (includes N9308350 , N9308351 , N9308352 , N9308354 , and N9308377)			N9300850

Viscosity Reference Standards

Description	Matrix	Size	Part No.
Viscosity Standard Reference Kit Kit includes: N5316001 , N5316002 , N5316003 , N5316004 , N5316005	Hydrocarbons	5 x 500 mL	N5316000

Biodiesel Standards

Description	Matrix	Size	Part No.
Biodiesel Blank	B100 Biodiesel	100 mL	N9308286
Biodiesel Blank	B100 Biodiesel	500 mL	N9308287
Sulfur @ 20 µg/g in Biodiesel	B100 Biodiesel	100 mL	N9308288
Metals in Biodiesel – Ca, K, Mg, Na, P @ 20 µg/g	B100 Biodiesel	100 g	N9308289
Multi-Element Biodiesel Standard 5 µg/g, Ca, K, Mg, Na, P	B100 Biodiesel	100 g	N9308726

Biodiesel Blends

Description	Matrix	Size	Part No.
100% High Cetane Diesel	High Cetane Diesel Fuel	20 mL	N9308290
2% (v/v) Biodiesel	High Cetane Diesel Fuel	20 mL	N9308291
5% (v/v) Biodiesel	High Cetane Diesel Fuel	20 mL	N9308292
10% (v/v) Biodiesel	High Cetane Diesel Fuel	20 mL	N9308293
15% (v/v) Biodiesel	High Cetane Diesel Fuel	20 mL	N9308294
20% (v/v) Biodiesel	High Cetane Diesel Fuel	20 mL	N9308295
100% (v/v) Biodiesel	B100 Biodiesel	20 mL	N9308296

Sulfur Standards

Description	Matrix	Size	Part No.
Polysulfide Oil Blank	13 cSt Mineral Oil	500 mL	N9308390
Sulfur @ 0 µg/g (Blank)	#2 Diesel Fuel	500 mL	N9308714
Sulfur @ 5 µg/g, from Polysulfide Oil	#2 Diesel Fuel	500 mL	N9308715
Sulfur @ 10 µg/g, from Polysulfide Oil	#2 Diesel Fuel	500 mL	N9308716
Sulfur @ 15 µg/g, from Polysulfide Oil	#2 Diesel Fuel	500 mL	N9308717
Sulfur @ 20 µg/g, from Polysulfide Oil	#2 Diesel Fuel	500 mL	N9308718
Sulfur @ 25 µg/g, from Polysulfide Oil	#2 Diesel Fuel	500 mL	N9308719
Sulfur @ 50 µg/g, from Polysulfide Oil	#2 Diesel Fuel	500 mL	N9308720
Sulfur @ 100 µg/g, from Polysulfide Oil	#2 Diesel Fuel	500 mL	N9308721

Detection Limit Calibration Standard

Description	Matrix	Size	Part No.
Detection Limits Calibration Standard: a, Mg @ 5 µg/g; La, Li, Mn, Ni, Sr, Zn @ 50 µg/g; As, K @ 250 µg/g	Hydrocarbon Oil	4 oz.	N9307102

Coolant Standards

Matrix	Content	Volume	Part No.
Custom Standard HI 1A			
3% HNO ₃ (v/v)	Al @ 10 µg/mL, Mg @ 20 µg/mL, Ca @ 32 µg/mL, Cu, Fe, Pb, Zn @ 50 µg/mL, B @ 1000 µg/mL, P @ 2000 µg/mL, K @ 5000 µg/mL, Na @ 10,000 µg/mL	500 mL	N9308341
Custom Standard QC 1A			
3% HNO ₃ (v/v)	Al, Cu @ 5 µg/mL, Mg @ 10 µg/mL, Zn @ 20 µg/mL, Fe, Pb @ 25 µg/mL, Ca @ 50 µg/mL, B @ 250 µg/mL, P @ 1000 µg/mL, K @ 2500 µg/mL, Na @ 5000 µg/mL	500 mL	N9308342
Custom Standard LO 1A			
3% HNO ₃ (v/v)	Al, Cu @ 2 µg/mL, Mg, Zn @ 4 µg/mL, Fe, @ 5 µg/mL, Ca, Pb @ 10 µg/mL, B @ 50 µg/mL, P @ 400 µg/mL, K, Na @ 1000 µg/mL	500 mL	N9308343
Custom Standard QC 1B			
3% HNO ₃ (v/v)/ trace HF	Sn @ 10 µg/mL, Si @ 30 µg/mL, Mo @ 50 µg/mL	500 mL	N9308344
Custom Standard LO 1B			
3% HNO ₃ (v/v)/ trace HF	Sn @ 5 µg/mL, Si @ 10 µg/mL, Mo @ 20 µg/mL	500 mL	N9308345
Custom Standard HI 1B			
3% HNO ₃ (v/v)/ trace HF	Sn @ 20 µg/mL, Mo, Si @ 100 µg/mL	500 mL	N9308346

Proficiency Testing Standards

Proficiency Testing Program

The Proficiency Testing Program offered by PerkinElmer has been designed to provide laboratories with a method of monitoring their analytical performance as measured against Certified Reference Materials (CRMs).



Proficiency Testing Standards

1. Analyze a sample
2. Report the results online
3. Receive an instant response to submitted values

Confirm the accuracy of your analytical results, quickly, easily and definitively.

Description	Size	Part No.
PTP Standard for Elemental Analysis of Oils	25 g	N9308314

Note: Analyze a sample for up to 23 common elements and report the concentrations in µg/g (ppm). Enter all elements or only those that are of interest to you. Results are color-coded pass/fail indications in green (pass), yellow (borderline) and red (fail).

Description	Size	Part No.
Sample for Particle Count Analysis	125 mL	N9308725

Note: Particle count PTP test standards includes 8 channels (4,6,8,14,21,38, 50 and 70 µm). One bottle for ISO 11171 only.

Description	Size	Part No.
Viscosity PTP Test Standard	50 mL	N9308540

Note: Report viscosity values in cSt at 40 °C, 100 °C, or both

Sample Preparation Blocks and Titan/MPS 320

Sample preparation is one of the most critical steps in the analytical process. Often accounting for 60% of your timetable, it has a fundamental impact on laboratory throughput and analytical performance. Any errors within the sample preparation process will undermine the quality of your data at all subsequent stages of your analysis. At PerkinElmer, we provide you with a portfolio of sample preparation solutions that ensure sample preparation success.

Quick Reference Index Page

▶ Sample Preparation Blocks and Controllers	102
▶ SPB Start Up Kits	103
▶ DigiFILTERs	103
▶ DigiTUBES	104
▶ Watch Glasses	104
▶ Titan/MPS 320 Systems and Accessories	105
▶ Vessels and Vessel Caps	106
▶ Consumable Run Kits	107

Sample Preparation Blocks and Controllers



Better laboratory practices demand modern techniques in sample preparation. In the past, hot plates were used to digest samples where common digestion problems involved rusting, cross contamination of digestion system to sample, and poor sample temperature control.

▶ [VIEW PAGE](#)

MPS 320

The MPS 320™ is a reliable and easy-to-operate microwave digestion system for PerkinElmer's AA, ICP-OES, and ICP-MS instruments that accommodates a wide range of sample matrices and applications. It provides the choice of closed-vessel digestion, a requirement for working with volatile elements, or unique, easy-to-use and high-throughput auto-venting vessels, which allow digestion to continue when preset pressure is reached.



▶ [VIEW PAGE](#)

Tubes and Vessels

PerkinElmer offers a complete selection of consumables and supplies for your Sample Preparation products.



▶ [VIEW PAGE](#)

Open Digestion


Ideal for: Liquid and solid samples in regulated industries.

Common Applications: water, soil and food testing.

Overview: Open vessel, atmospheric pressure digestion is a common approach to sample preparation for regulatory and compliance laboratories. With the ability to prepare large quantities of samples, open digestion is great for labs with modest digestion requirements that rely on high throughput. Hot block digestion using open vessels meets the regulatory requirements for sample extraction and a number of approved methods are in place to support this.

All PerkinElmer sample preparation blocks are manufactured under a certified ISO 9001: 2008 Quality Management System to meet our high quality requirements.

Upgrade from a Hot Plate: Better laboratory practices demand modern techniques in sample preparation. In the past, hot plates were used to digest samples where common digestion problems involved low throughput, dealing with fragile beakers, cleanliness of glassware, rusting and corrosion, cross contamination of digestion system to sample, loss of volatile elements and poor sample temperature control.



Sample Preparation Blocks

The SPB series of block digestion systems offers the latest in graphite block technology in many different packages. Graphite blocks are PTFE-coated to resist aggressive corrosive attack for guaranteed long life in harsh laboratory environments.

Our sample blocks operate with either a SPB Digital Controller or SPB Touch Controller*. Please select a controller below and the appropriate Start Up Kit* which includes RackLock DigiTUBE®s, disposable watch glasses, DigiFILTER™s and much more. Each SPB Block includes one set of racks.

Description	Capacity	Part No.
SPB 15-40, (115 V/230 V)	40 Tubes/15 mL	N9300800
SPB 15-108, (115 V/230 V)	108 Tubes/15 mL	N9300801
SPB 50-24, (115 V/230 V)	24 Tubes/50 mL	N9300802
SPB 100-12, (115 V/230 V)	12 Tubes/100 mL	N9300805
SPB 50-48, (115 V/230 V)	48 Tubes/50 mL	N9300803
SPB 100-30, (115 V/230 V)	30 Tubes/100 mL	N9300806
SPB 50-72, (230 V)	72 Tubes/50 mL	N9300804
SPB 100-42, (230 V)	42 Tubes/100 mL	N9300807

*Sold separately

Controllers

The user friendly SPB Digital Controller includes programmable features such as: temperature set-point to 0.1 °C, even sample heating and evaporation results, timer shutdown option and programmable alarm for end of cycle.

The SPB Touch Controller includes all of the SPB Digital Controller features and more. Added features include: a graphical representation of the heating profile in real-time to identify the current stage of the method heating program. Safety features include the ability of the controller to monitor the heating cycle of the block to prevent run away situations. The controller allows for the SPB Probe to be calibrated to meet your SOP requirements.

The SPB Probe, used with either the Digital or Touch models, can directly monitor and control the block's heating rate via sample temperature feedback to the controller.

Description	Part No.
SPB Digital Controller	N9300808
SPB Touch Controller	N9300809



Start Up Kits

PerkinElmer's SPB Start Up kits contain all consumable items required to operate the system including: RackLock DigiTUBE®s and Caps, disposable Watch Glasses, DigiFILTER™s, RackLock Racks and Storage Racks.

Description	DigiTUBEs /Caps	Watch Glasses	Racks	Part No.
Start Up Kit for SPB 50-24	500	1000	1	N9308017
Start Up Kit for SPB 50-48	500	1000	2	N9308002
Start Up Kit for SPB 100-30	200	500	2	N9308013



Temperature Probes

Why use a thermometer to monitor and manually adjust sample temperature when a SPB Probe will automatically do the job? The SPB Probe provides direct control and monitoring of actual sample temperature via a corrosion-resistant, PFA-coated temperature probe. Available with different holders in a 6 in. configuration for use with 50 and 100 mL DigiTUBEs. Each probe is supplied with five Probe Watch Glasses and a probe holder.

Description	Qty.	Part No.
SPB Probe 6 in. for 50 mL Tubes	1	N9308018



Automatic Shut-Off System

Designed to shut-off SPB systems with no lab supervision. Ideal for overnight digestions and evaporations where samples require volume reductions (volume control ± 2.5 mL). Increase lab efficiency by automatically digesting samples off-hours. Select appropriate Probe for Tube use.

Description	Qty.	Part No.
TempSET, without Probe	1	N9300810



DigiFILTER

The vacuum assisted DigiFILTER assembly provides a quick and easy way to filter samples prior to analysis. Increase lab productivity by filtering particulates from digested samples in a matter of seconds directly from the digestion tube. Available with a 0.45 or 1.0 μ hydrophilic PTFE membrane. Field Filtration Kit conforms to Item 8.2 in the EPA 200.7, 200.8 and 200.9 Methods.

Description	Qty.	Part No.
DigiFILTER 0.45 micron for 50 mL DigiTUBEs	100	N9308031
DigiFILTER 1.0 micron for 50 mL DigiTUBEs	100	N9308032
DigiFILTER Manifold	1	N9308034

Tubes, Caps and Watch Glasses

PerkinElmer offers 50 and 100 mL, disposable, sample digestion tubes with easy-to-read graduations. Accurate 50 or 100 mL graduation is calibrated to meet Class A specifications to allow normalization directly in the tube. RackLock design allows for easy, one-handed closure of leak-free screw cap. All-in-one tubes eliminate the need for five separate vessels: Digestion beakers, volumetric flasks, graduated cylinders, autosampler tubes and storage containers.



DigiTUBEs

DigiTUBE	Dimensions (OD/ID)
15 mL	12 mm x 11 mm
50 mL	30 mm x 28 mm
100 mL	46 mm x 44 mm

Description	Qty.	Part No.
DigiTUBEs 15 mL with RackLock (incl. caps)	1620	N9308711
DigiTUBEs 15 mL with RackLock (incl. caps)	540	N9308713
DigiTUBEs 50 mL with RackLock (incl. caps)	750	N9308008
DigiTUBEs 50 mL non-RackLock (incl. caps)	750	N9308037
DigiTUBEs 50 mL with RackLock (no caps)	750	N9308340
DigiTUBEs 100 mL with RackLock (incl. caps)	300	N9308016
DigiTUBEs 100 mL non-RackLock (incl. caps)	300	N9308066
PTFE Digestion Tube 50 mL (incl. Blue caps)	6	N9308024



Screw Caps

Description	Qty.	Part No.
Screw Caps, Orange, for 50 mL DigiTUBEs	250	N9308058
Screw Caps, Clear, for 50 mL DigiTUBEs	250	N9308060
PTFE Screw Cap for PTFE 50 mL Digestion Tube	6	N9308027

Watch Glasses



Description	Qty.	Part No.
Disposable Watch Glasses, 50 mL	1000	N9308003
Disposable Watch Glasses, 100 mL	500	N9308030

Fume Hoods and Accessories

The bench top fume hoods for SPB systems are the right choice for trace-metal digestions. Made from clear, acid resistant polycarbonate with a solid surface material base, the fume hood eliminates the risk of trace-metal contamination common with traditional fume hoods. HEPA® filters ensure clean input air. The fume hood can be connected to an in-house laboratory exhaust system or used with the SPB blower unit (**N9308022**). Fume hoods come flatpacked to save transport costs and can be assembled in minutes without tools.

Description	Part No.
Fume Hood II for Autosampler 23.5 in. D x 26 in. W x 25 in. H	N9308036
Vacuum Pump 17 L/min 230 V	N9308331

Part No.
N9308063



Microwave Digestion

Ideal for: Difficult sample types and regulated laboratories.

Common Applications: Plant waste streams, alloys, pigments, simple and precious metal ores and heavy organic samples.

Overview: Microwave digestion provides high-performance, pressure digestion using sealed vessels to deliver complete sample digestion, allowing total elemental measurement. Able to digest difficult sample types quickly and completely, microwave digestion provides the most accurate sample preparation. Using ultra-clean sealed digestion vessels, the Titan/MPS 320 avoids loss of volatile analytes and prevents sample contamination from the working environment. With its high performance, microwave digestion is ideal for mining/geologic, environmental, petrochemical and pharmaceutical industries.

The MPS 320™ is a reliable and easy-to-operate microwave digestion system for PerkinElmer's AA, ICP-OES, and ICP-MS instruments that accommodates a wide range of sample matrices and applications.

The MPS 320 provides:

- The choice of closed-vessel digestion, a requirement for working with volatile elements, or unique, easy-to-use and high-throughput auto-venting vessels, which allow digestion to continue when preset pressure is reached
- Four different rotor configurations to select from, depending on your needs
- State-of-the-art temperature/pressure control
- A variety of unique safety features



System Accessories

Description	Part No.
Exhaust Tube 1.5 m (one included with Titan)	N3134015
Titan/MPS 320 Bench The Titan MPS bench is a heavy-duty Chemsurf laminated rolling cart. The top working surface is constructed with durable Chemsurf material, a chemically-resistant laminate specifically designed for applications in laboratories with routine exposure to chemicals. A full lower shelf with durable Chemsurf laminate provides storage space for digestion vessels and other Titan/MPS 320 spares and accessories. Locking 4 in. diameter casters provide stability and easy movement. Dimensions: 32 in. D x 30 in. W x 29 in. H	N0777900



Accessories

Description	Part No.
PTFE 2 mL Sample Weighing Cup for Use in Standard 75 mL (40 Bar) or High Pressure 100 mL (100 Bar) Digestion Vessel, Qty. 1	N3134009



Part No.
N3132011



Part No.
N3132013

Vessels and Vessel Caps

Description	Qty.	Part No.
Standard 75 mL (40 Bar) Digestion Vessel with DPC (Complete) Includes: Pressure Seal, Vessel Cap with DPC, Rupture Disc and Vessel Base	1	N3132010
Standard 75 mL (40 Bar) Digestion Vessel without DPC. Includes: Pressure Seal, Vessel Cap, Rupture Disc and Vessel Base	1	N3132009
Standard 75 mL (40 Bar) Digestion Vessel TFM Base (base only)	1	N3132011
TFM Cap for Standard 75 mL (40 Bar) Digestion Vessels without Pressure Sensor	1	N3132012
TFM DPC Cap for Standard 75 mL (40 Bar) Digestion Vessels with Pressure Sensor	1	N3132013
High Pressure 100 mL (100 Bar) Digestion Vessel without DPC (complete) Includes: Pressure seal, Vessel cap, Rupture Disc, TFM Vessel Insert, Ceramic Pressure Jacket and Vessel Base	1	N3133012
High Pressure 100 mL (100 Bar) Digestion Vessel with DPC (complete) Includes: Pressure seal, Closure Cap with DPC, Rupture Disc, TFM Vessel Insert, Ceramic Pressure Jacket and Vessel Base	1	N3133013
High Pressure 100 mL (100 Bar) Digestion Vessel Base (base only)	1	N3133014
TFM DPC for High Pressure 100 mL (100 Bar) Digestion Vessels with Pressure Sensor	1	N3133016



Part No.
N3132001

Part No.
N3132002

Part No.
N3133011

Spares and Replacement Parts

Description	Part No.
Rupture Disc for Standard 75 mL (40 Bar) Digestion Vessels. Made of aluminum, set of 25 pcs	N3132001
Rupture Disc for High Pressure 100 mL (100 Bar) Digestion Vessels. Made of titanium, set of 10 pcs	N3133022
Pressure Seal for Standard 75 mL (40 Bar) Digestion Vessels. Made of TFM, set of 10 pcs	N3132002
Pressure Seal for High Pressure 100 mL (100 Bar) Digestion Vessels. Made of TFM, set of 5 pcs	N3133023
DPC Glass Prism for Standard or High Pressure Digestion Vessels	N3132004
DPC Glass-Ring for Standard 75 mL (40 Bar) Digestion Vessel	N3132003
DPC Glass-Ring for High Pressure 100 mL (100 Bar) Digestion Vessel	N3133003
DPC Polarization Foil for Digestion Vessel Caps with Pressure Control for Standard 75 mL (40 Bar) and High Pressure 100 mL (100 Bar) Digestion Vessel, set of 24 pcs	N3132005
DPC TFM Cap Insert for Standard 75 mL (40 Bar) Digestion Vessel	N3132006
DPC Viton O-Ring (25 x 3 mm) for Digestion Vessel caps with Pressure Control for Standard 75 mL (40 Bar) Digestion Vessel, Qty. 1. Two are required per vessel cap	N3132008
DPC O-Ring for Digestion Vessel Caps with Pressure Control for High Pressure 100 mL (100 Bar) Digestion Vessel, Qty. 1. Two are required per vessel cap	N3133008
TFM Sample Vessel Insert for High Pressure 100 mL (100 Bar) Digestion Vessel	N3133009
Ceramic Pressure Jacket for High Pressure 100 mL (100 Bar) Digestion Vessel	N3133010
PEEK Ring Nut for High Pressure 100 mL (100 Bar) Digestion Vessel closure cap. (Left handed threads)	N3133011
Turntable Base Ring	N3134013

Gas Containment Manifold Spares

Description	Part No.
Lip Seal Ring of the Gas Containment Manifold. PTFE Sealing Ring for use with 8 and 16-Position Gas Containment Manifolds. Seals the top PFA gas tube to the Gas Containment Manifold	N3134000
Tube for Connection of Vessel to Gas Containment Manifold (PTFE). PTFE connecting tube for connection to digestion vessels with 8 and 16-Position Gas Containment Manifold	N3134005
Connector for Gas Containment Manifold to Digestion Vessel. PTFE connector for use with 8 and 16-Position Gas Containment Manifold	N3134007
Gas Containment Manifold PFA Vent Line 1 m	N3134014



Part No. **N3132000**

Consumable Run Kits

Description	Part No.
Run Kit for Standard 75 mL (40 Bar) Digestion Vessels Consumables for Approximately 2500 Digestions with Standard 75 mL (40 Bar) Digestion Vessels Includes: 10 Pressure Seals (N3132002), 4 Rupture Discs (N3132001), 5 Lip Seal Rings of the Gas Containment Manifold (N3134000)	N3132000
Run Kit for High Pressure 100 mL (100 Bar) Digestion Vessels Consumables for Approximately 2500 Digestions with High Pressure 100 mL (100 Bar) Digestion Vessels Includes: 10 Pressure Seals (N3133023); 7 Rupture Discs (N3133022), 50 PEEK Ring Nuts (N3133011) 5 Lip Seal Rings of the Gas Containment Manifold (N3134000)	N3133024

Education Services to Help Accelerate Your Science



Invest in Instrument Training

You are under tremendous pressure to meet tight budget constraints while performing more experiments than ever. Due to these dynamics, instrument training can seem like a luxury versus a necessity, and important benefits can be overlooked.

Choose the Option That's Right for You:

Classroom Training

Conducted by faculty at PerkinElmer Centers of Excellence

- Courses ranging from the basics to advanced techniques
- Hands-on experience in a laboratory environment
- Peer networking and collaboration
- Small class size to ensure individual attention
- 1-5 day options

Basic Training: Operation Essentials

Conducted by a certified Service Engineer in your lab

- For the beginner to intermediate user
- Courses adapted to meet your lab's needs
- System overview and basic principles
- Hands-on training using your instruments
 - Operational techniques
 - Instrument optimization/maintenance
 - Software operations/data acquisition
- 1-3 day options; up to four users per session

Advanced: Optimization Training and Applications

Conducted by a specialized Field Application Scientist in your lab

- For the experienced user
- Courses designed to address your unique challenges
- Customized hands-on training
 - In-depth instrument and software operations
 - Method optimization
 - Application-specific, consultative training
- 1-5 day options; up to four users per session

PerkinElmer Education Services enables you to:

- Keep your instrument running at peak performance with less downtime.
- Discover new instrument capabilities.
- Advance your knowledge base and skill set.
- Overcome the unique challenges of your application.

For more information including custom training options:

Email OnSiteTraining@PerkinElmer.com Visit www.perkinelmer.com/Training

PerkinElmer Instrument Service Contracts

Improve your instrument investment and avoid the high costs associated with instrument failure with a service plan. Unexpected instrument failure not only disrupts laboratory productivity, but can be expensive to fix. Choosing a service contract that provides breakdown coverage can help protect you from unexpected costs.

Regular preventive maintenance will help optimize your instrumentation, increasing the efficiency of your laboratory and extending the lifetime of your instrument. Consider combining your scheduled preventive maintenance with instrument qualification in a single visit to help minimize disruption to your laboratory.

We offer the most robust compliance solution in the industry. With our suite of qualification services covering many technologies, from a classical paper-based solution to a metrology-based approach, we can help your laboratory produce accurate and compliant results, day after day, deliver consistent digestion results.

- Ensure against the cost of unexpected instrument failure.
- Ensure optimum instrument performance.
- Control service costs.
- End users produce accurate and reproducible results.

Choose the Plan That's Right for your Laboratory

Platinum

For laboratories where instrument uptime is critical to performance. Includes a proactive alert system, for enabled instruments, that triggers corrective actions to help avoid equipment downtime and unnecessary expenses.

Gold

Enhance laboratory productivity by maintaining instrument efficiency with priority response, remote technical support and regular preventive maintenance.

Bronze

An excellent and cost-effective way to extend all the benefits of a first year instrument warranty.

Features	Bronze Plan	Gold Plan	Platinum Plan
Response Time ¹	Priority over Billable	Priority Response	Highest Level Priority
PerkinElmer Certified Repair Parts ²	✓	✓	✓
Travel To Your Location ³	✓	✓	✓
Emergency Breakdown Visits	✓	✓	✓
Preventive Maintenance Visits	N/A	1 or 2 PM visits	1 or 2 PM visits
Technical And Remote Support	✓	✓	✓
Software Updates ⁴	✓	✓	✓
Radian™ Remote Monitoring ⁵	✓	✓	✓
OPTIONS			
Premium Qualification Solutions	N/A	optional	optional
24 Hour Response Time ⁶	N/A	N/A	optional
Training Discount ⁷	eligible for 5% discount	eligible for 10% discount	eligible for 15% discount
Upgrades Discount ⁸	eligible for 10% discount	eligible for 15% discount	eligible for 20% discount
Discount on New Purchase of Power Protection Unit ⁸	eligible for 10% discount	eligible for 15% discount	eligible for 20% discount
Consumables Discount ⁸	eligible for 5% discount	eligible for 10% discount	eligible for 15% discount

1. Priority response varies by region and is based on a 'best effort' basis. Please consult your local service engineers for additional information.

2. Excludes all consumables. Certain parts may also be excluded based on instrument type. Please contact your local service engineer for details.

3. Zone 1 travel is 100% included in all Service Plans. Travel outside Zone 1 may incur additional travel costs.

4. Software updates do not include software upgrades.

5. For Radian enabled instruments. Service Contract discount available on instruments monitored by Radian.

6. Only available to select Platinum Plan customers. Please consult your local service manager for availability and pricing.

7. Excludes training related to the following products: Informatics, diagnostics, all imaging instruments, automation and liquid handling, high content screening, radiometric detection, newborn screening, and microplate readers.

8. Discounts may not be available for all products or product lines. Please consult your local service engineers for additional information.

Visit www.perkinelmer.com/instrumentsservices

JCANO INGENIERIA DE MÉXICO:
Priv. Brunel Mz. 1 Lt. 5 Cs 4-B Fracc. Quinta Versailles
C.P. 55767 Tecámac, Edo. De México
Correo: mcano@jcanoingenieria.com
Página Web: <https://jcanoingenieria.com>
Tel: 55 3996 2586
WhatsApp: 55 7129 9832
Facebook: <https://www.facebook.com/JCanoIngenieria>

PerkinElmer U.S. LLC
710 Bridgeport Ave.
Shelton, CT
06484-4794 USA
(+1) 855-726-9377
www.perkinelmer.com



For a complete listing of our global offices, visit www.perkinelmer.com/ContactUs

Copyright ©2024 PerkinElmer U.S. LLC. All rights reserved. PerkinElmer is a trademark of PerkinElmer U.S. LLC. All other trademarks are the property of their respective owners.

013993B_02 06-24